

Assembly Instructions

Item Number: GA-5018



Thank you for your purchase!
















Missing pieces, need help with assembly or have broken parts? Please reach out to our customer service team directly via email. Our hours of operation are 9:00am-5:30pm, Monday-Friday.

Customer Service Email: Patioservices@gmail.com

Before Assembly:

- **Read Carefully:**
Please read these instructions thoroughly before beginning assembly.
- **Work Surface:**
We recommend assembling on a soft surface, such as a carpet, to avoid scratching the paint.
- **Child Safety:**
Keep children away during assembly. This item contains small parts that could be swallowed by children.
- **Intended Use:**
This product is designed solely for outdoor use and is not a toy. Using it for unintended purposes will void the warranty.
- **Weather Conditions:**
Do not use this product during inclement or severe weather, including (but not limited to) rain, hail, sleet, snow, wind, freezing conditions, or extreme heat.
- **Surface Appearance:**
Due to the nature of cast metal, the surface may appear rough. This roughness enhances the beauty of the product and is not a defect.
- **Handling Aluminum Parts:**
Aluminum is a soft metal. Avoid using power tools and do not overtighten, as this may strip threads or break parts.
- **Supervision:**
Children under the age of 10 should be supervised by a competent adult at all times when near the product.
- **Packaging:**
Retain all packaging until assembly is complete. Keep these instructions for future reference or warranty purposes

Parts List:

| | | | |
|--|---|--|--|
| <p>A x2pcs</p>  <p>Side Frame (L,R)</p> | <p>B x16pcs</p>  <p>Ground nail screw</p> | <p>C x1pc</p>  <p>Back</p> | <p>D x4pcs</p>  <p>Support Bar</p> |
| <p>E x2pcs</p>  <p>Curve Frame</p> | <p>F x1pc</p>  <p>Seat Plate</p> | <p>G x4pcs</p>  <p>Hex.Screw M8*25</p> | <p>H x12pcs</p>  <p>Flat Washer M8</p> |
| <p>I x12pcs</p>  <p>Spring Washer M8</p> | <p>J x2pcs</p>  <p>Hex.Screw M8*45</p> | <p>K x2pcs</p>  <p>Hex.Screw M8*35</p> | <p>L x4pcs</p>  <p>Hex.Screw M8*55</p> |
| <p>M x16pcs</p>  <p>Hex.Screw M6*20</p> | <p>N x16pcs</p>  <p>Flat Washer M6</p> | <p>O x16pcs</p>  <p>Spring Washer M6</p> | |


Step 1:

1. **Connect Seat Plate:**

Use J, H, I and G, H, I to connect the seat plate (F) and the side frames (A1) and (A2).

2. **Screw Adjustment:**

Do not fully tighten the screws at this stage.




Step 2:

1. **Connect the Backrest:**

Use K, H, I and G, H, I to connect the back (C) and the side frames (A1) and (A2).

2. **Screw Adjustment:**

Do not fully tighten the screws at this stage.




Step 3:

1. **Assemble Curve Framework:**

Attach the support bars (D) to the curve frames (E) using M, N, O.

2. **Screw Adjustment:**

Tighten all screws here.



Step 4:

1. **Assemble the Overall Framework:**

Attach curve frame (E) to side frames (A1) and (A2) using L, H, I.

2. **Screw Adjustment:**

Tighten all the screws after proper adjustment.

3. **Optional Ground Fixation:**

Please fix the arch to the ground by using B if you need.

