

TY05

CHAISE LOUNGE
INSTRUCTION MANUAL



INCLUDED ITEMS

Before installation, please take out all accessories and check their serial numbers and completeness



CARE INSTURCTION

CLEANING	1.Regularly wipe the chenille surface with a soft, damp cloth to remove dust and light stains. 2.For stubborn stains, prepare a mild soap solution (diluted in water) and gently clean the affected area. 3.The removable cushion cover is machine-washable. Avoid using abrasive cleaners, solvents, or harsh chemicals, as these may damage the chenille fabric.
AVOID DIRECT SUNLIGHT	Avoid prolonged exposure to direct sunlight. Position the lounge away from windows or use curtains or blinds to block sunlight to prevent fabric fading or deterioration.
STORAGE	When not in use for an extended period, store the lounge in a dry, cool environment. Do not stack heavy objects on top of it, as this may cause deformation.

CUSTOMER SERVICE

IF YOU NEED ASSISTANCE, PLEASE FEEL FREE TO CONTACT US

EMAIL: INFO@ZARICRAFTERS.COM

SAFETY PRECAUTIONS


READ BEFORE USE	Please carefully read this manual before using the Lounge and keep it for future reference.
WEIGHT LIMIT	Strictly observe the maximum load limit of 500 lbs. Overloading may cause structural failure and increase the risk of accidents.
PLACEMENT	Position the lounge on a flat, level surface. Keep away from uneven ground or areas with strong vibrations to prevent instability or overturning.
SHARP OBJECTS	Keep sharp objects clear of the lounge to protect the Velvet from scratches and punctures.
CHILDREN & PETS	Keep children and pets under close supervision when near the lounge. The edges and corners of the product may present a risk of injury if used improperly.

PRODUCT FEATURES

MATERIAL	Premium Velvet for a cloud-soft touch. Independent cushion with extra filling offers soft support for total relaxation.

ASSEMBLY INSTRUCTIONS

Step 1 UNPACKAGE



Open the package, take out all contents, and remove the bubble wrap.

Step 2 LAY THE LOUNGE



Lay the lounge down with the holed side facing up and the black side facing down.

Step 3 INSTALL THE FRONT FRAME




X2 **(NO.2 Screw)**

NOTE: The front frame is the one with 2 holes

INSTALLATION:
Align the holes on the front frames with those on the lounge,secure with **No. 2** screws.
(Loose fit only)

Step 4 INSTALL THE END FRAME




X3 **(NO.2 Screw)**

NOTE:The END frame is the one with 3 holes.

INSTALLATION:
Align the 3 holes on the end frame with those on the lounge,secure with **No. 2 screws**.
Loose fit only


Step 5 INSTALL THE CROSSBAR



Note:
During installation, avoid applying excessive force to the lounge.
Uneven pressure may cause damage or breakage.

Align the crossbar holes with the corresponding holes on the lounge.
Secure Screw **No. 1** with the provided wrench .
Note:
This screw is intended for loose fitting only.
Do not overtighten.

Step 6 INSTALL THE CROSSBAR




NOTE:
To facilitate drilling, Screw No. 3 has a sharp tip. Handle with care and keep out of reach of children.

Locate the center hole on the crossbar and fasten **Screw No. 3** using a screwdriver.

Note: This screw is intended for loose fitting only. Do not fully tighten.

Step 7 FULLY TIGHTEN ALL SCREWS



Ensure all components are properly installed and aligned, then fully tighten all screws.

Step 8 CUSHION ON THE LOUNGE

Put the cushion on the lounge

