
INSTALLATION INSTRUCTIONS

20x20 Storage Shed



Our team is available 24/7 to help with any product questions. Contact us anytime!

REQUIRED TOOLS

Tools			
			
	Gloves	Table	Ladder
			
	Power drill	Screw drive	Tape Measure










ASSEMBLY TIPS

1. Clear a working area to allow access on all four sides. A raised work surface will make assembly easier. It is easier to install the wall panel on the table.
2. All parts are identified, so when working through the instructions page by page, the diagrams show where each part is positioned.
3. Before starting, to avoid any accidental injury, we recommend the use of gloves to protect your hands.
4. Please keep children away from your construction site.
5. Most assembly can be completed by one person, but assistance may be needed when you reach the erection stage.
6. Please note: Some local government authorities have rules & regulations on shed installation, and you may need approval to erect this shed.




ASSEMBLY STEPS

1. Unpack all components from the carton and lay them out beside your work area. Check parts against the parts list.
2. Work through the assembly instructions page by page.
3. Once assembly is completed, place the shed in position and fix the anchor to the ground.
4. Clean up all metal pieces and screws.




Part Lists A

NO.	PART.	Qty.	NO.	PART.	Qty.
6		8	L2	 M6*50	120
7A		4	L2A	 M4*8	145
7B		6	L3	 M6*55	102
21A		4	L3A		138
21B		4	L4	 M6*6	222
T4		11	L5	 4.2*13	1007
T8		8	L5A	 M5*16	10
T9		3	L6A	 M4*10	11
T10		2	L10A	 M4*8	42
T11		3	L11	 M6*50	28
T11A		4	L14A	 M4*14	4
T12		3	F1		2
S10		4	F2		1
S11		8	F2A		1
S20		432	F3		1
S21		4	F6		1
S22		2	T4A		2
L1	 M6*15	148			
L1A	 M4*10	355			


Part Lists B

NO.	PART.	Qty.	NO.	PART.	Qty.
1L		2	22A		8
1		6	22B		4
1R		2	22C		2
9		7	T2		20
9A		1			








Part Lists C

NO.	PART.	Qty.	NO.	PART.	Qty.
2L		2	3B		6
2R		2	D4		15
3		2	Q4		10
3A		4			






Part Lists D

NO.	PART.	Qty.	NO.	PART.	Qty.
2		4	D4		15
6		4	Q4		10





























Part Lists E

NO.	PART.	Qty.	NO.	PART.	Qty.
2		2	D4		10
6		2	H1		5
9D		2	H8E		8
Q3E		4	H8D		2
Q4		8	T6		10
Q4A		2			







Part Lists F

NO.	PART.	Qty.	NO.	PART.	Qty.
4B		6	Q3B		8
4C		1	Q3C		3
4D		1	Q3D		1
Q1		3	D3		20
Q3A		6			










Part Lists G

NO.	PART.	Qty.	NO.	PART.	Qty.
6		8	Q3MR		1
Q1A		1	Q3NL		1
Q1BL		1	Q3NR		1
Q1BR		1	Q3P		1
Q3FL		2	Q4B		12
Q3FR		2	Q4C		2
Q3GL		1	Q4EL		1
Q3GR		1	Q4ER		1
Q3HL		1	Q4FL		2
Q3HR		1	Q4FR		2
Q3JL		1	Q4GL		2
Q3JR		1	Q4GR		2
Q3KL		1	Q4HL		2
Q3KR		1	Q4HR		2
Q3LL		1	Q4J		1
Q3LR		1	C4L		4
Q3ML		1	C4R		4












Part Lists H

NO.	PART.	Qty.	NO.	PART.	Qty.
6		16	Q4D		8
6A		1	H8A		1
6F		1	H8B		1
13		1	H8C		2
14A		4	T3		7
14B		2	S17		8
14L		2	S18		8
14R		2	S19		8


Part Lists I


NO.	PART.	Qty.	NO.	PART.	Qty.
4A		2	7C		2
4L		1	9B		2
4R		1	9C		1
6B		2	17A		1
6C		1	17B		1
6D		1	17C		1
6E		1	17L		1
6G		2	17R		1

Part Lists J


NO.	PART.	Qty.	NO.	PART.	Qty.
15		8	20		2
16		1	21C		2
16A		2	M1		2
16B		2	M1A		4
18		4	M3		1
18A		1	M3A		12
19		2	19A		1

Exploded view







Exploded view




Exploded view






Exploded view




STEP 1

X2

The round hole of T2 is facing upwards.







L1	M6*15	8
L2	M6*50	8
L3	M6*55	8
L4	M6*6	16

STEP 2

X3


The round hole of T2 is facing upwards.






L1	M6*15	12
L2	M6*50	12
L3	M6*55	12
L4	M6*6	24

STEP 3



L1	M6*15	14


STEP 4



L1	M6*15	14


STEP 5


X3



L1	M6*15	18


STEP 6






L1	M6*15	6
L3	M6*55	1
L4	M6*6	1

STEP 7







X2

L1	M6*15	6
L3	M6*55	1
L4	M6*6	1

STEP 8

X3






X2


L1	M6*15	18

STEP 9


Pay attention to the direction of the arrow on the pipe.




X2




X2



X2






X4


L1	M6*15	8
L3	M6*55	12
L4	M6*6	12

STEP 10


Pay attention to the direction of the arrow on the pipe.




X2




X2



X2






X4


L3	M6*55	20
L4	M6*6	20

STEP 11


Pay attention to the direction of the arrow on the pipe.




X2




X2



X2






X4

L1	M6*15	8
L3	M6*55	12
L4	M6*6	12

STEP 12


Pay attention to the direction of the arrow on the pipe.
The T2 hole is facing upwards.



L3	M6*55	20
L4	M6*6	20

STEP 13


Pay attention to the direction of the arrow on the pipe.



L2	M6*50	12
L4	M6*6	12

STEP 14


Pay attention to the direction of the arrow on the pipe.



L2	M6*50	4
L4	M6*6	4

STEP 15


Pay attention to the direction of the arrow on the pipe.



L2	M6*50	12
L4	M6*6	12


STEP 16

Pay attention to the direction of the arrow on the pipe.




L2	M6*50	4
L4	M6*6	4

STEP 17




L2	M6*50	10
L4	M6*6	10


STEP 18




L2	M6*50	10
L4	M6*6	10

STEP 19










L2	M6*50	10
L4	M6*6	10

STEP 20









L2	M6*50	10
L4	M6*6	10

STEP 21




L2	M6*50	8
L4	M6*6	8

STEP 22




L2	M6*50	4
L4	M6*6	4


STEP 23



L1	M6*15	4
L2	M6*50	4
L4	M6*6	4


STEP 24






L2	M6*50	4
L4	M6*6	4

STEP 25




L2	M6*50	4
L4	M6*6	4


STEP 26



L1	M6*15	2
L2	M6*50	4
L4	M6*6	4

STEP 27







Pay attention to the direction of the arrow on the pipe.


L1	M6*15	4
L3	M6*55	6
L4	M6*6	6

STEP 28





X2





X2


Pay attention to the direction of the arrow on the pipe.


L1	M6*15	4
L3	M6*55	4
L4	M6*6	4


STEP 29













L1	M6*15	4


STEP 30



L1	M6*15	6

STEP 31






Pay attention to the direction of the arrow on the pipe.


L1	M6*15	2
L3	M6*55	6
L4	M6*6	6

STEP 32



L1	M6*15	8


STEP 33



17C two iron plates. The wide side is at the bottom and the narrow side is on top.

L1	M6*15	2
L11	M6*50	2


STEP 34



L5	4.2*13	8


STEP 35


Make sure that the diagonal dimensions are as shown in the figure.



STEP 36


T4/T4A should be placed in the middle of the two small holes.







L11	M6*50	26

STEP 37











L5	4.2*13	4

STEP 38












L5	4.2*13	7

STEP 39









L2A	M4*8	1
L3A		1
L5	4.2*13	3


STEP 40






L2A	M4*8	1
L3A		1
L5	4.2*13	4

STEP 41







The marked out parts are the uni ersal holes.

L5	4.2*13	5


STEP 42






L5	4.2*13	6


STEP 43






L5	4.2*13	6


STEP 44






L5	4.2*13	6


STEP 45






L5	4.2*13	8

STEP 46




L5	4.2*13	8


STEP 47



L5	4.2*13	8


STEP 48






L5	4.2*13	8


STEP 49



L5	4.2*13	8


STEP 50






L5	4.2*13	8


STEP 51






L5	4.2*13	6


STEP 52






L5	4.2*13	6


STEP 53






L5	4.2*13	6

STEP 54








The marked out parts are the uni ersal holes.

L5	4.2*13	6

STEP 55











L5	4.2*13	2

STEP 56












L5	4.2*13	3

STEP 57









L2A	M4*8	1
L3A		1
L5	4.2*13	5


STEP 58






L2A	M4*8	1
L3A		1
L5	4.2*13	9

STEP 59







The marked out parts are the uni ersal holes.


L5	4.2*13	15

STEP 60






X3




X3




X3


L2A	M4*8	3
L3A		3
L5	4.2*13	36

STEP 61






X2




X2





X2


L2A	M4*8	2
L3A		2
L5	4.2*13	24

STEP 62












L2A	M4*8	1
L3A		1
L5	4.2*13	12

STEP 63






X2




X2




X2


L2A	M4*8	2
L3A		2
L5	4.2*13	24

STEP 64






X3




X3





X3

L2A	M4*8	3
L3A		3
L5	4.2*13	36


STEP 65









The marked out parts are the uni ersal holes.







L2A	M4*8	1
L3A		1
L5	4.2*13	9

STEP 66











L2A	M4*8	3
L3A		3
L5	4.2*13	15


STEP 67















L5	4.2*13	11

STEP 68













L5	4.2*13	9

STEP 69













L5	4.2*13	12

STEP 70













L5	4.2*13	12

STEP 71













L5	4.2*13	16

STEP 72













L5	4.2*13	16

STEP 73













L5	4.2*13	16

STEP 74













L5	4.2*13	16

STEP 75













L5	4.2*13	16

STEP 76













L5	4.2*13	16

STEP 77













L5	4.2*13	16

STEP 78











L5	4.2*13	16


STEP 79




①



②




③




L5	4.2*13	12


STEP 80




①



②




③




L5	4.2*13	12


STEP 81




①



②





③





L5	4.2*13	10


STEP 82













L5	4.2*13	14


STEP 83



①




②




he mar ed out parts are the universal holes.

③





④




L5	4.2*13	15

STEP 84






X3




X3




X3


L2A	M4*8	3
L3A		3
L5	4.2*13	36

STEP 85






X2




X2





X2


L2A	M4*8	2
L3A		2
L5	4.2*13	24

STEP 86












L2A	M4*8	1
L3A		1
L5	4.2*13	12

STEP 87






X2




X2





X2


L2A	M4*8	2
L3A		2
L5	4.2*13	24

STEP 88












L2A	M4*8	1
L3A		1
L5	4.2*13	12


STEP 89









The marked out parts are the uni ersal holes.






L2A	M4*8	1
L3A		1
L5	4.2*13	13


STEP 90




L5	4.2*13	7

STEP 91











L2A	M4*8	1
L3A		1
L5	4.2*13	5


STEP 92












Q3C


L2A	M4*8	3
L3A		3
L5	4.2*13	15

STEP 93




L5	4.2*13	3

STEP 94




L5	4.2*13	8

STEP 95




S20		12
L5	4.2*13	12

STEP 96




L1A	M4*10	24
S20		96
L5	4.2*13	72

STEP 97




S20		2
L5A	M5*16	2

STEP 98




L1A	M4*10	20
S20		68
L5	4.2*13	48

STEP 99




L1A	M4*10	8
S20		20
L5	4.2*13	12

STEP 100




S20		2
L5A	M5*16	2

STEP 101




L1A	M4*10	20
S20		44
L5	4.2*13	24

STEP 102




L1A	M4*10	8
S20		32
L5	4.2*13	24

STEP 103




S20		2
L5A	M5*16	2

STEP 104




The side with a shorter pitch points towards the center.




L1A	M4*10	24
S20		96
L5	4.2*13	72

STEP 105




S20		2
L5A	M5*16	2

STEP 106




X2


D4*4



The side with a shorter pitch points towards the center.




X2



X2


L1A	M4*10	10
S20		34
L5	4.2*13	24

STEP 107




L1A	M4*10	10
S20		22
L5	4.2*13	12

STEP 108




L1A	M4*10	28

STEP 109




L1A	M4*10	20

STEP 110




L1A	M4*10	4

STEP 111



L5A	M5*16	2


STEP 112



Detailed steps can be found on the ne t page.

STEP 113


X4




L1A	M4*10	64


STEP 114

X2





STEP 115




L1A	M4*10	16
L2A	M4*8	4

STEP 116

The holes circled in are of the uni ersal type.

X2




The middle door stop should be placed inside the door frame.

L1A	M4*10	12
L3A		6
L6A	M4*10	4
L14A	M4*14	2

STEP 117


X2




L1A	M4*10	20
L2A	M4*8	40
L3A		40


STEP 118

X2





STEP 119




L1A	M4*10	16
L2A	M4*8	12

STEP 120

The holes circled in are of the uni ersal type.

X2




The middle door stop should be placed inside the door frame.

L1A	M4*10	12
L3A		6
L6A	M4*10	4
L14A	M4*14	2


STEP 121

X2




L1A	M4*10	20
L2A	M4*8	40
L3A		40

STEP 122




STEP 123



L1A	M4*10	8
L2A	M4*8	6


STEP 124

The holes circled in are of the uni ersal type.




L1A	M4*10	4
L3A	M4*8	3
L6A	M4*10	3

STEP 125




L1A	M4*10	7
L2A	M4*8	10
L3A		10

STEP 126



L10A	M4*8	36

STEP 127



L5	4.2*13	2
L10A	M4*8	6

WARNING

ADULT ASSEMBLY REQUIRED

CHOKING HAZARD

- This product includes small parts, sharp points and sharp edges in its unassembled state.
- Keep unassembled parts away from children under 3 years of age, and animals.

SAFETY WARNINGS

- Follow the information on the warnings appearing on this manual.
- Do not allow children under 3 years of age to use the product.
- Do not use substitute parts. Contact the manufacturer for replacement parts.

USE, MAINTENANCE & ASSEMBLY

- Periodically check and ensure that the components are in their proper position, free from damage, and that all connectors are tight.
- Use on level surfaces only. Assemble on a soft level surface to avoid damage to unit or floor.
- Do not use this item if any components are missing or damaged.
- Only clean using damp cloth and mild detergent, do not use bleach or abrasive cleaners.

CARE & SAFETY

- Unsuitable for storage of flammable or corrosive substances.
- It is of utmost importance to assemble all of the parts according to the directions. Do not skip any step.
- Please consult your local authorities if any permits are required to erect shed.
- Periodically check shed to assure that it remains stable and that the site remains level.
- It is highly recommended to secure the shed to an immovable object or to the ground by drilling holes in the floor at the pre-marked locations and inserting proper screws into the ground (screws are not included).
- Wear safety-goggles and always follow the manufacturer's instructions when using power tools.
- Wash shed with garden hose or a mild detergent solution. Using a stiff brush or abrasive cleaner could damage shed.
- Hot items such as recently used grills, blowtorches, etc. Must not be stored in the shed.
- Heavy articles should not be leaned against the walls, as this may cause distortion.
- Keep roof clean of snow and leaves. Heavy amounts of snow on roof can damage the shed making it unsafe to enter.
- Although wind direction varies, it is an important factor when taking into account where to place your shed. Therefore, it is recommended to reduce wind exposure of the shed in general, and the door side in particular.
- Keep doors closed and locked to prevent wind damage.
- Do not stand on the roof.

RETURN REQUEST

In order to get a full refund as described in this return policy, all items must be:
(1) In a brandnew/unused condition, please provide photos before and after packaging.
(2) When returning, all accessories and parts are firmly packed in all original packaging.
If your refurn does not meet the requirements, you may not get a full refund.

When will I be refunded?
The refund is released once the goods have been returned to our warehouse.

What if the product is damaged/defective outside of the valid return period?
We want you to be a happy customer.Please reach out to us by email and we wil come upwith a solution to make sure you are satisfied.