


HERNING STEEL 3-SEAT SWING






ASSEMBLY INSTRUCTIONS







GRANDPATIO





READ & SAVE BELOW INSTRUCTIONS BEFORE ASSEMBLY


- 1.PLEASE SEPARATE AND IDENTIFY ALL PARTS,MAKING SURE THAT YOU HAVE ALL OF THE PARTS LISTED.
- 2.TO AVOID ANY SCRATCH DURING ASSEMBLY, PLEASE ASSEMBLE ON A SOFT MAT OR SIMILAR.
- 3.PLEASE ASSEMBLE STEP BY STEP AND FOLLOW THE INSTRUCTIONS.
- 4.WASHERS MUST BE USED.
- 5.WHILE EACH SCREW AND NUT IS PROPERLY FASTENED, DO NOT OVER FASTEN IT.
- 6.DO NOT COMPLETELY FASTEN EACH SCREW AND NUT UNTIL ALL THE SCREWS ARE PROPERLY FIXED.

REF	PCE	PIECE	QTY	DIM
1	A		1	
2	B		1	
3	C		2	
4	D		1	
5	E		1	
6	F		2	
7	G		2	
8	H		2	
9	I		2	
10	J		1	
11	K		1	
12	L		2	


REF	PCE	PIECE	QTY	DIM
13	M		2	
14	N		4	
15	O		2	
16	P		1	
17	Q		2	
18	①		4	M6X12MM
19	②		8	M6X20MM
20	③		4	M6X30MM
21	④		4	M6X45MM
22	⑤		2	M8X20MM
23	⑥		2	M8X120MM

REF	PCE	PIECE	QTY	DIM
24	⑦		12	Ø 14/6.5mm
25	⑧		6	Ø 16/8.5mm
26	⑨		4	
27	⑩		2	
28	⑪		1	
29	⑫		1	
30	⑬		4	
31	⑭		20	
32	⑮		2	
33	⑯		4	Ø 16/6.5mm


1






2




3




4




5




6




7




8




9




10




11




12




13




14







15



16



HOW TO USE



CARE AND CLEANING:

1. TO CLEAN,WIPE WITH DAMP CLOTH.DO NOT USE BLEACH,ACID SOLVENTS OR ABRASIVE CLEANERS OR FRAME PARTS.
2. DURING VARYING WEATHER CONDITIONS AND WINTER PERIOD,WE STRONGLY RECOMMEND THAT IT CAN BE STORED IN A DRY AREA WITH A SUITABLE COVER BEFORE STORAGE,PLS INSURE IT IS CLEAN AND DRY.
3. IN THE EVENT OF BARE METAL SHOWING DUE TO SCRATCH,IT IS PREFERRED TO TREAT WITH A RUST REPELLING VARNISH OR SIMILAR.
4. PERIODICALLY CHECK AND ENSURE THAT ALL THE SCREWS ARE COMPLETELY TIGHTEN.
5. A MATCHING FURNITURE COVER IS STRONGLY RECOMMENDED TO EXTEND THE USAGE LIFE-SPAN.

