


Installation and Users Instructions




Fireplace Mantel

**PLEASE READ THIS MANUAL BEFORE INSTALLING AND USING APPLIANCE.
INSTALLER: DO NOT DISCARD THIS MANUAL – LEAVE WITH THE CUSTOMER
SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE.**

SECTION 1 DIMENSIONS


Dimensions in mm





SECTION 2 ASSEMBLY AND INSTALLATION

2.1 Unpack

- Open the package carefully and remove all pieces. Carefully inspect each part for any damage before you begin assembly.
- Make sure that you have all the parts listed below before assembling.




No.	Name	Quantity
A	Top panel	1
B	Front top panel	1
C	Left side panel	1
D	Right side panel	1
E	Second top panel	1
F	Bottom panel	1
G	Base panel	1
H	Fire support panel	1
I	Left side second panel	1
J	Right side second panel	1
K	Wood dowel 	9
L	Screws M6*30mm 	26
M	Washer	26

NOTE: left and right of product are distinguished by its front view.

2.2 Before installation


Tools required: magnetic phillips screwdriver




2.3 Installation

NOTE!



- Assembly required by two adults.
- This fireplace suite must be fitted to the wall. Mirror plates are supplied with the electric fire but any other suitable concealed fixing may be used.
- Use manual screwdriver only.
- Use washer when fixing with screws. Do not overtighten bolts.
- Do not use screws of other types or models, in case that the screws are too long, causing damage to mantels.
- Only fit the fire from the back of the fireplace so as not to scratch the mantel.




Paso1. Fijar los paneles de los dos lados (C&D) en el panel de la base (G).






Step 2. Attach the Left Side second Panel and Right Side second Panel (I&J) to the Left and Right Side Panels (C&D). Do not tighten the screws in case you need further adjustments for step 3




Step 3. Fix the second top panel (E) and bottom panel (F).



M6*30

	<p>Step 4. Pass the socket and wire of mood lighting through the hole on the right side panel (D) before fixing of front top panel (B). Check that the led strip is still pushed firmly down into position on the self- adhesive pads.</p>
	<p>Step 5. Fix the front top panel (B) with second top panel (E).</p>
	<p>Step 6. Fix the top panel (A) and fire support panel (H).</p>



Step 7. Install the fire from back of the mantel, and use 4 screws to fix firmly. (Screws are supplied together with the fire).

Connect the plug and socket of mantel mood lighting. (Detailed in the fire instructions E114R)

SECTION 3 CLEANING & MAINTAINENCE

- 1 Your fireplace mantel surface coating will give off a slight smell for a short period of time. Try to ventilate as much as possible during this time.
- 2 Daily cleaning: Clean the mantel surfaces with a soft, lint-free cloth. Do not use cleaning or polishing products and try to avoid heavy or sharp articles which may damage the surface.
- 3 Avoid long-term direct sunlight, and excessive temperatures and humidity to protect the life of your furniture surface.