

## **Warnings and Cautions**

Please retain this instruction for future usage and read carefully before assembly.

Make sure you have all the parts hardware as item list shows.

2 adults are recommended to install your chair.

Do not discard any of the packaging until you have checked that you have all the parts and pack of fittings.

Check all bolts for tightness before use, and periodically check and tighten bolts ensure your chair works properly.

Some parts might have sharp edges/corners. Please follow basic safety precautions to reduce the risk of hurts.

### **Notes**

1. Chemicals in swimming pool's water might cause fading.
2. Cleaning and drying the chairs after it rains.
3. Cleaning and drying the chair in time if exposed to chemicals.
4. Please cover and store it if not in use.

### **CHOKE HAZARD**

THIS ITEM CONTAINS SMALL PARTS WHICH CAN BE SWALLOWED BY CHILDREN.

PLEASE KEEP IT AWAY FROM CHILDREN UNDER 3 YEARS OLD AND PETS DURING INSTALLATION.

### **Technical Details:**

Material: Aluminum + Teslin;












Chair size: 60 \* 25 \* 32.2 inch (153 \* 64 \* 83.5 cm)


loading capacity: 265 LBS (120 kg)

Table dimensions: 13.8 \* 18 \* 11 inch (46 \* 35 \* 28.3 cm)

loading capacity: 11 LBS (5 kg)

# CHECK LIST


<b>A</b>		2 PC
<b>B</b>		2 PC
<b>C</b>		2 PC
<b>D</b>		2 PC
<b>E</b>		4 PC
<b>F</b>  M6X35 16 PC	<b>G</b>  M6X16 24 PC	<b>H</b>  M6 12 PC
<b>I</b>  M6 48 PC	<b>J</b>  M6 4 PC	<b>K</b>  2 PC



- Please pull the fabric into place before assembling if it retracts.
- Ensure that use carpet for the installation for preventing scratches.



## STEP 1



- Never fully tighten all of the bolts until the step 4.




F×4




I×4

STEP 2







### STEP 3



- Don't forget to put the H and I under it

- Attach part D to right leg's hole.

## STEP 4




**G×4**



**I×4**

## STEP 5

- Pull out the left leg then attach part D to it.





- Please fully tighten all of bolts.

# Note






How to fix uneven chair.

*The problematic leg of the chair on a higher plane or object.*





## Check List

<div><b>A</b></div> <div></div> <div>1 PC</div>	<div><b>B</b></div> <div></div> <div>2 PC</div>	
<div><b>C</b></div> <div></div> <div>(M6×30) 4 PC</div>	<div><b>D</b></div> <div></div> <div>M6×1 4 PC</div>	<div><b>E</b></div> <div></div> <div>1 PC</div>



