




# Assembly Instructions for **Model HL1301452**



Precautions Before Assembly:


Expansion Screw Installation Tutorial

## INSTRUCTIONS



## Assembly method

The following tutorial is for reference only.



1. Remove the Mounting Bracket from ceiling canopy of Fixture Body.

Mark the drilling position on ceiling with the help of the Mounting Bracket.

Drill holes on the marks and stick the expansion anchors into the holes.

Fix the Mounting Bracket to the expansion anchors with self-tapping screws.

2. Secure the central metal rod to the center of the ceiling plate using the accompanying nut.



3. Hold the fixture close to ceiling.

Connect live line to one of the two wires from the Fixture Body.

Connect neutral line to the other wire from the Fixture Body.

4. Install the ceiling canopy onto the mounting brackets.

5. Align the central hole at the bottom of the lampshade with the base of the central metal rod and slide it into place; then, secure it using the provided large round washer and bottom nut.

6. If you need to replace the light source (please note: this product does not include a light source), first reverse the steps outlined in Step 5; once the bulb has been replaced, repeat Step 5 to reassemble.

7. Strictly avoid using chemical solvents to clean the surface of the lamp body; it is recommended to simply wipe it down with a clean cloth dampened with a small amount of water.

The installation is complete.

Your fixture is now assembled and ready to use.