



# Archer® | K-1946-L

60" x 30" alcove bath, left drain

## Features

- Comfort Depth® offers a lower apron with generous soaking depth
- Integral lumbar support
- Slotted overflow allows for deep soaking
- Integral flange helps prevent water from seeping behind wall and simplifies alcove installation
- Textured bottom surface
- Coordinates with other products in the Archer collection



## Available Colors/Finishes

*Color tiles intended for reference only.*

|    |             |
|----|-------------|
| 0  | White       |
| 96 | Biscuit     |
| 95 | Ice Grey    |
| 7  | Black Black |



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-29-2026 22:18 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards

*ADA compliant when installed to the specific requirements of these regulations.*



CSA B45.5/IAPMO Z124  
 ADA  
 ICC/ANSI A117.1

## Warranty

*See website for detailed warranty information.*

KOHLER® Plastic Baths and Shower Bases Lifetime Limited  
 Warranty

## Technical Information

*All product dimensions are nominal.*

|                        |                                           |
|------------------------|-------------------------------------------|
| Drain Location:        | Left                                      |
| Drain Hole Diameter:   | 2-1/4" (57 mm)                            |
| Minimum Flat for Door: | 2-9/16" (65 mm)                           |
| Basin Area, Bottom:    | 45-1/8" x 19-11/16" (1146<br>mm x 500 mm) |
| Basin Area, Top:       | 52-1/8" x 22-1/16" (1324<br>mm x 560 mm)  |
| Water Depth:           | 15-1/8" (384 mm)                          |
| Water Capacity:        | 57 gal (215.8 L)                          |
| Minimum Floor Load:    | 45 lbs/ft <sup>2</sup>                    |
| Weight:                | 58 lbs (26.3 kg)                          |

## Material

- Acrylic


## Recommended Products/Accessories

K-23726 Drain treatment  
 K-23732 Tub & shower cleaner

## Required Products/Accessories

- K-7271 Slotted overflow brass bath drain
- or
- K-7272 Slotted overflow bath drain





## Installation

- Left drain
- Alcove
- Requires Clearflo slotted overflow bath drain (sold separately)

## Installation Notes

*Install this product according to the installation instructions.*

Measure your actual product for rough-in details.  
 The hot water supply should be 70% of the capacity of the bath or greater. Installations will vary.  
 ADA compliant when installed to the specific requirements of these regulations.

