





Assembly Instruction




A:Left Armx1




B:Right Armx1




C:Backrestx1




D:Left armrest padx1



E:Right armrest padx1




F:Bottom boardx1




G:Front boardx1



H: Side barsx2




I:Left legx1




J: Right legx1




K:Center barsx3



L:seat coverx1




M:Compression seat cushionx1



**N:Angle bracket
x4**



**O:M6*20mm
x8**



**P:M6*45mm
x14**




**Q:M6*Φ18mm
x16**




**R:Hex key
x1**


Step 1 Install the 3pcs of center bars to both right and left wood leg as following.




Step 2 Install the side bar to both right and left arm as following.



Step 3 Install the angle bracket to the front board.





Step 4




Install the front board to both left arm and right arm as following step 4 & 5.


◀ Notice: The front board is trapezoidal, the narrow position is on the bottom.




Step 5




Notice: This front board is trapezoidal, the narrow position is on the bottom.




Step 6




Step 7




Step 8



Step 9




Step 10




Step 11

How to tidy sofa seat cushion?




Finish



At the beginning the seat cushion is a little loose which is normal. Please allow at least 72 hours for the seat cushion foam to recover to its natural state after covering the fabric cover.

How to install the seat cushions

Step 1. Open the plastic bag and remove the seat cushion foam wrapped with. non-woven bag & polyester fiber from the plastic bag.




Carefully cut off the plastic bag




Open the plastic bag,
and remove the seat cushion foam

Step 2. Cover the fabric cover to the cushion foam.**PLEASE DON'T REMOVE THE NON-WOVEN BAG & POLYESTER FIBER OF THE SEAT CUSHION, PLEASE KEEP IT AS IT IS.**When you get the seat cushion,you will see the RED words which side is **Top,Front,Back** as following.



How to tidy sofa seat cushion?



At the beginning the seat cushions are a little loose which is normal. Please allow at least 72 hours for the seat cushions foam to recover to its natural state after covering the fabric covers.