
MODEL: IG10600094-1012-WLY



OWNER'S MANUAL


The Horizon 10'x12' Hard Top Gazebo W/ Solar LED light

TABLE OF CONTENTS	QUESTIONS?
USING YOUR PRODUCT 02	E-mail: support@modernshade.org
October 13, 2024	Toll Free: 1-888-666-3070
	Mon-Fri: 9:0017:00 PST.

ASSEMBLY GUIDE

PARTS LIST

A1 Post 1 (2 pieces)	A2 Post 2 (2 pieces)	B Foot Base (4 pieces)	C Foot Cover (4 pieces)	D1 Cross Beam 1 (2 pieces)	D2 Cross Beam 2 (2 pieces)
(2 pieces)	(2 pieces)	(4 pieces)	(4 pieces)	(2 pieces)	(2 pieces)
P0010000102	P0010000202	P0030000101	P0020000101	P0040000102	P0040000202
Cross Beam 3 (2 pieces)	D4 Cross Beam 4 (2 pieces)	E Roof Rib (4 pieces)	F1 Middle Cross Beam (4 pieces)	G1 Support Bracket 1 (4 pieces)	G2 Support Bracket 2 (4 pieces)
				0.0	6.4
P0040000502	P0040000602	P0070000101	P0080000101	P0050000102	P0050000202
H3 Mosquito Net Rod 1 (4 pieces)	H4 Mosquito Net Rod 2 (4 pieces)	J1 Top Beam 1 (4 pieces)	J2 Top Beam 2 (4 pieces)	K4 Roof Support 1 (2 pieces)	K5 Roof Support 2 (2 pieces)
			*		
P0100000401	P0100000501	P0090000101	P0090000201	P0090000901	P0090001001
K8 Roof Support 3 (2 pieces)	K9 Roof Support 4 (2 pieces)	K10 Roof Support 5 (2 pieces)	K11 Roof Support 6 (2 pieces)	K12 Roof Support 7 (2 pieces)	K13 Roof Support 8 (2 pieces)
P0090001301	P0090001401	P0090001501	P0090001601	P0090001701	P0090001801
Connector 1 (4 pieces)	Connector 2 (4 pieces)	L3 Connector 3 (4 pieces)	L4 Connector 4 (4 pieces)	L5 Connector 5 (4 pieces)	L6 Connector 6 (8 pieces)
	0				
P0060000101	P0110000102	P0110000302	P0060000301	P0060000401	P0060000501
Connector 7 (12 pieces)	L8 Connector 8 (1 piece)	L9 Connector 9 (4 pieces)	M1 Roof Rib Cover 1 (4 pieces)	M2 Roof Rib Cover 2 (4 pieces)	M3 Roof Rib Cover 3 (1 piece)
0					
P0060000601	P0060000701	P0110000501	P0120000101	P0120000201	P0120000501





HARDWARE

AA Bolt M6*20 (284+14 pieces)	BB Bolt M6*45 (30+3 pieces)	CC Bolt M4*20 (8+1 pieces)	M6 Flat washer (314+15 pieces)	EE M6 Sealant Washer	FF Concrete Anchor M6*60 (8 pieces)
				(12+1 pieces)	
H0008008065	H0008008016	H0008008067	H0008008068	H0008008069	H0008008095
GG Plastic Clip	HH Double Open	JJ M6 Allen Key	LL Rings		
(12+2 pieces)	End Wrench M6/M4	(2 pieces)	(52+2 pieces)		
	(2 pieces)				
H0008008071	H0008008072	H0008008133	H0008008113		

IMPORTANT:

This instruction manual contains important information necessary for the proper assembly and safe use of the product.

Read and follow all warnings and instructions before assembling and using the product.

Follow all warnings and instructions when using the product.

Keep this manual for future reference.

Installer/Assembler: leave these instructions with the consumer.

SAFETY ALERT KEY

A DANGER

Indicates a hazardous situation that, if not avoided, will result in death or serious injury.

A CAUTION

Indicates a hazardous situation that, if not avoided, could result in minor or moderate injury.

A WARNING

Indicates a hazardous situation that, if not avoided, could result in death or serious injury.

NOTICE

Indicates information considered important, but not hazard-related (e.g.messages related to property damage).


ASSEMBLY INSTRUCTIONS

Please carefully unpack each of the components and hardware.
 check the components against the parts list and make sure there are no missing parts. lay pieces on cardboard or a soft mat to help protect the pieces from scratches.


A CAUTION

Watch for sharp edges when handling the pieces, wear gloves to avoid injury.

STEP 01 Slide Foot Cover C onto Post 1 A1. Attach Foot Base B using two (2) M6*20 Bolts [AA] and two (2) M6 Flat Washers [DD]. Repeat for the second Post 1 A1. Slide Foot Cover C onto Post 2 A2. Attach Foot Base B using two (2) M6*20 Bolts [AA] and two M6 Flat Washers [DD]. Repeat for the second Post 2 A2.




STEP 03 Slide Cross Beam 3 D3 and Cross Beam 4 D4 onto the ends of Connector 1 L1, then place one (1) Connector 2 L2 over the middle Connector 1 L1. Connect together using five (5) M6*20 Bolts [AA] and five (5) M6 Flat Washers [DD]. Repeat to create a second assembly.




- For ease of assembly, it is recommended to have 3 or more people and allow enough time to completely finish the assembly.
 assembly can take 6-8 hours. a step-ladder is required for assembly (not included).
- •Follow step by step instructions, and follow all safety warnings provided with your tools.
- DO NOT tighten screws until all the screws and washers are properly installed.
 tighten screws securely, do not over tighten.
- •Gazebo should not be used in inclement weather and high winds.

STEP 02 Slide Cross Beam 1 D1 and Cross Beam 2 D2 onto the ends of Connector 1 L1, then place one (1) Connector 2 L2 over the middle Connector 1 L1. Connect together using five (5) M6*20 Bolts [AA] and five (5) M6 Flat Washers [DD]. Repeat to create a second assembly.




STEP 04 Connect the assembly from Step 2 D1 + D2 to Post 1
A1 and Post 2 A2 using four (4) M6*20 Bolts [AA] and four (4)
M6 Flat Washers [DD]. Repeat to create a second set of legs.



<u>STEP 05</u> Connect the sets of legs from Step 4 together using the assemblies from Step 3 D3 + D4 using eight (8) M6*20 Bolts [AA] and eight (8) M6 Flat Washers [DD].

[**AA**] x 8 [**DD**] x 8




STEP 07 On each post, attach one (1) Support Bracket 1 G1 on the left and one (1) Support Bracket 2 G2 on the right using two (2) M6*20 Bolts [AA] and two (2) M6 Flat Washers [DD] on the lower holes and two (2) M6*45 Bolts [BB] and two (2) M6 Flat Washers [DD] in the upper holes.


<u>STEP 06</u> In each corner, connect one Connector 3 L3 using two (2) M6*20 Bolts [AA] and two (2) M6 Flat Washers [DD]. Then, connect one Connector 5 L5 on top of each corner using three (3) M6*20 Bolts [AA] and three (3) M6 Flat Washers [DD].


[**AA**] x 20 [**DD**] x 20

[**AA**] x 16



STEP 08 Attach two Mosquito Net Rods 3 H3 on each long side of the gazebo and two (2) Mosquito Net Rod 4 H4 on the short sides of the gazebo, using two (2) M6*20 Bolts [AA] and two (2) M6 Flat Washers [DD] each.







STEP 09 At each corner, attach one (1) Roof Rib E using four (4) M6*20 Bolts AA and four (4) M6 Flat Washers DD.

STEP 10 Attach Connector 8 L8 to the top of the gazebo using four (4) M6*20 Bolts [AA] and four (4) M6 Flat Washers [DD].






[AA] x 4 [DD] x 4




STEP 11 Connect Roof Ribs E together using Roof Support 1s K4 on each short side and Roof Support 2s K5 on the long sides using two (2) M6*20 Bolts [AA] and two (2) M6 Flat Washers [DD].

[AA] x 8 [DD] x 8




STEP 12 Attach two (2) Connector 6s L6 to one (1) Middle Cross Beam F1. Then, connect one (1) Connector 4 L4 to the underside of the cross beam. Repeat to make four cross beam assemblies.

[**AA**] x 16 [**DD**] x 16




<u>STEP 13</u> Connect each cross beam assembly from Step 12 to the gazebo using three (3) M6*20 Bolts [AA] and three (3) M6 Flat Washers [DD] each.

STEP 14 On each Roof Rib E, attach one (1) Connector 7 L7 to the bottom end, one (1) Connector 7 L7 in the center, and one one (1) Connector 7 L7 the end of the upper arm.




STEP 15 Attach Top Beams 1 and 2 J1 and J2 around the top of the gazebo using M6*20 Bolts [AA] and M6 Flat Washers [DD] to attach to Connector 6s L6 and Connector 7s L7.




STEP 16 Connect Roof Support 3s K8 and Roof Support s4 K9

to the L7s at the top of the gazebo.


STEP 17 On the short sides of the gazebo, connect Roof Support 5 K10 on the left, and Roof Support 6 K11 on the right. On the long side of the gazebo, connect Roof Support 7 K12 on the left and Roof Support 8 K13 on the right.



STEP 18 Add one Connector 9 L9 to each side where the Roof Supports meet.




STEP 19 Attach Roof Plate 9 N12 and Roof Plate 10 N13 to the short side of the gazebo. On the long side, connect Roof Plate 9 N12, Roof Plate 8 N9, and Roof Plate 10 N13.





STEP 20 On the edges of the roof plate, attach Roof Rib Covers 2 M2 using one (1) M6*45 Bolts [BB], one (1) M6 Flat Washers [DD], and one (1) M6 sealant washers [EE]. Repeat with the other three (3) Roof Rib Covers 2 M2.


STEP 21 Attach Roof Rib Cover 3 M3 over the top of the gazebo using two (2) M6*45 Bolts [BB] and two (2) M6 Flat Washers [DD]. Attach the Hook P from inside the gazebo.




STEP 22 To complete the roof, attach Roof Plates in this order starting on the short side of the gazebo: N6, N4, N2, N3, N5, N7, N6, N4, N2, N1, N3, N5, and N7. Repeat around the other side to add all panels. Use Plastic Clips [GG] along the top of each panel.








STEP 25 Attach all fifty-two (52) Rings [LL] to the mosquito net around the gazebo on the rings.




STEP 26 Use two (2) Concrete Anchors [FF] in each Foot Base B to secure the gazebo to the ground. Slide Foot Covers C down to the bottom of the posts.




Outdoor Structure anchoring guide for anchoring gazebo to wood or concrete: If step 26, on page 11 in the assembly instructions is not properly completed, this will void the warranty.



WARNING! If your gazebo is not properly anchored,
damage could occur. It is highly recommended for
maximum safety that you mount and secure to wood or
concrete footers. This is far better and safer than using
ground stakes. The following are some examples of how
to mount the structure to wood or concrete surfaces.
Refer to local building codes or consider consulting a
licensed contractor for assistance in the anchoring of
this product.





If digging for foundation, please double check for possibility of any underground utilities such as gas, telephone, cable or sprinkler lines. Refer to your local building and city codes, ordinances, neighborhood covenants, or height restrictions regarding this type of structure for guidance on acceptable installation requirements.

A CAUTION

DO NOT climb or walk on roof for any reason.

- •Our components are intended for privacy, decorative and ornamental use only.
- •Product is NOT INTENDED for the following:
- •A safety barrier to prevent unsupervised access to pools, hot tubs, spas or ponds.
- As load bearing support for a building, structure, heavy objects or swings.
- •Used in structures that trap wind, rain or snow that would create extra load on the product.
- Accumulated snow must be removed from roof.
- •DO NOT climb or walk on roof for any reason.

LIMITED WARRANTY

We warrants this product against defects in materials and workmanship for a period of one (1) year from the original date of purchase. To the extent any such defects occur, our products will send the appropriate replacement part(s) at no charge.

This warranty does not cover:

- •Inspection costs or labor for replacement of any defective parts);
- Incidental or consequential damages;
- Cosmetic defects which DO NOT affect performance;
- Normal wear and tear:
- •Damage due to vandalism; acts of nature, including but not limited to wind, storms, hail, floods;
- •Improper assembly, installation, or use;
- •Discoloration or fading of the finish as a result of exposure to chemicals, spills, pool or salt water
- Corrosion/ rust.

Your product has been designed for safety and quality.

Any modifications made to the original product could compromise its structural integrity or function, and could lead to product failure or personal injury. As such, modifying this product voids any and all warranties.

This product is warranted for RESIDENTIAL USE ONLY, and is not for commercial, contract or other non-residential purposes. Products disclaims all other representations and warranties of any kind, express or implied.

The warranty applies to the original purchaser and is non-transferable. It does not apply to purchases of display models, or when the product is sold on clearance or "as is".

We makes no warranty whatsoever in respect to accessories or parts not supplied with it. This warranty shall apply only within the boundaries of the United States of America and Canada. This warranty gives the original purchaser specific rights, and the original purchaser may also have other rights, which vary from state to state.