


LIFT TOP COFFEE TABLE

USER MANUAL

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

LIFT TOP COFFEE TABLE



This is the original instruction, please read all manual instructions carefully before operating. Reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

WARNING:

Read this material before using this product. Failure to do so can result in serious injury.

Assembly precautions


1. Assemble only according to these instructions. Improper assembly can create hazards.
2. Wear ANSI-approved safety goggles and heavy-duty work gloves during assembly.
3. Keep the assembly area clean and well-lit.
4. Keep bystanders out of the area during assembly.
5. Do not assemble if tired or when under the influence of alcohol, drugs or medication.
6. The product capabilities apply to properly and completely assembled products only.
7. Assemble on a flat, level, hard and smooth surface capable of safely supporting the Lift Top Coffee Table.
8. For additional information regarding the parts listed in the following pages, please refer to the Assembly Diagram of this manual. Unwrap and separate all parts in a clean work area.




Use precautions

1. DO NOT SIT OR STAND ON THIS ITEM.
2. This product is not a toy. Do not allow children to play with or near this item.
3. Do not exceed specified weight capacities.
4. Use only on a flat, level, hard, and smooth surface that can safely support a fully loaded Lift Top Coffee Table.
5. Use as intended only.
6. Inspect before every use; do not use if parts are loose or damaged.

SAVE THIS MANUAL

PARTS LIST




A	X40	B	X40	C	X16	D	X46+1
 Ø6×40mm		 Ø15×9.5		 Ø8×40		 Ø3.5×14mm	
E	X42	F	X4	G	X4	H	X40
 Ø5×50mm		 M6		 Ø5×40mm		 Ø20	
I	X1	J	X2	K	X10	L	X2
		 300mm CL DL DR CR		 Ø3.5×35mm			
M	X6	N	X2	O	X1	P	X1
 M6×35mm		 Ø4×12mm				 Ø3×9mm	
Q	X1		X1				
 80N L R		 4mm 3mm					

ASSEMBLY STEP

1

Diagram 1 illustrates the assembly of a horizontal beam (2) to a vertical post (1). The beam is connected to the post using a bolt (M) and a support bracket (5). The bolt is inserted through the post and the beam, secured with a washer and nut. The support bracket (5) is attached to the bottom of the post and the beam, providing additional support.


M	X2
	
M6×35mm	




A 2D rectangular plate with a central hole. A circular feature is labeled '8'. The plate is labeled 'X2'.


A	X16
 Ø6×40mm	

3





E	X7
	
Ø5×50mm	

4





E	X6
	
Ø5×50mm	

5




B	X4
	
Ø15×9.5	

6




B	X4	C	X2
			
Ø15×9.5		Ø8×40	

7




G	X4
 Ø5×40mm	

8






A	X6
 Ø6×40mm	

9




B	X6	C	X4
			
Ø15×9.5		Ø8×40	

10




P	X1
     	
Ø3×9mm	

11




A	X6
Ø6×40mm	

12




D	X4	A	X4
Ø3.5×14mm		Ø6×40mm	

13





D	X4	J	X2
			
Ø3.5×14mm		300mm	CR CL


14



C	X4	B	X4
			
Ø8×40		Ø15×9.5	




17




C	X2	B	X2
			
Ø8×40		Ø15×9.5	


18




E	X1	M	X2
			
Ø5×50mm		M6×35mm	

19




E	X7
	
Ø5×50mm	

20




C	X2	B	X8
			
Ø8×40		Ø15×9.5	

21




F	X4	M	X2	E	X9
<p>M6</p> <p>M6×35mm</p> <p>Ø5×50mm</p>					

22




K	X2	E	X8
<p>Ø3.5×35mm</p> <p>Ø5×50mm</p>			

23




Q	X1	D	X12
	 80N		 Ø3.5×14mm

24




D	X12
	 Ø3.5×14mm

25










26




I	X1
D	X2
Ø3.5×14mm	

27





A	X8	B	X8	D	X12	K	X8	L	X2	J	X2
											
Ø6×40mm		Ø15×9.5		Ø3.5×14mm		Ø3.5×35mm					

28



29



H		X40	
		 Ø20	
N	X2	O	X1
 Ø4×12mm			

PRODUCT PARAMETER

Model	KLCT-02
Power Strip	AC125V, 60Hz, 1500 W
Safe Loading Weight	50kg
Colour	Brown
Product Size	1000*498*480 mm

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support