

Assembly Instructions For Loungers



Tools required for assembly:

1/2" inch ratchet and a small hammer

Check List:

With Arms		With out Arms	
<ul style="list-style-type: none"> • 1- Seat • 1- Back rest • 2- Arms with legs and attached wheels • 2- Legs • 1- Center leg only Double lounger • 1- Assembly instructions 	<p>Box 1</p> <p>Box 2</p> <p>Box 2</p> <p>Box 2</p> <p>Box 2</p> <p>Box 2</p> <p>Box 1</p>	<ul style="list-style-type: none"> • 1- Seat • 1- Back rest • 2- Legs with attaches wheels • 4- Legs • 1- Center leg only Double lounger • 1- Assembly instructions 	<p>Box 1</p> <p>Box 2</p> <p>Box 2</p> <p>Box 2</p> <p>Box 2</p> <p>Box 1</p>
<p>Hardware</p>		<p>Hardware</p>	
<ul style="list-style-type: none"> • 14- Carriage bolts 5/16 	<p>Box 2</p>	<ul style="list-style-type: none"> • 14- Carriage bolts 5/16 	<p>Box 2</p>
<p>Note: Double Loungers has 4 extra carriage bolts 5/16</p>		<p>Note: Double Loungers has 4 extra carriage bolts 5/16</p>	

Step

1

Check:

Make sure you have all parts and hardware

With out arms



With arms



2

Back rest with seat assembly:

Insert the carriage bolts into the **pre-drilled holes**. Use the carriage bolts 5/16



3

Legs assembly:

Insert the carriage bolts into the **pre-drilled holes**. should to the same for all legs. Use the carriage bolts 5/16 x 3"



4

Center leg assembly: Only Double

Only double lounger. Insert the carriage bolts into the tread ratchet. Use the carriage bolts 5/16 x3 "

4

Completed:

Enjoy your new lounger.
Thanks for your support

