



97066 Product Installation Instructions







1x2




2x4




3x2




4x2




5x1




6x2




7x2




8x1




9x1




10x1




11x1




12x1




13x1




14x4




15x1




16x2




17x1




18x1




19x2




20x1




21x2




22x1




23x1




24x1




25x2




26x1




27x1




28x1




29x1




30x1




























31x4




32x1











1

Accessories list						
A			Two in one screw (6x28mm)		119pcs +6pcs	
B			Two in one nut (10x12mm)		119pcs +6pcs	
C			Wood chipping (6x30mm)		16pcs +4pcs	
D				Pull loop handle (4x8mm)	4pcs4pcs +1pcs	
E				Screw & Guide (3.5x12mm)	20pcs +4pcs4pcs	
F				Hinge & Screw (3.5x12mm)	2pcs16pcs +2pcs	
G			Adjuster foot		4pcs	
H				Hinge & Screw (3.5x12mm)	2pcs16pcs +2pcs	
I			Wire		1pcs	
J			Sticker (ϕ 20mm)		1pcs4pcs +2pcs	
K			Arch handle & Screw (4x22mm)		2pcs4pcs	
L			Fixing Clip & Screw (3x16mm)		16pcs +1pcs	
M			Forked line		2pcs	
N			Wire Clamp		5pcs +1pcs	
O			Door Magnet & Screw (3x12mm)		1pcs2pcs +1pcs	
P			Iron Sheet & Screw (3x10mm)		2pcs2pcs +1pcs	
Q			anti-tipping tape		1pcs	
			Screw & gasket (3.5x14mm)		1pcs2pcs	
			Screw (4x45mm)		1pcs1pcs	
			AC/DC Adapter (12V== 3. 0A)		1pcs	
R		4pcs	Double-head screwdriver, use as required			
						
			1pcs			

Product structure decomposition




A		16pcs	B		16pcs	D	 4pcs	 4pcs	 4pcs
E	 4pcs  8pcs								




Use parts A and B




Step1



Step2



Step3






Use a screwdriver to lock in the direction of the "+" sign


Disassemble along the direction of "-" sign

Step 1


A





Step 2





Step 3




Step 4



Step 5




Drawer rail breakdown diagram




① Dismantle the schematic diagram

Step 1 : Pull the rails apart




Step 2 : Press the nylon button and pull out ①.



Drawer rail decomposition completed schematic diagram



Step 6














Step 7





x2

Repeat the drawer installation steps




A		103pcs	B		103pcs	C		16pcs				
E		4pcs		12pcs	F		4pcs		16pcs			
H		4pcs		16pcs	I		1pcs	J		1pcs		4pcs
O		1pcs		2pcs								




Step 8




Step 9




Step 10


B  x2





Step 11

B  x4


Note: The guiding hole here is relatively close to the edge.




Step 12





Step 13






This hole is for strengthening
fixed hole customers can choose
to install according to their needs.



Step 14




Step 15




Step 16

B




x2




Step 17

B





x4

Note: The guiding hole here is relatively close to the edge.







Step 18

B  x6





Step 19

E  x2  x6




This hole is for strengthening
fixed hole customers can choose
to install according to their needs.




Step 20

C




x4




Step 21

B





x4





Attention: Don't press the lamp wire.

Step 22





Step 23





Note: the groove here is far from the edge, so don't install the screw on the wrong side.

Step 24





Step 25





flip over

Step 26





31 x4

Step 27





Note: the hole of No.6 plate faces downwards.

Step 28




Step 29




Step 30

G




x4




Step 31

A




x4



C



x4





Step 32




16 x2

Step 33




Step 34


B





x4





Step 35





Step 36





Step 37



Step 38




Step 39




Step 40


- B



x8
- C






x4





Step 41



Connect the light cable socket



Step 42





Step 43





Thread the light wire through board 32 and tighten the nut

Step 44





Tear off the release paper and stick the sticker on the 32-plate lamp slot to avoid the lamp wire from falling off.

Step 45




Step 46




Step 47

Note: When installing the 27 plate, push the middle of the 27 plate by hand to push the 27 plate into the groove.





According to the circular groove, insert 27 into 24 and 28 grooves.




If it is difficult to push the 27 plate in, you can use the pull method.

Step 48




Need to flip over




Step 49


B



x3




When installing the 28 plate, pay attention to the front and back, and there is a groove under the 23 plate.




Step 50

B



x4

Note: After installing the 27 board, you need to pat the backboards on both sides into the grooves of the 23 board by hand.




Note: pat the 27 plate on the left and then screw the nut, then pat the 27 plate on the right and screw the nut.


34

Step 51

J




x4




Step 52

A




x4


0



x1




x2






















Step 53


B



x4




H	 4pcs	 16pcs	K	 2pcs	 4pcs	L	 16pcs	 16pcs
M	 2pcs		N	 16pcs		P	 2pcs	 2pcs
Q	 1pcs	 1pcs	 2pcs	 1pcs	 1pcs	F	 4pcs	 16pcs
R	 4pcs							




Step 54

F




x2




x8

K




x2




x1

P



x1



x1







29


F

29


38

Step 55


H		
	x2	x8
K		
	x2	x1
P		
	x1	x1



Step 56




Step 57




The 29th board is also installed in this way.

Step 58




As shown, When installing the drawer,
pull the guide rail out first, Slide beads are also pulled out.

Step 59



If a large gap is found after installing the drawer the slide rail can be moved up and down to adjust the gap


Step 60




Repeat the drawer installation steps

Step 61

L




x16






45

Step 62


M



x2




Step 63





Step 64

N






x5



Step 65


Install the anti-rewind
tape on the 28 board.



Install anti rewind tape at the edge of the
board to prevent insufficient length
when connecting to the wall



Step 66

R




x4

Use a hammer to drive the nail into the gap of the wooden board and fix the back board





Step 67



Step 68


use a ruler to measure the approximate height of the product on the wall, and then mark it with a pencil.

Use a tape drill to make holes in the wall that are suitable for the product screws.



Put the expansion bolt into the hole.

Pass the matching screws through the "anti-rewind" and tighten them to fix them on the wall.




User's Guide

Thank you for purchasing this product. To use this product, please plug it into a 12V DC power supply. Please use if the product works normally after connecting to power.

Introduction

The box is an intelligent controller with 2 touch buttons. It can turn ON/OFF the light, change light colors, and adjust the light luminance.

Product Show



ATTENTION PLEASE

1. If there is no touch response suddenly, Re-plug the power to reset the touch static electricity.
2. If bubbles appear on the panel, remove the protective film.

Operation



This touch button is used to turn on/off, change colors, and adjust brightness.

A. Short touch -> lighting on -> short touch -> change light color -> short touch -> change light color -> short touch -> lighting off. B. Long touch -> adjust the luminance



This touch button is used to turn on/off the induction function.

A. Short touch to turn on the induction function. It can auto-turn on the light when people are close to the controller in 1 meters. It can auto power off the light when the body is far away from the controller after 30 seconds.

B. Long touch to turn off the induction function.

C. Note: When you touch the light button to change the light modes, the induction function will automatically turn off. It is best to turn on this function after selecting the light color and adjusting the brightness you want.