

Foosball Table



Assembly/Instructions/Rules

VF5100

3 GOALIE



We strive to ensure that our products are of the highest quality and free of manufacturing defects or missing parts. However, if you have any problems with your new product

DO NOT RETURN IT TO THE STORE

please contact us toll free at:

1 (800) 835-7665

FAX: 1 (904) 824-8233

customerexperience@hj-scott.com

Or write to:

**Cue&Case A Global Division of Escalade Sports
Customer Service Department
190 Cumberland Park Drive
St. Augustine, FL 32095**

Please visit our website at:

www.cueandcase.com

When contacting Cue&Case please have your model number, proof of purchase (sales receipt stating you are original owner), date code (if applicable) and part number if requesting a replacement part. These numbers are located on the product, packaging, and this owners manual.

Your Model Number VF5100

Date Code 2 - VF5100 - 0618 - JX

Purchase Date _____

PLEASE RETAIN THIS INSTRUCTION MANUAL FOR FUTURE REFERENCE











Congratulations! We hope you will enjoy many hours of play on your new HJScott Velocity Foosball Table!

Please Carefully read all safety instructions and directions before proceeding.

- 1) Your table is designed for use indoors in a climate controlled environment only. Damage can occur if the table is exposed to water, dampness, high humidity, freezing temperatures, etc.
- 2) The foosball table is heavy. Two or more people are required for assembly.
- 3) Only use the table for its intended purpose.
- 4) Damaged or worn parts may be dangerous for users and the integrity of the table. Replace worn or damaged components immediately and do not use the table until any issues have been resolved. For best results, use only spare parts available through supplier.
- 5) Unauthorized repairs or altering the table's design or functions may be dangerous and will void the warranty.
- 6) Check all screws, bolts, etc. on a regular basis to ensure that they are in good working condition and have not loosened over time.
- 7) Please keep the balls, lubricant and other parts out of reach of children and pets.
- 8) This is not a toy. Adult supervision is recommended when being used by children.
- 9) Please use care when pushing or pulling the rods so people or objects nearby do not get injured or damaged.





PARTS LIST

(Add a Check (✓) to the box to indicate receipt of each part.)

1		TABLE BODY 1438*756*400 mm 1 PC	2		LEGS-LEFT 660*100*80mm 2 PCS	3		LEGS-RIGHT 660*100*80mm 2 PCS
4		GOALIE ROD 1086mm 2 PCS	5		2PLAYERS ROD 1254mm 2 PCS	6		3PLAYERS ROD 1124mm 2 PCS
7		5PLAYERS ROD 1010mm 2 PCS	8		BEARINGS Ø57*48.5mm 16 PCS	9		ASSEMBLED TO 8 57*6mm 16 PCS
10		SCREWS F4*1-3/4mm 4 PCS	11		BOLTS 10*65mm 16 PCS	12		LEG LEVELERS Ø90*50mm 4 PCS
13		SCORER 240*35*24mm 2 PCS	14		ALLEN KEYS 5mm-2pcs 6mm-1pc	15		PLASTIC WRENCH 1 PC

NOTE: There are 8 sets of Bearings (#8 & #9) have already been attached on the Table Body (#1).

ADDITIONAL AND PRE-INSTALLED PARTS. (FOR REFERENCE ONLY.)


17		ASSEMBLED TO 26 57*6mm 2 PCS	18		SOCCER BALLS Pink-2pcs Blue-2pcs	19		LUBRICANT 50ml 1 PC
20		ROLL PIN 4.2*35mm-6pcs 4.2*28mm-2pcs	21		BUMPERS Ø16mm 2PCS	22		PLAYER Black-1pc Grey-1pc
23		BOLTS 10*65mm 2 PCS	24		ROLL PIN PUNCH 4*50mm 1 PC	25		MATERIAL SAMPLE 5*5*3.8cm 1 PC
26		BEARINGS Ø57*48.5mm 2 PCS						

ASSEMBLY INSTRUCTIONS

We recommend that four adults work together to assemble this table.

- Start assembly with the table face down. We recommend placing the table on the soft packaging to protect the table surfaces. After assembling the legs, the table will be flipped over to complete the assembly. Do not use the legs for leverage when rotating the table from the face down to the face up position.

FIG. 1



CAUTION: Four adults are recommended to turn the table over as shown.
 1. Lift the table off the ground.
 2. Turn the table over.
 3. Place it on all four feet at the same time on the ground.

FIG. 1: LEG ASSEMBLY

- Attach the Legs (#2 & #3) between the Side and End Aprons with four Bolts (#11) per Leg as shown in Fig.1. Use the Allen Key (#14) provided.

NOTE: Please lightly tighten each of the four leg bolts equally before finally tightening each bolt securely.

- Insert the Leg Levelers (#12) into the bottom of the Legs (#2 & #3) . See Fig.1.
- Once legs are securely fastened with the leg levelers installed, use four adults to rotate the table into an upright position.

FIG. 2

④		=(2)	⑧		=(16)
⑤		=(2)	⑨		=(16)
⑥		=(2)	⑩		=(4)
⑦		=(2)	⑬		=(2)




FIG. 3




FIG. 2: PLAYER / BEARING / SCORER ASSEMBLY

- Carefully slide the grip end of player rod #6 through the inside of the side apron in the position shown in figure 2 until the players reach the apron wall. Then slide the other end of the rod through the opening in the opposing apron wall.
- Slide the Player Rods(#4-#7) through the Side Apron in the order shown. See Fig 2.
- Attach all of the bearings(#8) to the side aprons as shown in figure 2.
- Attach the Scorer Assemblies(#13) in the middle of each Top Slant Board using two Screws(#10) per Scorer. See Fig 2.
- Remove the Aluminium foil from top of the bottle, then cut a hole in the end. Spray the lubricant into a clean, soft cloth and then use the cloth to wipe the player rods where they come into contact with the bearings. See Fig 3.




TABLE MAINTENANCE	
TABLE SURFACE	Keep your table covered. If there is dust on the playfield or the aprons, use a vacuum or wipe with a clean, soft cloth to remove. Do not sit on the table and do not use the table outside.
RODS	Occasionally wipe the rods with a clean, soft cloth. Never lift the table by the rods . Do not spin or press the rods too aggressively, as this may cause damage . We recommend the use of lubricant to wipe the Player Rods and Bearings from the outside of the game so as not to drip onto the playfield.
LEGS	Check that the leg bolts are tight. When moving the table, lift table off of its legs and place it down squarely on the legs, do not drag the table.
BOLTS	Please make sure that all the bolts are tightened before using.

FIG.4





FIG. 4: PLAYER MAINTENANCE

- To remove a player, first remove the rod from the table. After the rod is out of the table, use the pin punch (#24) to remove the pin from the player. Remove the player and then install the replacement player and reinsert the pin (#20) using the punch (#24).

Basic Foosball Rules

Flip A Coin - A coin flip decides who serves the foosball to start the foosball game. After the first goal is scored, the rule is that the team who was last scored on gets to serve the next ball. This rule keeps the game fair for both opponents. The foosball must be touched by a man before the ball goes into a goal for a legal goal to occur.

No Spinning - A spin is a rule for when the rod completes a 360 degree rotation without touching the ball. This is deemed an illegal move in the rules of foosball.

No Jarring - Jarring is a rule for when a player slams his or her rods against the wall of the foosball table in an attempt to distract or jar the foosball loose from the other player's possession. The rule is that there is no jarring allowed at any point during a game. This is not the same as when a player on the opposite team moves his or her foosball rods back and forth in an attempt to play defense. The key this rule is when a player hits the wall of the table with enough force to jar the ball or distract the opponent. That is why this is a subjective rule that may be called more strict by certain foosball players.

Dead Balls - If a foosball stops in the middle of two opposing team rods, the ball must be picked up and reserved. The serve goes back to the team that was last scored on. If a dead ball occurs on the defensive side of the table behind the defensive 2 bar, the defensive player must move the ball back into playing position. This rule is in place so players don't cause a dead ball on purpose in order to force a reserve.

Out of Play - If a ball comes off the table area or hits a top rail and comes back into the table area, the ball is ruled out of play and must be reserved by the team that was last scored on.

5 Bar Passing - These 5 bar passing rules are a little complex if you have never played tournament foosball. These passing rules do not apply to the other foosball rods, just the 5 bar. You are required to pass the ball within a 10 second time period from your 5 bar rod to the 3 bar rod directly after a serve. After the initial serve, you then are allowed 15 seconds to pass from the 5 bar. A ball cannot be completely stopped on the 5 bar and passed forward to the 3 bar, it must be moving and touch 2 men on the 5 bar before being advanced. Additionally, the ball can only touch the wall a total of 2 times in a row (before touching a man again on the 5 bar) before being advanced. However, it can touch the ball a 3rd time if it is part of the pass.

PRODUCT PARTS LIST FOR MODEL # VF5100

Key #	Part #	Description	Qty.
1	VF5100JX 1	1438*756*400mm Table Body	1
2	VF5100JX 2	660*100*80mm Left Legs	2
3	VF5100JX 3	660*100*80mm Right Legs	2
4	VF5100JX 4	1086mm Goalie Rod	2
5	VF5100JX 5	1254mm 2 Players Rod	2
6	VF5100JX 6	1124mm 3 Players Rod	2
7	VF5100JX 7	1010mm 5 Players Rod	2
8	VF5100JX 8	ø57*48.5mm Bearings	16
9	VF5100JX 9	57*6mm Assembled To 8	16
10	VF5100JX10	F4*1-3/4" Screws	4
11	VF5100JX11	10*65mm Bolts	16
12	VF5100JX12	ø90*50mm Leg Levelers	4
13	VF5100JX13	240*35*24mm Scorer	2
14	VF5100JX14	5mm & 6mm Allen keys	2 & 1
15	VF5100JX15	Plastic Wrench	1
16	VF5100JX16	Instruction Manual	1

ADDITIONAL AND PRE-INSTALLED PARTS LIST FOR MODEL # VF5100

Key #	Part #	Description	Qty.
17	VF5000JX 17	57*6mm Assembled To 26	2
18	VF5000JX 18	Pink & Blue Soccer Balls	2 & 2
19	VF5000JX 19	50ml Lubricant	1
20	VF5000JX 20	4.2*35mm & 4.2*28mm Roll Pin	6 & 2
21	VF5000JX 21	ø16mm Bumpers	2
22	VF5000JX 22	1 Black & 1 Grey Player	2
23	VF5000JX 23	10*65mm Bolts	2
24	VF5000JX 24	4*50mm Roll Pin Punch	1
25	VF5000JX 25	5*5*3.8cm Material Sample	1
26	VF5000JX 26	ø57*48.5mm Bearings	2

1 YEAR LIMITED WARRANTY

This consumer warranty extends to the original consumer purchase of any VELOCITY BY HJSCOTT Product (hereinafter referred as the "Product").

WARRANTY DURATION: This Product is warranted to the original consumer purchase of a period of 1 year from the original purchase.

WARRANTY COVERAGE: CUE&CASE warrants to the original Consumer Purchaser that any Product of its manufacture is free from defects in material and workmanship when used for the intended purpose under normal use and conditions. THIS WARRANTY IS VOID IF THE PRODUCT HAS BEEN DAMAGED BY ACCIDENT, UNREASONABLE USE, NEGLIGENCE, IMPROPER SERVICE, FAILURE TO FOLLOW INSTRUCTIONS PROVIDED WITH THE PRODUCT OR OTHER CAUSES NOT ARISING OUT OF DEFECTS IN MATERIAL AND WORKMANSHIP.

WARRANTY PERFORMANCE: During the above 1 year warranty period CUE&CASE shall repair or replace with a comparable model, and Product, or component thereof, which may prove defective under normal use and proper care, and which our examination shall disclose to our satisfaction to be thus defective, please contact our Warranty Dept.

1 (800) 835-7665 / Warranty Department

Or write us at:

Cue&Case Warranty Department

190 Cumberland Park Drive, St. Augustine, FL 32095

E-mail: customerexperience@hj-scott.com

Other than shipping requirements no charge will be made for such repair or replacement of inwarranty Products. CUE&CASE strongly recommends that the Product is insured for value prior to mailing.

WARRANTY DISCLAIMERS: ANY IMPLIED WARRANTIES ARISING OUT OF THIS SALE, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE ABOVE 1 YEAR PERIOD. CUE&CASE SHALL NOT BE LIABLE FOR LOSS OF USE OF THE PRODUCT OR OTHER CONSEQUENTIAL OR INCIDENTAL COSTS, EXPENSES OR DAMAGES INCURRED BY THE CONSUMER OF ANY OTHER USE.

Some states do not allow the exclusion or limitation of implied warranties or consequential or incidental damages, so the above limitations or exclusions may not apply to you.

LEGAL REMEDIES: This warranty gives you specific legal rights and you may also have other rights which may vary from state to state.