
- 1. Before installation, please read the Assembly Instruction carefully.
- 2. Please check whether the Parts and Hardware are consistent with the list.
- 3. It is normal for the sealed environment to smell, not a product quality problem.



1

1

7 002 0 222 0 0				
ITEM	DESCRIPTION	PART	QTY	
1	Top panel		1	
2	Bottom panel		1	
3	Left side panel		1	

Right side

Back panel

panel

5

Part List:

Part List:				
ITEM	DESCRIPTION	PART	QTY	
6	Left door		1	
7	Right door		1	
8	Adjustable shelf		1	
9	Leg		4	
10	Door block		1	

#### Hardware List:


ITEM	DESCRIPTION	PART	QTY
A	Camlock bolt		8
В	Camlock		8
С	Wooden dowel	<b>Ф</b> 6*30mm	4
D	Bolt	Φ1/4"*1/2"	16
Е	Allen wrench		1
F	Flat head screw	<b>√‱₩®</b> Φ4*25mm	2
G	Handle		2
Н	Machine screw	Φ5/32"*1 1/8"	4


#### Hardware List:

ITEM	DESCRIPTION	PART	QTY
Ι	Door fitting		4
J	Round head screw	<b>Ф</b> 3*12mm	24
K	Back screw	<b>Ф</b> 3*12mm	16
L	Shelf support		4
M	Safety wall strap		1
N	Plastic anchor		1
0	Mounting screw	• Ф4*38mm	1
Р	Washer	0	1

- \* Required screwdriver & mallet, not included.
- \* Before discarding packing materials, please check to make sure that all parts and hardware is present.
- \* Two people needed for assembly.
- \* Please follow the instructions closely; do not over tighten screws or bolts unless instructed.
- \* After a few days from initial assembly, the product may have acclimated to the new environment. Please retighten the hardware.

#### Guideline For Assembling of Cam Lock (A & B)





Screw camlock bolt (A) to wood part.

Do not assemble camlock (B) unless instructed.

To assemble camlock (B), ensure long side of the + is facing the bolt (A) before inserting into hole.

