

Assembly Instructions

Caution: You must read this before you proceed.

Care & Maintenance


- ⊘  ● Not for commercial use. For residential use only.
- ✓  ● Furniture may scratch floors. We recommend using furniture pads to protect your floors.
- ⊘  ● Do not put hot items directly on furniture surface.
- ⊘  ● Do not clean furniture with harsh cleansers or polish.
- ⊘  ● Do not place furniture under direct sunlight.
- ⊘  ● Do not place furniture near heating or cooling vents.
- ⊘  ● Do not write on furniture without a padded barrier to protect the surface.
- ⊘  ● Do not place furniture outside . For indoor use only.
- ⊘  ● Stains may be removed with mild soap solution and damp cloth.
- ⊘  ● Children should not climb or jump on the furniture.





- Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in seat for hardware packs and legs.

Ottoman Bench



Parts List



Label	Picture	Description	QTY
A		Seat	1
B		Leg	2

Hardware

Label	Picture	Description	QTY
①		Bolt (M8x140mm)	5
②		Flat Washer Ring	5
③		Spring Washer Ring	5
④		Allen Wrench	1

Assembly Preparation

Before Beginning Assembly:

Unpack all the parts for a clear overview.	   			
	AX1	BX2	① X5 ② X5	③ X5 ④ X1



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


Assembly Steps

Overview




This Ottoman Bench has multiple parts and may require up to some 10 minutes to assemble. To give you an overview of the Ottoman Bench parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1



Insert the wooden plug of the Leg(B) into the corresponding hole on the Seat(A)


Step 2



Lock the four hole on the Legs (B) to the Seat (A) by using 4 Bolts (①), 4 Flat Washer Rings (②) and 4 Spring Washer Rings (③) and tighten them with Allen Wrench (④).

AFTER ALL BOLTS ARE IN PLACE, TIGHTEN THEM SEQUENTIALLY.

Step 3



Place the Ottoman Bench on a **LEVEL SURFACE**.
If uneven, pls adjust the adjustable glide height for balance