



Shoe Bench

Assembly Instructions

XD033 | 100CM




Assembly Overview



Parts List


1 Seat frame

Qty: 1




2 Adjustable shelf

Qty: 1



3 Base plate


Qty: 1



Parts List


4 Left front / right rear leg

Qty: 2




5 Right front / left rear leg

Qty: 2



6 Middle foot

Qty: 1




Hardware List

A Flat-head hex socket screw

M6 × 50MM


8 + 1 PCS



B Flat-head hex socket screw

M6 × 35MM


4 + 1 PCS



C Flat washer

M6 × 16MM

12 + 2 PCS




Hardware List

D Spring washer

M6


12 + 2 PCS



E L-shaped shelf support

Ø6 × 20 × 16MM

4 + 1 PCS




Tool

Reuse tool F where indicated in the assembly steps.

F Hex key

M4 × 100MM; long end: Phillips


Qty: 1



Choose the Correct Screws


Using the correct screws helps prevent damage to components.

Example




Incorrect

Oversized screws can split the wood.



Correct

Use screws of the correct size.





Step 1

Attach legs (4) and (5) to seat frame (1), as shown.

Do not fully tighten the hardware at this stage.

Hardware: A × 8, C × 8, D × 8 Tool: F × 1





Step 2

Attach base plate (3) to the assembly from Step 1, as shown.

After fitting part (3), fully tighten all the hardware.


Turn middle foot (6) clockwise onto part (3), as shown.

Hardware: B, C and D Tool: F × 1



Step 3 — Insert the Shelf

Tilt shelf (2) and insert it into the assembly, as shown.




Step 3 — Support the Shelf

Fit shelf supports E into the holes in legs (4) and (5).

Set them at the same height, then rest shelf (2) on the supports.

Hardware: E × 4 Tool: F × 1



Step 4 — Level the Bench

Adjust the height of the leveling pads until the bench is level.

