
SICOTAS

Prelude Dresser with 6-Drawers

DR129A1XBNY1862 I DR129A1XLTY1863



Prelude Collections

Assembly Instructions

Before beginning the assembly process, please read and save these instructions for reference.
Following these guidelines will ensure a smooth and successful assembly of your product.

1. Part Identi cation:

Carefully separate and identify all the parts included in your package. Con- rm that you have all the components listed in the instruction manual. This step will help you avoid any missing or misplaced parts during assembly.

2. Work Surface:

To prevent any scratches or damage to the product, assemble it on a soft mat or a similar protective surface. This will provide a cushioned area for the components and protect the surfaces from unwanted marks.

3. Step-by-Step Assembly:

Follow the assembly instructions provided, proceeding one step at a time. Take care to understand each step properly before proceeding to the next one. This sequential approach ensures that the assembly is done correctly and minimizes the chance of errors.

4. Proper Screw Seating:

When attaching screws and nuts, it is essential not to fully tighten them until all screws are correctly seated. By partially tightening each screw and nut initially, you can ensure that they are aligned properly and t securely before nal tightening.

5. Avoid Over-Tightening:

While each screw and nut should be tightened correctly, it is crucial not to over-tighten them. Over-tightening can cause damage to the product or compromise its structural integrity. Use the appropriate amount of force to secure the components without excessive tightening.

SICOTAS customer help center:

If you encounter any questions or problems during the assembly process, please do not hesitate to contact us.

We strive to provide excellent customer support and will respond to your inquiries within 24 hours. Our team will offer you a suitable solution to address any concerns you may have.



Email:
service@sicotas.com



Website:
www.sicotas.com



Phone:
(833) 742-6827

Official Website:

WhatsApp:


YouTube:

Instagram:

Facebook:

TikTok:

Parts List



Hardware List


AX54
Ø6x35mm


BX54
Ø15x9mm


CX28
Ø8x30mm


DX36
M4x38mm


EX72
M3.5x12mm


FX10
M4x12mm

GX2
Ø6x50mm


HX8


IX8
M3x17mm


JX2


KX2


LX2


MX12
340mm


NX1



OX2

Code	Description	Quantity
A	Cam bolt	54+2
B	Cam lock	54+2
C	Wooden dowel	28+2
D	M4x38mm Screw	36+2
E	M3.5x12mm Screw	72+2
F	M4x12mm Screw	10+2
G	Ø6x50mm Bolt	2+1
H	Back clip	8+1

Code	Description	Quantity
I	M3x17mm Screw	8+1
J	Anti falling iron sheet	2
K	Plastic anchor	2
L	Caster	2
M	Drawer slides	12
N	Wrench	1
O	M4x35mm Screw	2+1


Step 1


Press the plastic part in the indicated direction
to separate drawer runner M1 and M2 before assembling.



Attention: Please grip the M1 part while sliding the M2 part.


Step 2







F*2	J*2	A*6
		

Step 3









A*4



Step 4







E*9	M2*3

Step 5









A*4



Step 6








E*9	M2*3


Step 7













E*9	M2*3	A*2
		


Step 8











E*9	M2*3	A*2
		


Step 9




G*2	C*2	N*1
		

Step 10







CAUTION: Heavy! You may need assistance with this step




B*4	C*4
	

Step 11






The bar (6) has two colors on its two sides. You can choose according to your preference and usage needs.



B*4	C*4
	


CAUTION: Heavy! You may need assistance with this step

Step 12





C*4


Step 13




CAUTION: Heavy! You may need assistance with this step







B*4	C*8
	

Step 14




Step 15





B*6	C*6
	


Step 16





Must Be Installed


H*8	I*8
	

Step 17













A*12


Step 18













A*12


Step 19










A*12



Step 20



x4


D*24



Step 21




x4

Step 22










B*12


Step 23








B*12



Step 24



x2


D*12



Step 25





x2

Step 26











B*12



Step 27



F*8	L*2
	


Step 28






E*12	M1*4
	


Step 29







E*12	M1*4
	

Step 30







x2

E*12	M1*4
	

Step 31





O*2	K*2
	


Step 32

Preparation: Slide the inner rail(movable track) to the frontmost position.


Precise installation: Position the drawer horizontally. Align both slide rails precisely, then push inward with steady.even pressure until you hear a “click," indicating the lock is engaged. Installation complete.

WARNING: NEVER FORCE the drawer!
Incorrect start position or forcing the drawer will cause ball bearings to fall out and damage the slide.

Note: If the drawer does not slide smoothly, lift the release lever on one side and press it downward on the other side at the same time Pull out the slider bracket from the slider arm. then reassemble the drawer until they go in smoothly.



Step 33



Final Assembly


Step 32

Preparation: Slide the inner rail(movable track) to the frontmost position.


Precise installation: Position the drawer horizontally. Align both slide rails precisely, then push inward with steady.even pressure until you hear a “click," indicating the lock is engaged. Installation complete.

WARNING: NEVER FORCE the drawer!
Incorrect start position or forcing the drawer will cause ball bearings to fall out and damage the slide.

Note: If the drawer does not slide smoothly, lift the release lever on one side and press it downward on the other side at the same time Pull out the slider bracket from the slider arm. then reassemble the drawer until they go in smoothly.



Step 33



Final Assembly