

TEST REPORT**Report No. : GR:TX:6410118002****DATE : 27/11/2015**

CUR-18342

TULSIRAM GAYAPRASAD PVT.LTD.

VILL. BABUSARAI,, P.O. MAHARAJGANJ,
UTTAR PRADESH, BHADOHI-
INDIA

CONTACT PERSON : ANURAG BARANWAL**THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :**

PRODUCT DESCRIPTION RUG
WOVEN SAMBA RUG
COLOUR MULTI STRIPE-LAB IDENTIFIED C
STYLE NO. SAMBA STRIPE
END USE OUT DOOR
BUYER TRANS OCEAN
BUYING HOUSE D.K. JAIN
COUNTRY OF DESTINATION UNITED STATES OF AMERICA
COUNTRY OF ORIGIN INDIA
SAMPLE RECD ON 23/11/2015 **TESTING PERIOD :** 26/11/2015 - 27/11/2015
RESULT SUMMARY

TESTS	PASS	FAIL	REMARKS
COLOUR FASTNESS TO CROCKING			REFER RESULT
FLAMMABILITY	X		

per pro SGS India Private Ltd.


ANAND GOEL**EXECUTIVE***Email your Test Report Related Enquiries at Feedback.SLT@sgs.com*

TEST REPORT**Report No. : GR:TX:6410118002****DATE : 27/11/2015**

CUR-18342

R E S U L T S**REQ****COLOUR FASTNESS TO CROCKING****AATCC 165:2013**

DRY	4.5
WET	4.5

FLAMMABILITY**16 CFR 1631 (FF-2-70)**

THE NEAREST DISTANCE FROM BURNT AREA TO THE FRAME EDGE(Inch)

ORIGINAL	inch
1	3.4
2	3.6
3	3.3
4	3.4
5	3.5
6	3.6
7	3.2
8	3.3

OBSERVATIONS:

08 No. of specimen of the eight tested in which the charred area, from the centre of the hole of dia. 8", does not extend within 1" of the edge of the hole in the flattening frame.

INTERPRETATION OF THE RESULT: Meets the acceptance criteria.

ACCEPTANCE CRITERIA: At least seven out of eight individual specimen of a carpet of rug shall meet the test criterion.

TEST CRITERION: The charred portion of a tested specimen shall not extend to within 1" of the edge of the hole in the flattening frame at any point.

***** End of Page*****

TEST REPORT**Report No. : GR:TX:6410118002****DATE : 27/11/2015**

CUR-18342

R E S U L T S**REQ****Laboratory Summary Information for Certificate of Compliance**

I (we) hereby confirm based on the test results in this report, that the product or components described below were tested and comply with the applicable rules, bans, regulations and standards under the CPSIA (Consumer Product Safety Improvement Act) or any other Act enforced by the CPSC and checked on the list below.

Product/Component Description : RUG
provided by submitter. END USE : OUT DOOR
STYLE NO. : SAMBA STRIPE

Safety Regulation Citations

- ☐ Wearing Apparel Flammability 16 CFR 1610
- ☐ Flammability Standard for Children's Sleepwear 16 CFR 1615 and 1616
- ☐ Small Parts 16 C.F.R Part 1501 and 1500.50 - 53
- ☐ Sharp Points and Edges 16 CFR 1500.48 and 49
- ☐ Lead Paint Ban 16 C.F.R. 1303
- ☐ Lead in substrate CPSIA Section 101
- ☐ Phthalates CPSIA Section 108
- ☒ Flammability of Carpets and Rugs (16 CFR 1630 and 1631)
- ☐ Flammability of Mattress Pads (16 CFR 1632)
- ☐ Standard for the Flammability of Vinyl plastic film (16 CFR 1611)

Date of Testing :

Date of TP Testing : 23/11/2015 - 27/11/2015

TPCA (Third Party Conformity Assessment Body) :

Place of TP Testing : India
Test Report Number : GR:TX:6410118002
TPCA Name : SGS India Pvt. Ltd.
TPCA Address : 250, Udyog Vihar, Phase IV, Gurgaon - 122015, Haryana (India)
TPCA Contact Person : Rahul Garg
rahul_garg@sgs.com

The information on this sheet is ONLY applicable for the item tested in this report and only reflects confirmation of items covered under CPSIA regulation.

* * * End of Laboratory Summary Information for COC * * *

***** End of Report *****