


**Cross Legged Office Chair
ASSEMBLY INSTRUCTION
YSHY251266**



SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE

ATTENTION

1. This chair comes with 1 box, please check the parts list and hardware list carefully to make sure you've received all parts.
2. If there are any missing parts, please contact us with the missing part and the missing part number, we'll resend them to you ASAP.
3. If there are any damaged parts, please contact us with clear picture or clear video, we'll offer you the best solution after confirming it.

WARRANTY AND RETURN

We offer 6-month warranty and free replacement for all damaged or defective parts you received. Check the condition of your package once upon the delivery. If you have any questions, please contact our customer service immediately.

CONTACT INFORMATION




- If you have any further questions, please feel free to contact us via email at serviceteam@yalissey.com or scan the QR code. We will respond in 24 hours.
- Before beginning installation, please ensure you have all the necessary hardware, the serial numbers are correctly labeled and correspond to the list, and that the quantities are accurate.
- Enjoy your new purchase!








Contact Us


ASSEMBLY INSTRUCTIONS



Parts List

I		K		L		M		N	
	5 pcs		1 pc		5 pcs		1 pc		1 pc
O		S		T		U		V	
	2 pcs left Right		1 pc		1 pc		1 pc		1 pc
W		X							
	1 pc		1 pc						

Hardware List

A		B		C		D		E	
	M6*14mm		M6*25mm		M8*25mm		M6*30mm		
	10pcs		12 pcs		3 pcs		6 pcs		1 pc
									


IMPORTANT SAFEGUARDS

1. If one or some screws are fully tightened during the assembly, the other screws may not be aligned with screw holes. 70% tighten before fastening all screws. Allen wrench is recommended instead of an electric drill.
2. If some screws are not aligned with holes during assembly, please loosen all the other screws to 70% and continue the assembly process.
3. If the items is not stable, please loosen all the screws, adjust it on a flat ground and tighten all the screws.
4. Before using the chair be sure that it is completely and properly assembled. Handle with care.
5. Regularly check if all screws are tightly secured.
6. Please do not exceed the maximum load weight of 400 lbs.
7. Please do not use the office chair if any components are damaged, worn, broken or cracked.
8. Be careful when using the product to avoid squeezing and shearing, especially between movable parts!
9. Your office chair is equipped with casters for all types of flooring.
10. Please do not let children climb on or play with the product.

ASSEMBLY INSTRUCTIONS

STEP 1

	K*1
	A*10
	I*5
	L*5
	E*1




Press to install

First, we need to prepare the connector (K), 5* metal feet (I). 5* universal casters (L), M6*14mm screws (Screw A) and a wrench (E). Then, according to the figure, insert the 5* metal feet into the connector, align the screw holes, install the screws and tighten them. Finally, a universal caster is installed on the tail of each metal foot

ASSEMBLY INSTRUCTIONS


STEP 2

	M*1
---	-----




STEP 3

	S*1
--	-----



STEP 4




B*8




E*1



U*1



O*2



STEP 5




W*1




D*2




E*1




STEP 6




B*4




E*1



X*1





STEP 7



STEP 8




Ensure that Part N is installed correctly to ensure proper operation.



Note: Partially tighten the four screws (about 30%) first. Adjust the backrest until it is level and properly aligned, then fully tighten all four screws.

STEP 9



Installation Tip – Prevent Backrest Misalignment

- ✗ Do not fully tighten one screw at a time
- ✓ Tighten all three screws gradually in stages

[Step 1]
20%



[Step 2]
50%




[Step 3]
70%



[Step 4]
100%



☺ This step-by-step tightening helps keep the backrest properly aligned




Note: Two people recommended—One holds the backrest while the other installs the screws



MAX LOAD-BEARING CAPACITY


Pull up to adjust the reclining angle of the office chair;
Press to lock the angle.





UP&DOWN 3.9 INCHES

Pull up to adjust the sitting height.


You can raise or lower the seat by 3.9 inches, ensuring a customizable and comfortable sitting position.




Reclining



Armrest Adjustment



WARNING & MAINTENANCE



Do not leave children unattended.
Adult supervision required. Keep children from playing on the chair.


Wipe clean with a soft, damp cloth



Do not use solvents or abrasive materials.



Avoid direct sun & extreme conditions.



Inspect and re-tighten screws every 4 months.



How to file a claim or Request Information



Contact Us

serviceteam@yalissey.com

For replacement parts, service or additional warranty questions, please contact our customer service department.

Please have your proof of purchase, order number and model number ready when you contact us.