

# Installation Manual

Product: 5-Light Glass Globe Chandelier

## 1. Preparation Before Installation

Tools Required:

- Phillips screwdriver
- Flat-head screwdriver
- Electric drill (if holes are needed)
- Electrical tape
- Wire cutter/stripper
- Ladder

Installation Conditions:


- Ensure the ceiling is load-bearing and can support the chandelier weight.
- Turn off the power before installation.
- It is recommended that installation is performed by a licensed electrician.

## 2. Parts List


- Chandelier body x1
- Glass shades x5
- E26/E27 bulbs x5 (purchased separately unless included)
- Ceiling mounting canopy x1
- Metal mounting bracket x1
- Screw kit (including expansion screws, mounting screws, nuts) x1
- Wire connectors xseveral

## 3. Installation Steps

1. Mount the Bracket: Drill holes in the ceiling (if needed), insert expansion screws, and fix the metal bracket securely.




2. Wiring: Connect chandelier wires (Live L, Neutral N, Ground G) with ceiling wires using connectors or tape. Ensure all connections are secure and insulated.



3. Attach the Canopy: Fix the chandelier body to the bracket with screws. Tighten until the canopy fits flush with the ceiling.

4. Install Glass Shades: Place the glass shades over the lamp holders and secure with fixing rings.



5. Install Bulbs: Screw E26/E27 bulbs into the sockets. Recommended: 2700K–3000K LED warm white.

6. Power Test: Turn on power and check that all bulbs light up. If not, switch off and re-check wiring.

#### 4. Safety Notes

- Always cut off power before installation.
- For indoor use only.
- Do not exceed the maximum rated wattage for the fixture.
- Glass shades are fragile—handle with care.
- If unfamiliar with wiring, please consult a licensed electrician.

#### 5. Maintenance & Care

- Clean regularly with a dry cloth. Avoid harsh chemicals.
- Switch off when not in use for long periods.
- Replace damaged bulbs promptly to avoid empty socket heating.