




















Large Etagere



PART LIST


<p>A</p> 	<p>B</p> 	<p>C</p> 	<p>D</p> 	<p>E</p> 
<p>Side Frame 2 PCS</p>	<p>Cross Rail 6 PCS</p>	<p>Top Panel 1 PC</p>	<p>Rail 1 PC</p>	<p>Left Panel 1 PC</p>
<p>F</p> 	<p>G</p> 	<p>H</p> 	<p>I</p> 	<p>J</p> 
<p>Right Panel 1 PC</p>	<p>Bottom Panel 1 PC</p>	<p>Back Middle Brace 1 PC</p>	<p>Back Panel 2 PCS</p>	<p>Left Door Panel 1 PC</p>
<p>K</p> 	<p>L</p> 	<p>M</p> 		
<p>Right Door Panel 1 PC</p>	<p>Fixed Shelf 3 PCS</p>	<p>Adjustable Shelf 1 PC</p>		

HARDWARE LIST

				
<p>Door Hinge 4 PCS</p>	<p>Flat Head Screw 24 PCS (Extra 1)</p>	<p>Double Magnet 1 PC</p>	<p>Round Head Screw 2 PCS (Extra 1)</p>	<p>Screw 2 PCS</p>
				
<p>Wood Dowel 14 PCS (Extra 1)</p>	<p>Barrel Nut 4 PCS</p>	<p>Long Bolt 4 PCS (Extra 1)</p>	<p>Bolt 8 PCS (Extra 1)</p>	<p>Short Bolt 46 PCS (Extra 1)</p>
				
<p>Flat Washer 22 PCS</p>	<p>Shelf Holder 4 PCS</p>	<p>Allen Wrench 1 PC</p>	<p>Short Screw 24 PCS (Extra 1)</p>	<p>Safety Strap Kit 1 SET</p>

ADDITIONAL TOOLS (Not Provided)


Note: It is not recommended to use power tools during assembly.



Phillips Head Screwdriver


Note: Wood dowels are intended for alignment. Additional clearance between wood dowel and pre-drilled hole is intentional for ease of assembly.

Please do not use tools to assemble this unit unless specifically indicated.






Reference the images above any time the instructions state "lock the hardware".
 Note: Be sure to check all hardware is locked when completed.

Step 1. Attach rail (part D) to top panel (part C) using wood dowels (part #6), screws (part #5) and phillips head screwdriver. Attach double magnet (part #3) to top panel (part C) using round head screws (part #4) and phillips head screwdriver. Attach door hinges (part #1) to door panels (parts J & K) using flat head screws (part #2) and phillips head screwdriver.




Step 2. Attach left panel (part E) and right panel (part F) to bottom panel (part G) using wood dowels (part #6), barrel nuts (part #7), long bolts (part #8) and allen wrench (part #13).




- #6  x 4
- #7  x 4
- #8  x 4
- #13  x 1



Step 3. Attach back middle brace (part H) and top panel (part C) to assembled unit (parts E, F & G) using wood dowels (part #6) and lock the hardware.




- #6  x 8

Step 4. Insert cross rails (part B) into side frames (part A). Secure assembled unit (parts A & B) using short bolts (part #10) and allen wrench (part #13).




#10  x 24
#13  x 1


Step 5. Attach assembled unit (parts A & B) to assembled unit (parts E, F & G) using bolts (part #9), short bolts (part #10), flat washers (part #11) and allen wrench (part #13).






Step 6. Attach back panels (part I) to assembled unit (parts C, E, F, G & H) using short screws (part #14) and phillips head screwdriver.





Step 7. Put fixed shelves (part L) onto cross rails (part B). Secure them using short bolts (part #10), flat washers (part #11) and allen wrench (part #13).



- #10  x 18
- #11  x 18
- #13  x 1

Step 8. Carefully turn unit upright. Place shelf holders (part #12) into desired position and then slide adjustable shelf (part M) into place.










#12  x 4

Step 9. Attach door panels (parts J & K) to panels (parts E & F) using flat head screws (part #2) and phillips head screwdriver.

NOTE: It is important to adjust levelers once fully assembled and upright. Extend adjustable leveler until it's firmly in contact with the floor. If relocating, adjust leveler as needed until it's firmly in contact with the floor in new location.

Important: Safety strap kit (part #15) must be installed to prevent tipping, damage and/or injury.



#15 	A 	B 	C  D8*3/4"	D  D8*1-1/2"	E 
Safety Strap Kit 1 SET	Wall Anchor 1 PC	Washer 2 PCS	Short Screw 1 PC	Long Screw 1 PC	Safety Wall Strap 1 PC

SAFETY WALL STRAP INSTALLATION


Note: It is highly recommended to install this safety strap kit to prevent tipping, damage and/or injury.

1. Insert short screw (C) through washer (B) and safety wall strap (E) and attach to fixed shelf (part L) using phillips head screwdriver.

2. Drill a 11/32" hole where you want to secure the unit. The drilled hole will be at the same height as the hole in fixed shelf (part L) where the safety wall strap (E) is attached. Tap wall anchor (A) into the hole.

3. Insert long screw (D) through washer (B) and safety wall strap (E) into wall anchor (A) using phillips head screwdriver.

Note: This item is not intended for clothing storage use.




⚠ WARNING	
	<p>Children have died from furniture tipover. To reduce the risk of furniture tipover:</p> <ul style="list-style-type: none"> • ALWAYS install tipover restraint provided. • NEVER put a TV on this product. • NEVER allow children to stand, climb or hang on drawers, doors, or shelves. • NEVER open more than one drawer at a time. • Place heaviest items in the lowest drawers.
	<p style="text-align: center;"><i>This is a permanent label. Do not remove!</i></p>

ADJUST YOUR DOORS TO MAKE THE GAPS MORE EVEN (OPTIONAL).


STEP 1

Open the door.




STEP 2

Adjust the gap between door panel and side panel




Loosen the screw indicated a little, adjust the hinge to right position (see step 2a & 2b), then tighten the screw.

STEP 2a MOVE DOOR IN



Push the hinge back a little.


STEP 2b MOVE DOOR OUT



Pull the hinge forward a little.


STEP 3

To adjust the gap between two door




Loosen or tighten the screw indicated a little to adjust the gap between doors panels (see step 3a & step 3b)

STEP 3a MOVE DOOR RIGHT



Turn the screw clockwise a little as shown to make the gap small.

STEP 3b MOVE DOOR LEFT



Turn the screw counterclockwise a little as shown to make the gap big.