
ASSEMBLY INSTRUCTIONS


DEAR CUSTOMER,


Caution:


1. Please read all instructions before assembly and check the carton for any parts that may have come loose during shipment. It is recommended to use two or more persons during the assembly process.
2.Please do not discard any packaging before you have checked all the parts and fittings are included. If for any reason this product needs to be returned it must be returned packed in its original packaging.
3.Assemble this product on a flat and clean surface to avoid scratching.

HU9527/HU9528/HU9529/HU9530











I. Ensure that all parts and hardware are available before beginning assembly.

II. Follow each step carefully to ensure the proper assembly of the product.

III. Two people are recommended for ease in the assembly of this product.


GENERAL ASSEMBLY GUIDELINES








Hardware List


Pls make sure all the accessories are complete!



1 1PC



2 1PC



3 1PC



4 1PC



5 1PC



6 4PCS



7 2PCS



8 1PC



9 1PC



10 1PC



11 1PC



12 1PC



13 1PC



14 1PC



15 2PCS



16 2PCS



17 1PC



18 1PC



19 2PCS



20 3PCS



21 8PCS



22 4PCS


23 1PC



24 4PCS



25 1PC



26 2PCS



27 1PC


HARDWARE



M8*12
A
20+2pcs



M8*45
B
14+1pcs



M8*16
C
4pcs



M8*25
D
20+2pcs



F
3pcs



M5*37
G
24+2pcs



M6*35
H
4pcs



M6*15
I
8pcs



M5*25
J
8pcs



ST3*12
K
2pcs



L
2pcs



M
1pc



N
1pc



ST4*16
V
21+2pcs


P
16pcs


Q
8pcs


R
4pcs



S
1pc


T
1pc


You can choose mobile control or RF Remote ControL
pull out the plastic card on the RF Remote Controller and power on the RF Remote Controller.

Mobile phone control steps:

1.Connect LED Lamp and RF RGB Controller.
2. Plug in the Adaptor Power supply.
3. Scan the RF RGB Controller QR code on the controller and download the software Happylighting.
4. Turn on the Bluetooth function of the mobile phone and search for Bluetooth pairing "Trinoes".
5. Open the "Happy lighting" APP and switch colors change,et








1

First, screw the G screw into the hole, and tighten it to prevent the screw driver from tilting and the planks from cracking.




Flat on the ground for installation

2

M5*37

G 2pcs

F 1pc




3

ST3*12

K 2pcs

N 1pc




4

M5*37

G 6pcs

F 1pc




5

M 1pc

M5*37

G 4pcs

F 1pc




6

M5*37

G 8pcs

F 1pc




7


M8*25

D 8pcs

F 1pc



Front



M8*16
C
2pcs

F
1pc

M6*15
I
4pcs

8

Front

I
C
4
23
I
C
3
C

M8*16
C
2pcs

M8*45
B
2pcs

F
1pc

L
2pcs

9

behind

B
50%
4
14
C
50%
L
B
50%
C
50%
3
13

50% means the screw is tightened halfway.


10

ST4*16

V 21pcs

M8*25

D 2pcs




11

M8*45

B 4pcs

F 1pc


X2



M8*45
B 2pcs

M8*25
D 8pcs

F 1pc




All the screws are tghtened only halfway

M6*15
I 4pcs

F 1pc


S 1pc

T 1pc




14

F 1pc



1

Tighten the I screw



1


Hang it on I first.

15

M8*45

B 6pcs

F 1pc




16

M8*25

D 2pcs

F 1pc



17


M5*25


J 8pcs


M6*35

H 4pcs


F 1pc







Please tghten all the screws



X4

M8*12


A 20pcs

R 4pcs


P 16pcs


F 1pc

X4





6 matched with 24





Please tghten all the screws





GB- NOTE: The battery in the remote control requires you to purchaseand install it yourself.
Model: CR2025 3.V

DE-HINWEIS: Die Batterie in der Fernbedienung massen Sie selbst kaufen und installieren.
Modell: CR2025 3.V

FR-REMARQUE : la pile de la télécommande doit être achetée et installée par vos soins.
Modèle:CR2025 3.V

IT-NOTA: la batteria del telecomando deve essere acquistata e installata autonomamente.
Modell:CR2025 3.V

ES-NOTA: La pila del mando a distancia debe comprarla e instalarla usted mismo.
Modelo CR2025 3.V

①



②



③



④



⑤



⑥



⑦



⑧

