





Assembly Manual

Swivel Accent Chair



CAUTION


THIS ASSEMBLY MANUAL CONTAINS IMPORTANT SAFETY INFORMATION.
PLEASE READ AND KEEP FOR FUTURE REFERENCE.

A×1  Chair Body	B×1  Chair Base
H1×4  Nylok Bolt (M6x30mm)	T1×1  Allen Wrench (M5)

Before you begin:


1. Check if you have received all parts using the diagram on this page. Do not start the assembly process until all parts are present. If you have not received all parts or received wrong or damaged ones, please contact our customer service and we will get back to you.
2. Do not discard any of the packaging until you are certain that you have all the necessary parts for the assembly.
3. Do NOT use power tools for assembly.

- 1 Rotate the swivel plate by 45 degree.




- 2 Attach the Chair Base (B) to Chair Body (A), using Nylok Bolts (H1) and Allen Wrench (T1).


Note: **Loosely** attach the bolts one by one and **keep them loose. Do not fully tighten.** After **loosely** attach the first bolt, rotate the base to attach the next one. After all four bolts are attached, use Allen Wrench (T1) to tighten.



3 Assembly complete. Take a spin and enjoy



• Do not sit on armrests.



PRODUCT WARRANTY

- 1-year limited on cover against splitting, peeling, and/or tearing.
- 1-year limited on internal and external frame structure.
- 1-year limited on cushioning material, seat springs and mechanism.

CARE & MAINTENANCE

Water Based Cleaner 'W': Spot clean using the foam only from a water-based cleaning agent such as a mild detergent or non-solvent upholstery shampoo product. Apply foam with a soft in circular motion.

Vaccum when dry.

Do not place furniture in direct sunlight and keep furniture at least 60 cm / 2 feet from heat sources to avoid fading.

If at any step you need a helping hand, we're always here for you. You can email us, or hop into a live chat on our website - whatever method is convenient for you.