
Instruction Manual

12CP-KK/12CP-WH/12CP-GR



12x20FT CARPORT

Thank you for shopping with us!

We appreciate your purchase and are ready to be at your service!

If you find parts missing, broken, or hard to put together or when you are not satisfied or have any valuable suggestions, please do not hesitate to contact us first!

We will definitely give you a satisfactory solution or answer then!

Contact us at our after-sales service email: CSsince1987@hotmail.com



Important Precaution

Before assembly, read these instructions carefully. Assemble the canopy in the location where you intend to use it.2 or more people are recommended for assembly

Warning


Keep all flame and heat sources away from this canopy fabric.

Please check with your local regulations prior to purchasing this item. Some municipalities have restrictions and requirements.

This canopy should not be used during heavy wind, ice, or snow conditions.

The accumulation of snow and ice on canopy roof may pose a safety concern. Under severe weather conditions, disassemble your canopy and store indoors. It is strongly recommended that the canopy remain secure to the ground at all times via the base plates and nylon straps supplied. Avoid placing the unit on soft ground and ground that is prone to flooding.


The Canopy should not be used by children under the age of 8 or people with mental disorders. Please do so under the supervision of the guardian if necessary. Please do not allow children to play as a toy with these parts




*All the optional tools listed above are not included in this product.




12×20FT CARPORT




		1	
Item no.	Reference Image	Description	Qty
1	0 0	Top tube	17
3	0 0	Supporting tube	8
A		Three-way tube joint	6
В		Four-way tube joint	6
C		Foot pad	8
D		Top tarp	1
E		String	4
F		Butterfly bolt and nut	8
G		Peg	12
Н		Elastic band	56
		Front tarp	1
J		Back tarp	1
K		Tarp Wall	2
L		Gloves	2




Put Top tube (1), Three-way tube joint (A) and Four-way tube joint (B) in the shown order.





Connect Top tube (1) by Three-way tube joint (A) and Four-way tube joint (B) to make the top.






Insert the Supporting tube (3) into the tube joint (A) and (B) to make the structure as shown.







Insert the Foot pad (C) into Supporting tube (3).

Use Butterfly bolt and nut (F) to fix them together.







Use String (E) to tie the top corner and fix the other end of it to the grass by Peg (G). Fix the Foot pad (C) by Peg (G) firmly in the grass. 3 E G Firmly fixed in the grass



Put the Top tarp (D) on and fix it to the supporting tube by Elastic band (H).







Attach the Tarp wall (K) with the Top tarp (D) and use Elastic band (H) to fix them together.


Note: DO NOT FULLY TIGHTEN when fixing the one side.


When both sides are attached and lined up, TIGHTEN THEM NOW.






Fix the Back tarp (J) and Top tarp (D), Back tarp (J) and Tarp wall (κ) by Elastic band (μ).





Fix the Front tarp (I) and Top tarp (D), Front tarp (I) and Tarp wall (K) by Elastic band (H).



Zip the zipper to finish the assembly.

