

P39002-3GD
OPERATIONS MANUAL



Masrax

MADE IN CHINA

Assembly & Installation Instructions

Dear Customer :

Thank you for choosing 4modernhome!

We appreciate your business. Should you have **any questions** or encounter **any issues**, please don't hesitate to contact us. You can reach us via email at support@4modernhome.com or by calling **469-312-6428**. Our team is dedicated to ensuring your complete **satisfaction** with your purchase. We value your feedback, as it helps future customers in making informed decisions. We encourage you to share your experience by leaving a brief product review on the platform where you made the purchase. Additionally, you can scan the **provided code for an installation video** to assist you further. Once again, thank you for choosing 4modernhome!


Best regards!

[Support Team]

Warning: If any special control devices are used with this fixture, follow the instructions carefully to assure full compliance with N.E.C.requirements. If there are any questions, contact a qualified electric contractor.

Warning: California Residents Proposition 65 This product contains lead, a chemical known to the state of California to cause cancer and birth defects or other reproductive harm. Do not place the product in your mouth. Wash your hands after handling this product.

Caution: It is highly recommended to get an electrician to install this light. Please make sure to turn the electricity off at the main circuit breaker before beginning installation. All glass is fragile. Use care when handling glass component(s) and/or lamp(s).



WIRE CONNECTION DIAGRAM

Wires meeting safety standards are required to connect the electrical circuit.

CAUTION: Risk of fire



Please read all instructions carefully. Before you proceed to install, make sure that the power supply is turned off and remains off until installation is completed.

PARTS INCLUDED

Code	Part Description	QTY
A	Fabric shade	1PC
B	Fixture body	1PC
C	Metal washer	2PCS
D	Coupling thread	2PCS
E	Coupling rod	1PC
F	ROD 6"	1PC
G	ROD 12"	3PCS
H	Canopy	1PC
I	Ground screw	1PC
J	Junction box screw	2PCS
K	Mounting screw	2PCS
L	Mounting plate	1PC

Assembly and Installation Steps

Step1

- 1A. Unscrew the mounting screw (K) from the canopy (H) and detach the mounting plate (L).
1B. Attach mounting plate (L) to junction box (not included) using junction box screw (J). The side of mounting plate (L) marked "GND" must face out.

Step5

Push fixture wires carefully through the swivel on canopy (H) and secure canopy (H) onto rods (G/F).

Step6

Tie the ground wire from junction box and from fixture to the ground screw on the mounting plate. Connect the white wire to white and black to black, Cover the connections using the wire connectors provided.

Step7

Position canopy (H) up against ceiling and thread mounting screw (K) to secure fixture to ceiling.

Step4

Determine desired hanging height and thread rods (F/G) on coupling thread (D). Pass wires carefully through each rod as you assemble.

Step2

Insert the fixture body(B) into the fabric shade(A), place the metal washer(C) onto all thread of fixture body(B). Secure the fabric shade (A) with coupling thread(D).

Step3

Thread coupling rod (E) on the coupling thread (D) and thread another coupling thread (D) onto coupling rod (E).

Step8

Install 3 E26 bulbs (Not included) into the socket of the fixture body(B)

