


Shallow Column Mount Lantern

MEDIUM



Medium



UL RATING | Wet

LAMP BASE | Medium Base (E26)
 MAX WATTAGE | 60W
 VOLTAGE | 12V or 120V



PROPRIETARY AND CONFIDENTIAL
 The information contained in this drawing is the sole property of the manufacturer. Any reproduction in part or as a whole without written permission from the manufacturer is prohibited.



DIMENSIONS

Roof Width	12"
Body Width	10"
Height	6"
Mounting Base	11 1/2"

ELECTRICAL SPECS

UL Rating	Wet
Voltage	12V or 120V
Socket Type	Medium Base - E26
Number of Light Bulbs	1
Max Wattage per Bulb	60W
LED Bulb	Supplied

ADDITIONAL INFORMATION

Mounting Location	Exterior Only
Material	Brass
Multiple Overlay Options	Yes

DESIGNS AVAILABLE IN THIS SERIES



Cross



Scrollwork Cross




Scrollwork Heart



Glass Only

MOUNTING INSTRUCTIONS • Column Light Version One



CAUTION—DISCONNECT POWER

Always shut off power when installing or repairing this (or any other) electrical appliance. Failure to do so may result in severe injury or death. This product must be installed in accordance with applicable installation codes by a person familiar with the construction and operation of the product, and the hazards involved.