


HERNEST

HEFTDR-0032

ZSGY



Assembly Instructions & Care Guide

Illustrations in this guide are for reference only and may differ slightly from the actual product

CONTENT

Before You Start

Overview	01
Caution	01
Material Specifications	01

Installation Guide

Assembly Directions	02
Troubleshoot	03-05

Usage and Maintenance

Use and Care	06
--------------	----

Other

Help Center	07
-------------	----

Before You Start

Overview

1. Check and ensure you have received all packages and necessary parts.
2. Prepare adequate assembly space. We recommend using pads or cardboard to prevent the floor from scratches.
3. Read the instructions to familiarize yourself with the assembly requirements. Allow sufficient time and have someone available to assist you if needed.
4. Place all hardware on a soft surface for easy identification.
5. The seller is not responsible for any damage or injury caused by improper assembly or use.
6. If you need further assistance, please contact us through service@hernest.com

Caution

1. Children must not assemble this product. During assembly, keep small parts away from children as swallowing or inhaling them could be fatal.
2. Do not allow children to stand, climb, or play on the product, as it may tip over and cause serious injury.
3. Keep plastic packaging bags away from children to prevent risks of suffocation.
4. Avoid sharp objects and corrosive chemicals to prevent product damage or personal injury

Material Specifications

Solid Wood

Natural grains, scars, and color variations are inherent in real wood, which contribute to its unique beauty. Slight color changes may occur under different lighting and angles, due to variations in wood grain and light intensity.

Marble and Engineered Stone

Each marble and engineered stone piece has a unique pattern. Due to the nature of the materials, the pattern may differ from the one you see when purchasing.

Assembly Directions

Step 2

INSTRUCTIONS

Please read all these instructions before starting work.

Safety straps are fitted where they will not be seen on the rear of the cabinet, one each side, as near to the top as practicable.

1. Measure carefully and identify a suitable position on the wall for the two brackets. If your wall is plasterboard you should select a position where you can screw into the studding. Note that wall brackets are best fitted vertically.

2. Note that, in order to allow the cabinet to sit close to the wall, this position should be 3 cm or so below the brackets that you will fit to the cabinet. We have not factory fitted the brackets to the cabinet because we do not know exactly where you will fit the wall brackets.

Secure two brackets to the wall - one each side. We have not provided screws and wall plugs because we do not know



3. the construction of the wall to which you will be securing the brackets. If you have any doubts about the suitability of wall or the fixing method please engage a suitable craftsman.

4. Using the screws provided secure the two remaining brackets to the rear of the cabinet some 3 cm higher than the wall brackets. These are best fitted horizontally.

5. Move the cabinet near to the final position. Thread the straps through the brackets as shown in the illustration.

6. Move the cabinet back against the wall and tighten the straps until snug.

7. Finally check that the cabinet is firmly secured to the wall.



Finished!

Fantastic, we're nearly there! Please carry out the following checks:


1. Have you tightened all the screws?
2. Are the levelers aligned with and making contact with the ground?
3. Have you installed the anti-tipping kit?

Troubleshoot


Product Category	Fault	Cause Analysis	Handling Method
Wood furniture	Door opening is not flexible	The furniture is not leveled	Use items to level the furniture
		The door hinges should be adjusted properly.	Adjust door hinges and apply lubricating oil.
	Inflexible opening of drawer	Overload or deformation	Reduce weight, adjust guide rails, lubricate
	Loose component connection	Loose hinges or screws	The poke part should be coated with an appropriate amount of 502 glue, then re-install or tighten the screws.
	Minor scratches	friction with hard o sharp objects	Use a brush to apply similar pigment ink along wood grain to the scratches, then wipe off the excess.
	Corrosive stains	Accidentally stained with chemical solvents such as nail polish, nail polish remover, ect.	Wipe them with a dry cotton cloth immediately

Possible Issues During Assembly:

- The two boards can't be aligned at the same level.




- Holes on the boards and poles are not aligned, so screws can't be installed.



Recommended Solution:




- Please slightly loosen all screws and adjust the boards. Because the diameter of the holes on the pipes is 23 mm larger than that of the boards, the position of the boards can be adjusted.



- If it still doesn't work after adjustment, please contact us for more solutions.



Three-section Side-mounted Rail

Part I Disassembly and Assembly Instructions



Open the drawer to its maximum position, press down or pull up the unlatching clips on both rails, then remove the drawer.




Drawer Assembly:




- Align and properly mate the two rail components on the drawer, push the drawer forward into the rails until it reaches the back.
- Repeatedly (2-4 times) push and pull the drawer to check if it slides smoothly. If not, disassemble the drawer and re-install.

Part II Assembly Instructions

Press down the unlatching clips to separate the rail into two parts.



Align and properly mate the two rail components on the drawer, push the drawer forward into the rails until it reaches the back.



Repeatedly (2-4 times) push and pull the drawer to check if it slides smoothly. If not, disassemble the drawer and repeat step 3 to re-install.

Usage and Maintenance

Use and Care

- Leave it vacant for half a month before use, maintain good ventilation to eliminate any odor.
- Place items steadily, heavier items should be placed at the bottom to avoid tipping over. For high temperature or frozen items, please put a heat-resistant pad underneath.
- Do not directly push or drag hard objects on the furniture to avoid scratching the surface.
- Avoid prolonged exposure to sunlight or heat sources to prevent discoloration or fading.
- Pay attention to moisture prevention to avoid mold. Keep the furniture placed steadily to prevent breakage or loosening.
- Please educate children to stay away from the glass sharp corners of the furniture.
- When opening and closing doors or drawers, handle them gently and check the screws regularly to tighten them.
- Use a soft dry cloth to dust, a slightly damp cloth to clean the surface, avoid abrasive cleaners.



Help Center

Treat your furniture with care and follow the maintenance guidelines. In return, your furniture will provide you with lasting comfort and support. For any additional inquiries or assistance, please do not hesitate to contact us at [https://www.hernest.com/ help](https://www.hernest.com/help)



Inquiry



Assembly issue



Missing parts



Returns&Refunds



service@hernest.com

We look forward to seeing you again soon.