



# Aquifer® | K-22159

Reverse osmosis (RO) replacement filter 3-pack

## Features

- Effectively reduces contaminants including arsenic, fluoride, TDS, bacteria, virus, lead, mercury, chlorine and pharmaceuticals in your cold water
- Filter head automatically turns off water supply when cartridge is removed
- Replacing RO sediment prefilter, carbon block CTO filter and carbon block VOC filter every six months keeps filtration system performing effectively



## Available Colors/Finishes

*Color tiles intended for reference only.*

NA NA Not Applicable



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-30-2026 03:09 - US-CA

THE BOLD LOOK  
OF **KOHLER**

---

## Codes/Standards

*None Applicable*

---

## Material

- High-impact plastic construction
- 


## Warranty

*See website for detailed warranty information.*

KOHLER® Water Filter Systems Five-Year Limited Warranty



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-30-2026 03:09 - US-CA



## Installation

- For cold water use only
- Under-sink
- Quarter-turn twist cartridge for easy installation and replacement

## Installation Notes

*Install this product according to the installation instructions.*

For cold water use only.

To ensure the filter continues to reduce contaminants effectively, it is recommended that the filter gets replaced every 6 months.

Application guideline/water supply parameters: Water

Pressure: 40-100 psi (276-689 kPa) Water Temperature: 40-100°F (4.4-37.8°C) Capacity: 230 gal (871 L)

