



INbtb001\_UK

**84B-505**



READ AND SAVE THIS INSTRUCTION FOR FUTURE USE

**ASSEMBLY INSTRUCTION**

# Garden Chairs

## **IMPORTANT-KEEP THIS INFORMATION FOR YOUR SUBSEQUENT CONSULTATION: READ CAREFULLY**

**Only for domestic use**

### **Use tips:**

- \*Put the chair stably on a flat floor.
- \*Mount the garden chairs in the shelter of the weather.
- \*Stay away from open flames.
- \*Don't hang anything in the structure.
- \*Avoid the overload at the anchors/structure.
- \*It is advised that don't stay on the chairs when there is a storm.
- \*It is recommended to protect in case of strong wind or rain and in your absence.

### **Precautions before assembly:**

- \*Prepare a clean and dry mounting area.
- \*Verify that the product is not damaged.
- \*Check that none of the pieces are missing.

### **Maintenance:**

- \*Clean with a soft fabric.
- \*Regularly remove leaves and / or water collected on the canvas.
- \*Check the chair regularly.

### **Storage conditions:**

\*The fabric should be stored completely dry, in a clean and dry place to avoid the risks of mold.

**Caution with the risks of pinching or cuts during assembly.**

**The manufacturer declines all responsibility in case of damages due to a bad installation or due to weather.**

Importer

MH STAR UK LTD  
Unit 27, Perivale Park,  
Horsenden Lane South  
Perivale, UB6 7RH

<https://www.aosom.co.uk>



Made in China

Please read these instructions carefully before starting assembly. We suggest you carry out the assembly on a soft surface like a carpet, so as to avoid scratching the paint. Please note because of the nature of cast metal, you may find roughness on the surface which enhances the beauty of the product and is not a defect.














### List of Parts for Assembly of 1x Table


<b>A1x 1</b>	<b>B1x 4</b>	<b>C1x 1</b>	<b>D1x 4</b>
<b>E1x 4</b>	<b>F1x 4</b>	<b>G1x 4</b>	<b>H1x 1</b>
<b>Jx 8</b>	<b>Kx 8</b>	<b>Lx 8</b>	<b>I1x 8</b>
<b>Mx 4</b>	<b>Nx 1</b>		

1. Place all parts on a clean soft surface.
2. Place the Table Top (A1) upside down. Attach the Table Legs (B1) on the Table Top (A1) using the Studs (D1), Washers and Nuts (E1, F1, G1). Tighten the Nuts using the a Wrench, DO NOT over tighten.
3. Put the leg support (C1) to the table legs (B1) with the washers (I1), spring washers (J) and nuts (K). (Donot over tighten). Turn the Table right side up. Adjust the pre-installed Leveller until the Table is level with the ground. Then, proceed to tighten all Bolts and Nuts. Then Put the protect hat (L) and (M). Your table is now ready for use. This Table can only be used on a flat, level surface



## List of Parts for Assembly of Chair

 Backrest Panel <b>A2x 2</b>	 Chair Seat Panel <b>B2x 2</b>	 Legs <b>C2x 8</b>	 Left arm <b>D2x 2</b>
 Right arm <b>E2x 2</b>	 Washers ( 8mm ) <b>F2x20</b>	 Springs Washers ( 8mm ) <b>G2x20</b>	 Nuts (8mm ) <b>H2x20</b>
 Bolts (6*30mm ) <b>I2x 8</b>	 Washers ( 6mm ) <b>Ox 8</b>	 Spring Washers (6mm) <b>Px 8</b>	 Nuts (6mm ) <b>Qx 8</b>
			 Plastics cap (8mm+6mm) <b>Ux20</b> <b>Vx 8</b>







Place all parts on a clean soft surface.

**Fit 1:** Align the two studs on the Backrest(A2) with the mounting positions in the Chair Seat(B2). Then attach the Backrest(A2) to the the Chair Seat(B2) by using Washer(F2), Springwashers(G2) and Nuts(H2). Tighten the Nut using the Spanner(S). **DO NOT OVERTIGHTEN**, yet.

**Fit 2:** Connect the Left arm(D2) and Right arm(E2) to the Seat(B2). Fix the Bolts(I) into Left arm(D2) and Right arm (E2) with the Screwdriver(R), then fit Left arm(D2) and Right arm(E2) over the bolts fitting on backrest(A2) using Washers(O), Spring washers(P), Nuts (Q) with the Spanner(S). **DO NOT OVERTIGHTEN**, yet.

**Fit 3:** Attach the Chair legs(C2) to the studs on the Chair Seat(B2) by using Washers(F2), Spring washers(G2) and Nuts(H2). Tighten the Nuts using the Spanner(S). **DO NOT OVERTIGHTEN**, yet.

Adjust the pre-installed Levellers, until the chair is level with the ground. Tighten all screws and bolts. Upon completion of full assembly, bolt up-all screws can be tightened down. Tight the cushion(K) on the Seat Panel. Your chair is now ready for use. This Chair can only be used on a flat, level surface.



US



001-877-644-9366  
customerservice@aosom.com

CA



001-855-537-6088  
customerservice@aosom.ca

UK



0044-800-240-4004  
enquiries@mhstar.co.uk

DE



0049-(0)40-88307530  
service@aosom.de

FR



0033-1-84166106  
contact@aosom.fr

ES



0034-931294512  
atencioncliente@aosom.es

IT



0039-0249471447  
clienti@aosom.it