




INSTALLATION

Product Manual




IMPORTANT INFORMATION!

please read the entire manual before starting to assemble and/or using this product. follow the manual thoroughly and keep it for further reference.





AVOID SCRATCHES!

In order to avoid scratching this furniture should be assembled on a soft layer-could be a rug.



IMPROVE EFFICIENCY !

Try to find a partner to install with you, which can speed up the installation efficiency and shorten the time.



ANTI-TOPPLE WARNING !


Overturned furniture can cause serious or fatal crush injuries. To prevent tipping over, be sure to use the wall attachment, if not included with this product. Please purchase the wall attachment that fit your wall. If unsure, seek professional advice. Please read and follow each step of the instructions carefully.

IMPORTANT !




It is important that any product which is assembled using any kind of screw is re-tightened 2 weeks after assembly, and once every 3 months - in order to assure stability through-out the lifespan of the product.

For regular maintenance and cleaning of the product, for the frame, please use a rag dipped in neutral detergent to fully wipe it, and then dry it with a clean rag. For glass materials, wipe with a rag dampened with water glass cleaner, and then dry with a dry rag.

Do not use an electric screwdriver, and do not use too much force when installing, because the board is easy to break.




Please prepare the following tools



When installing, please carefully confirm whether each screw corresponds to the manual, accessories with similar shapes can be distinguished by size

A x 4




CRA0635A

B x 4




CRB1595A

C x 12



CRF0830A

D x 14




CRC0540A

E x 42



CRD3514A

F x 4




CRG0660A

G x 66




CRG0612A

H x 14



J x 10



CRD0570A

K x 10




L x 4




CRG0815A

M x 24




CRG0645A

N x 4



P x 16




CRG0635A


Q x 16



R x 1




S x 8




T x 2



U x 2




V x 4




CRE0418A

W x 2




X x 2



Y x 2




Z x 4




CRD0560A





AA x 1



M4




Please prepare the following tools



When installing, please carefully confirm whether each screw corresponds to the manual, accessories with similar shapes can be distinguished by size

BB x 1



M6

CC x 1



M8

DD x 1



M24

EE x 1



M6

Important information to read before starting the assembly. Keep this information for future reference.



IMPORTANT WARNINGS

Risk of serious injuries if the wall bed tips over.

To prevent wall bed from tipping over, mount it permanently to the wall.

Only a qualified person* must carry out the installation and any possible adjustment of the wall bed (including disassembly). If the wall bed is not firmly mounted (anchored) to the wall, it might tip over and cause serious injuries to the installer, users of the bed as well as the people near the bed.

The choice of wall anchoring depends on the type of wall. Use wall anchors suitable for the wall material.

* Qualified person: it is necessary to have a good understanding of the wall structure where the bed is anchored, including the positioning of the wall studs and structural components in the case of a wood or metal structure. If you do not have the necessary skills, make sure that the installation is done by someone who has the qualifications and required knowledge. When you choose the installer, make sure to comply with all applicable regulations in the province, state or country where the furniture is installed.

IMPORTANT: BEFORE STARTING ASSEMBLY

Be sure to confirm the following information:

1. The installer has the qualifications* and required knowledge.

2. Only wall anchor screws for wood-frame walls are provided with this bed. See anchor requirements and installation notes provided in the instruction manual, according to the type of wall, and use the appropriate anchors such as described in this manual.

3. Your bed can hold a maximum distributed weight of 800 lb (362 kg), including the weight of the mattress.

4. Maximum thickness of mattress: 10 in (25 cm), and must stand in vertical position without sagging.

5. The bed will not stay open without the weight of the mattress which must be between: 38 lbs (15 kg) and 90 lbs (41 kg).


6. Minimum ceiling height requirements for installation: 90 in (2.286 m).

7. It is recommended to assess the structural integrity of the floor and wall and to make sure that the wall anchoring devices can withstand the forces generated. More specifically, before installing the wall bed, it is necessary to verify that the floor and the wall on which you want to install the bed are flat and have no structural damage that could affect the installation of the wall bed or its anchoring to the wall. Do not install the bed on weakened or rotten structures.

8. It is necessary to ensure that wall anchors of the bed can withstand forces generated. The value of the holding power (Fh) of each anchor should be 630 Newtons (142 lbf).

If the wall bed is not installed properly, the latter might close unexpectedly or could open involuntarily.

In addition, if the wall bed is installed incorrectly, one of its structural components may break and fall off.




⚠ WARNING



Children have died from furniture tipover. To reduce the risk of furniture tipover:






- ALWAYS install Anti-tip device provided.
- NEVER put a TV on this product.
- NEVER allow children to stand, climb or hang on drawers, doors, or shelves.
- NEVER open more than one drawer at a time.
- Place heaviest items in the lowest drawers.

*This is a permanent label.
Do not remove!*










ASSEMBLED BY 3 ADULTS

1



2




3


E x 20



CRD3514A




Fix part 13 to panel 3 and 4 with screw(E) as shown.




4

C x 4







CRF0830A


D x 7



CRC0540A



Insert wooden dowel(C) into panel 6 and 1 at first.
Fix panel 2, 5, 6 and 1 to panel 4 with screw(D) as shown.




5


E x 3







CRD3514A




Fix part 11 and 12 to panel 4 with screw(E) as shown.






6

C x 4  CRF0830A	D x 7  CRC0540A	E x 3  CRD3514A	 
--	--	--	---


Insert wooden dowel(C) into panel 6 and 1 at first.
 Fix panel 3 to panel 2, 5, 6 and 1 with screw(D) as shown.
 Fix panel 3 to part 11 and 12 with screw(E) as shown.




7




Fix part 11 to panel 1 with screw(F) as shown.




8

M x 12  CRG0645A	AA x 1  M4	
---	---	--


Fix part 16, 17 and 18 to part 14 with screw(M) as shown.



9



M x 12  CRG0645A	AA x 1  M4	
---	---	--

Fix part 15 to part 16, 17 and 18 with screw(M) as shown.




Please ensure the corners are equal diagonally. If not, loosen some screws, make adjustments, and then tighten again.



10



Fix the component to panel 7, 8, 9 and 10 with screw(G) as shown.





Please note, the holes are near the part 17.




Make sure the door panels are aligned on the same parallel line before tightening.

11



L x 4  CRG0815A	BB x 1  M6	
--	---	--




Fix part 22 to part 16 with screw(L) as shown.




12

R x 1 	S x 4 	CC x 1  M8	
--	--	---	--





Attach rod(R) to part 14 and 15 with nut(S) as shown.




Ensure the longer end of the gas lift is connected to the bed frame.

13




G x 4  CRG0612A	S x 2 	AA x 1  M4	CC x 1  M8	
--	--	---	--	--




Fix part 19 and 20 to part 14 and 15 with nut(S) as shown.
Fix part 21 to part 19 and 20 with screw(G) as shown.





14

N x 4 	P x 16 CRG0635A 	Q x 16 	AA x 1  M4	EE x 1  M6	
--	---	---	--	---	--





Fix part(N) to part 14, 15 and 16, 17 with screw(P) and nut(Q) as shown.




15

E x 4
CRD3514A

W x 2



Fix part(W) to panel 7 and 10 with screw(E) as shown.




16


DD x 1



M24




Connect the two components using part 23 as shown.



17



Fix handle(U) to panel 8 and 9 with screw(V) as shown.



18

S x 2



T x 2




CC x 1




M8

3.





Fix the assembled rod(R) to part 13 with nut (S&T) as shown.







2.






1.



19

E x 3  CRD3514A	H x 10 	   
J x 10  CRD0570A	K x 10 	W x 2 

Draw positioning holes on the wall first, punch holes in the wall with an impact drill, then knock the expansion tube(H) into the wall hole, and then fix the unit to the wall with part(J&K), as shown.



Fix part(W) to panel 3 and 4 with screw(E) as shown.

WALL ANCHORING REQUIREMENTS & INSTALLATION RECOMMENDATIONS

Important information to read before starting the assembly.
Keep this information for future reference.



IMPORTANT WARNINGS

Risk of serious injuries if the wall bed tips over.

To prevent wall bed from tipping over, mount it permanently to the wall.

Only a qualified person* must carry out the installation and any possible adjustment of the wall bed (including disassembly). If the wall bed is not firmly mounted (anchored) to the wall, it might tip over and cause serious injuries to the installer, users of the bed as well as the people near the bed.

The choice of wall anchoring depends on the type of wall. Use wall anchors suitable for the wall material.

* Qualified person: it is necessary to have a good understanding of the wall structure where the bed is anchored, including the positioning of the wall studs and structural components in the case of a wood or metal structure. If you do not have the necessary skills, make sure that the wall anchoring is done by someone who has the qualifications and required knowledge. When you choose the installer, make sure to comply with all applicable regulations in the province, state or country where the furniture is installed.

IMPORTANT WARNINGS



INSTALLATION AND APPROPRIATE HARDWARE

Using appropriate hardware, all the anchor screws of the wall bed must be firmly secured to the wood or metal studs, the structural components, or a masonry wall.

Only wall anchor screws for wood-frame walls are provided with this bed.

NEVER USE DRYWALL ANCHOR SCREWS OR SECURE THE BED TO DRYWALL








See wall anchoring requirements and installation notes provided in the instruction manual, according to the type of wall, and use the appropriate anchors such as described in this manual.

NUMBER OF SCREWS NEEDED




THE SCREWS MUST BE VERY WELL ANCHORED TO THE STRUCTURAL COMPONENTS OF THE WALL.

**** A CERTIFIED CONSTRUCTION PROFESSIONAL, IN COMPLIANCE WITH APPLICABLE REGULATIONS IN THE PROVINCE, STATE, OR COUNTRY WHERE THE FURNITURE IS INSTALLED.**

20


E x 8  CRD3514A	H x 4 	   	
X x 2 	Z x 4  CRD0560A	4. 	1. 

Draw positioning holes on the wall first, punch holes in the wall with an impact drill, then knock the expansion tube(H) into the wall hole, and then fix the unit and the wall with screws(E&Z) with anti-dumping angle code(X), as shown.

5. E x 4 	2. 
6. 	3. 


ATTENTION:

For safety and stability, we suggest you have to secure the anti tip accessories to the wall to prevent tipping, injury, and property damage.





After putting everything together, install the anti-tip device.



21




Secure the mattress with tie(Y).






22



Note: When folding, gently lift the mattress, pull in the supporting iron foot, and then turn it up and fold it as shown.








Note: If the door doesn't close properly, return to step 18 of the installation instructions.







Using tools AC, accessory parts S and T, rotate left to loosen and remove part R, as shown in the image.



Rotate both ends of part R counterclockwise to loosen slightly, increasing the pressure on part R, which will help the door close, as shown in the image.



Adjust part R by increasing or decreasing its length to fine-tune the pressure.



Rotate both ends clockwise to tighten, reducing the overall pressure.

Rotate both ends counterclockwise to loosen, increasing the overall pressure.

WARRANTY

WARRANTY CLAIMS

- There is a 30-day warranty for broken furniture or any other problems that do not work properly. The warranty will start from the date of purchase which must be verified by proof of purchase.
- Before making a claim, we may be able to answer your query, simply call us. Please leave your purchase order number, along with some details of the problem, if you want a replacement part. We will arrange within 48 hours. If there is out of stock, we will reply with a shipping date.
- The product must be used in accordance with the instructions provided. For health reasons.
- For other reasons, if the furniture needs to be returned, it must be cleaned and dried and operated within 30 days of receipt.

Type of Warranty Claim

- Failure to follow the furniture instructions will invalidate the warranty. Attention please.
- Does not include damage during installation, but includes damage during transportation.

Scope of responsibility

- Shall not bear any responsibility for misuse or user damage and / or loss of parts during the installation of furniture.
- After using, the damage and scratches of the furniture are not covered by the warranty.

The Warranty Relates to All Bought in The Us and Covers The Following Areas

- Sheet parts: 1 month from the date of purchase.
- Electrical parts: 1 month from the date of purchase.

RETURNS

CHANGED YOUR MIND AND NEED TO RETURN YOUR ITEM?

PLEASE FOLLOW THE BELOW INSTRUCTIONS:

- If you have purchased and have simply changed your mind, follow the retailer's instructions for returns.

DEFECTIVE ITEMS

- If your item is defective in any way, i.e. it doesn't work but you can't identify why, in the first instance, please call us.

DAMAGED ITEMS

- If you receive an order with obvious shipping damage from the retailer, then we suggest the delivery is refused. If the delivery has been accepted and then shipping damage is found, please follow the specific instructions advised by the retailer.
In all circumstances please save all packaging material and paperwork for the order. Please be aware that if you dispose of packaging material or attempt to return the merchandise without contacting the fulfiller, you jeopardise your chances of making a claim, and you may not receive a credit for the return.