

ASSEMBLY INSTRUCTIONS



Brazos River

Models:

PTBRESP08 - Brazos Espresso 8'

PTBRRCHT08 - Brazos Chestnut 8'

PTBRRBLK08 - Brazos Weathered Black 8'








PTBRRBRO08 - Brazos Weathered Brown 8'















Congratulations on selecting a Brazos River slate pool table - part of the Fairfield Collection by Playcraft. Please contact us via email at support@playcraft.com should you require any assistance.

Please carefully read all safety instructions and directions before proceeding

- 1) Your table is designed for use indoors in a climate controlled environment only. Damage can occur if the table is exposed to water, dampness, high humidity, freezing temperatures, etc.
- 2) Professional assembly is strongly recommended. This assembly manual is intended to guide an experienced slate pool table installer with the assembly process of this specific cabinet. It does not guide on setting the slate or attaching the billiard cloth for which the process is the same regardless of the cabinet type.
- 2) The pool table cabinet and slate are extremely heavy. Two or more people are required for assembly.
- 3) The table must be assembled in the final location where the table will be played. Attempting to move the table once assembled could result in damage to the table or serious injury.
- 5) Only use the table for its intended purpose.
- 6) Damaged or worn parts may be dangerous for users and the integrity of the table. Replace worn or damaged components immediately and do not use the table until any issues have been resolved. For best results, use only spare parts supplied by Playcraft.
- 7) Unauthorized repairs or altering the table's design or functions may be dangerous and will void the warranty.
- 8) Check all screws, bolts, etc. on a regular basis to ensure that they are in good working condition and have not loosened over time.
- 9) Over time, pool tables may require releveling. This is considered normal maintenance as required with owning a slate pool table

	PART #	IMAGE	DESCRIPTION	QTY
LEGS / APRONS	H1		HANGER BOLT 3/8" x 5-7/8"	4
	H2		FLAT WASHER 3/8" ID	8
	H3		HEX NUT 3/8" ID	8
	H4		HEX BOLT 3/8" x 3-1/8"	2
	H5		FLAT WASHER 3/8" ID	2
	H6		HEX BOLT 3/8" x 2-3/8"	2
	H7		FLAT WASHER 3/8" ID	2
	H8		HEX BOLT 3/8" x 2-3/8"	2
	H9		FLAT WASHER 3/8" ID	2
	H10		HEX BOLT 5/16" x 2"	4
	H11		FLAT WASHER 5/16" ID	4
BEAMS / FRAME	H12		HEX BOLT 3/8" x 5-1/8"	12
	H13		FLAT WASHER 3/8" ID	24
	H14		HEX NUT 3/8" ID	12
	H15		HEX CROSS BOLT 5/16" x 2"	4
	H16		FLAT WASHER 3/8" ID	4
	H17		HEX CROSS BOLT 5/16" x 3-1/16"	16
	H18		FLAT WASHER 3/8" ID	16
RAILS / POCKETS / SLATE	H19		FLAT HEAD SCREW 3/8" x 2-3/4"	12
	H20		HANGER BOLT 5/16" x 5-1/2"	2
	H21		HANGER BOLT 5/16" x 3-1/2"	8
	H22		FLAT WASHER 5/16" ID	10
	H23		HEX NUT 5/16" ID	10
	H24		HEX CROSS BOLT 5/16" x 1"	24
	H25		FLAT WASHER 5/16" ID	24
	H26		HEX CROSS BOLT 5/16" x 1-1/2"	12
	H27		FLAT WASHER 5/16" ID	12
	H28		HEX CROSS BOLT 3/8" x 2-1/2"	18
	H29		DOME WASHER 3/8" ID	18
	H30		FLAT HEAD SCREW #10 x 5/8"	24

	PART #	IMAGE	DESCRIPTION	QTY
LEG APRONS / FRAME	1		LEG	2
	2		BOTTOM CONNECTING BEAM	1
	3		LEG CROSS SUPPORT	2
	4		CONNECTING BEAM BASE	1
	5		TOP CONNECTING BEAM	1
	6		SIDE FRAME	2
SUPPORT BEAMS	7		END FRAME	2
	8		LONG SLATE ATTACH BLOCK	4
	9		SHORT SLATE ATTACH BLOCK	4
	10		SLATE SUPPORT CROSS BEAM	2
	11		LEFT SIDE APRON	2
	12		RIGHT SIDE APRON	2
	13		END APRON	2
	14		APRON JOINT CONNECTOR BLOCK	2
	15		APRON CORNER CONNECTOR BLOCK	4








	PART #	IMAGE	DESCRIPTION	QTY
LEG APRONS / FRAME	16		TOP RAIL LEFT SIDE	2
	17		TOP RAIL RIGHT SIDE	2
	18		TOP RAIL END	2
	19		TOP CORNER	4
	20		SIDE POCKET	2
	21		CORNER POCKET	4
SUPPORT BEAMS			SATE - LEFT END	1
			SATE - CENTER	1
			SATE - RIGHT END	1
			BILLIARD CLOTH	1
	26		WOOD PEGS	16

FIG.1




FIG.2

Caution: Leg base assembly is very heavy. Two or more people are required to turn over to prevent injury or damage to the base.




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG.9

NOTE: Proceeding to the next step requires the cushions and slate bed to be covered with billiard cloth.
Caution: The rail and apron assembly is extremely heavy.
Four or more people are require to carefully turn over the assembly and place it on the slate platform. Be Certain the corners and apron joints are supported.





FIG 10





Customer Service

For questions on assembly or for missing or damaged parts, please contact us via email at support@playcraft.com. Please visit our website at www.playcraft.com to see more industry leading Playcraft and Playcraft Sport game tables.

Thank you for choosing Playcraft!

Global Merchants, Inc.
12 Lunar Drive
Woodbridge, CT 06525