


# Metal Storage Shed 6'x8' FT

## Instructions for Assembly



It will take ~~6~~ 4 hours for 2 people to install.

### WARNING

Please read the instruction manual carefully before assembly  
Please assembly strictly in accordance with the instruction  
Please double-check to ensure that all parts of the package contents intact  
To avoid injury , work gloves are recommended during assembly

### **Owner's Manual**

Before beginning construction, check local building codes regarding footings, location and other requirements. Study and understand this owner's manual. Important information and helpful tips will make your construction easier and more enjoyable.

**Assembly Instructions:** Instructions are supplied in this manual and contain all appropriate information for your building model. Review all instructions before you begin, and during assembly, follow the step sequence carefully for correct results.

**Parts and Parts List:** Check to be sure that you have all the necessary parts for building .

Separate contents of the carton by the part number while reviewing parts list.

The first few steps show how to join related parts to make larger sub assemblies which will be used later.

Familiarize yourself with the hardware and fasteners for easier use during construction.

These are packaged within the carton. Note that extra fasteners have been supplied for your convenience.

## **PLAN AHEAD**

**Watch the Weather:** Be sure the day you select to install your building is dry and calm.

Do not attempt to assemble your building on a windy day.

**Teamwork:** Whenever possible, two or more people should work together to assemble your building. One person can position parts or panels while the other is able to handle the fasteners and the tools.

**Tools and Materials:** These are some basic tools and materials you will need for the construction of your building. Decide which method of anchoring and the type of foundation you wish to use in order to form a complete list of the materials you will need.

## **CARE & MAINTENANCE**

**Finish:** For long lasting finish, periodically clean and wax the exterior surface. Touch-up scratches as soon as you notice them on your unit. Immediately clean the area with a wire brush; wash it and apply touch-up paint per manufacturer's recommendation.

**Roof:** Keep roof clear of leaves and snow with long handled, soft-bristled broom. Heavy amounts of snow on roof can damage building making it unsafe to enter. In snow country, Roof Strengthening Kits are available for most Arrow Buildings for added protection against heavy snow accumulation.

**Doors:** Always keep the door tracks clear of dirt and other debris that prevent them from sliding easily. Lubricate door track annually with furniture polish or silicone spray. Keep doors closed and locked to prevent wind damage

**Fasteners:** Use all washers supplied to protect against weather infiltration and to protect the metal from being scratched by screws. Regularly check your building for loose screws, bolts, nuts, etc. and retighten them as necessary.

**Moisture:** A plastic sheet (vapor barrier) placed under the entire floor area with good ventilation will reduce condensation.

### **Other Tips....**

Wash off inked part numbers on coated panels with soap and water.

Silicone caulking may be used for watertight seals throughout the building.


**Do not store swimming pool chemicals in your building. Combustibles and corrosives must be stored in air tight approved containers.**









PARTS LIST

NO	PART	QTY
25L		1
25R		1
P1		2
P1B		2
P2		2
P2A		2
D1		1
D2		1
15		2
16		2
19		2
20		4
P8		2
P7A		2
27		2
P3		16
6		1
7		1
8		1
P5		6
P6		4
P7		4
P5A		3
P6A		2
P8A		1
H6		2
23		2
24L		1
24R		1
GF		4
22		2
GJ		2


NO	PART	QTY
17		2
18		2
17A		1
18A		1
F1		492
F2		86
F3		8
G2		4
S1		188
GC		4
GD		4
GE		2
GB		2
1		2
2		2
3L		1
3R		1
4L		1
4R		1
5		1
9		2
11		2
H1		2
B1		8
10L		1
10R		1
13		5
14		5
21L		2
21R		2






**1** .Arrange the foundation from (1) to (5) as shown in the picture and fix it with (F1) screws.




PART	NO.	Qty.
	1	2
	2	2
	3L	1
	3R	1
	4L	1
	4R	1
	5	1
	F1	24

2. Place the wall panels (P1) (P2) (P2A) on the foundation as shown in the picture and fix them with (F1) screws and between the wall panels with (F2) screws.




PART	NO.	Qty.
	P1	2
	P2	2
	P2A	2
	F1	22
	F2	2

**3.** Put (P3) P(1B) on the foundation as shown in the picture and fix it with (F1) screws. Then install (22) (23) (24L) (24R) on the wall panel as shown in the picture and fix it with (F1) screws.










**4.** Put two (G2) sliders into channel (7), and the other two (G2) sliders into channel (8), and install them on the front wall panel respectively as shown in the picture, and fix them with screws (F1). Install (6) on (7) (8) and the front wall panel and secure with (F1) screws. **Note: The slide rails (7) (8) have no mounting holes, it is very soft and the screws are easily fixed**




PART	NO.	Qty.
	6	1
	7	1
	8	1
	G2	4
	F1	12




**5.** Install the top Angle iron (9) (10L) (10R) (11) respectively on the wall panel as shown in the figure, and fix it with (F1) screws.




PART	NO.	Qty.
	9	2
	10L	1
	10R	1
	11	2
	F1	87








**6.** Place the door frame (25R) (25L) on the foundation as shown in the picture, connect it with the wall panel and fix it with (F1) screws.




PART	NO.	Qty.
	25L	1
	25R	1
	F1	12


**7** .Install 1 (21L),1 (21R) and 4 (B1) as shown, fix with (F2) screws, and install the rest (21L) (21R) (B1) in the same way. Install the 4 (GF) Windows on the 4 window holes respectively as shown, and fix them with (F2) screws. Then assemble (13) and (14) beams as shown in the figure and fix them with (F2) screws. Finally, install the assembled beam on the triangle plate as shown in the figure, and fix it with (F2) screws.




PART	NO.	Qty.			
	13	4			
	14	4			
	B1	8			
	21L	2		GF	4
	21R	2		F2	40







**8.** Install the roof beam installed in the previous step onto the roof frame of the tool and secure it with (F1) screws.





PART	NO.	Qty.
	F1	28






9. Put the tiles (P5) (P6) (P7) (P8) on the roof as shown in the picture, fix them with (F1) screws, and screw (S1) inside to prevent scratches.



PART	NO.	Qty.			
	P5	3		S1	188
	P6	2		P8	1
	P7	2		F1	30

**10.** Put the shingles (P5) (P6) (P7) (P8) on the other side of the roof, as shown in the picture, and fix them with (F1) screws.











PART	NO.	Qty.			
	P5	3			
	P6	2		P8	1
	P7	2		F1	45

**11** .Assemble (13) and (14) as shown in figure 1 and fix them with (F2) screws.


Then assemble the two groups (H1) and (H6) respectively as shown in the figure, and fix them with (F1) screws






Finally, install (P5A) as shown in the picture, and fix it with (F1) screws




PART	NO.	Qty.			
	13	1			
	14	1			
	H1	2			
	H6	2		F1	12
	P5A	1		F2	4









**12.** Install (P5A) (P6A) (P7A) (P8A) on the roof as shown in the picture and fix it with (F1) screws.




PART	NO.	Qty.			
	P5A	2			
	P6A	2		P8A	1
	P7A	2		F1	61

**13.** Install edge guard (15), (16), (17), (18), (17A), (18A) and corner guard (GC) as shown in the picture and fix them with (F1) screws.




PART	NO.	Qty.			
	15	2			
	16	2			
	17	2			
	18	2			
	GC	4		17A	1
	F1	20		18A	1







**14.** Fix two (19) as shown in the picture with (F1) (F2) screws and put them on the roof. Fix (19) and tile with (F1) screws at both ends of the roof. Finally, install (GE) on both ends of (19) and fix them with (F1) screws.





PART	NO.	Qty.
	19	2
	GE	2
	F1	9
	F2	2



**15.** Install two (20), one (27), and two (GD) on the door panel (D1) as shown, secure with (F2) screws, and install the other door (D2) in the same way.




PART	NO.	Qty.
	27	2
	20	4
	D1	1
	D2	1
	GD	4
	F2	16


**16.** Install the (GB) door handle on the door panel (D1) (D2) as shown and secure it with (F2) screws.



PART	NO.	Qty.
	GB	2
	F2	3

17. Install the door panel (D1) (D2) as shown in the picture and secure it with (F3) screws.



PART	NO.	Qty.
	F3	8