


6 Drawers Accent Chest

ASSEMBLY INSTRUCTION

1. Before installation, please read the Assembly Instruction carefully.
2. Please check whether the Parts and Hardware are consistent with the list.
3. It is normal for the sealed environment to smell, not a product quality



Clihome








Web: <https://clihome.net/>

Service Contact : service@clihome.net


Phone Number:

(951) 213-4743/303-747-4421

HARDWARE LIST

NO.	DESCRIPTION	QTY	NO.	DESCRIPTION	QTY
A	 Φ 6*35	44	L	 Φ 3*16	10
B	 Φ 15*10	44	M	 Φ 5*30	6
C	 Φ 6*30	32	N	 Φ 3*12	72
D	 Φ 4*40	6	O	 O2 O1	12
E	 Φ 2.5*12	2	P	 Φ 2.5*12	4
F	 Φ 4*35	36	Q	 Φ 4*12	4
G	 Φ 4*10	6	R	 Φ 4*12	1
H	 Φ 4*10	12	S	 Φ 4*12	6
I	 Φ 6*40	1	T	 Φ 4*12	6
J	 Φ 6*40	2			
K	 Φ 6*40	10			













↑ Runner Operation



1. Find Switch


2. Push Down or Up

3. Pull out of Runner


PART LIST							
LTEM.	DESCRIPTION	PART	QTY	LTEM.	DESCRIPTION	PART	QTY
1	TOP PANEL		1	10	DRAWER BOTTOM PANEL		6
2	LEFT SIDE PANEL		1	11	METAL LEG		2
3	RIGHT SIDE PANEL		1	12	BOTTOM SUPPORT METAL		1
4	BOTTOM PANEL		1	13	METAL LEG		1
5	BACK PANEL		2	14	MIDDLE PANEL		1
6	DRAWER FRONT PANEL		3	15	DRAWER SUPPORT PANEL		6
7	DRAWER LEFT SIDE PANEL		6	16	CROSSING BAR		4
8	DRAWER RIGHT SIDE PANEL		6	17	DRAWER FRONT PANEL		3
9	DRAWER BACK PANEL		6	18	BOTTOM SUPPORT METAL		2

Layout Parts on Soft Surface

Lay out all parts on a soft surface i.e. Rug, Carpet or Packaging Carton



Assembly Details

45 mins Approximate Assembly Time	 2 person assembly	Floor Area: 2 X 2 meters Required Assembly Space	
Required Assembly Tools Phillips-Head Screwdriver 			

Tips Before you Start


1. Please check that all parts are present before you start the assembly of your furniture.
2. For ease and speed of assembly, we recommend that before you commence each step of the assembly, that you identify all the parts required for that step.
3. We recommend that, where possible, all items are assembled near to the area in which they will be placed in use, to avoid moving the product unnecessarily once assembled.
4. For the protection of your furniture, we recommend that the product is placed on a protected surface during assembly to prevent any damage.
5. During assembly please take care not to over-tighten any fittings, as this may damage the product. Do not use power tools.
6. Always place the product on a flat, steady and stable surface.
7. Do not stand on the product. Do not use the product as a stepladder.
8. Please use caution and care when lifting the product to avoid personal injury and/or product damage.

Care and Maintenance


- Upon completion of assembly be sure that all screws, bolts and fastening
- Never clean with abrasive ammonia base, bleach base or spirit type cleaners.
- Use only replacement parts supplied by manufacturer.

INSTALLATIONS

STEP 1




AX6





STEP 2






OX3





NX9




STEP 3



STEP 4



STEP 5




STEP 6



BX4



CX4




STEP 7




BX4




CX4



STEP 8



STEP 9




STEP 10



BX6



CX6




STEP 11




IX1




JX2




STEP 12




STEP 13




STEP 14



STEP 15




STEP 16



X6

STEP 17



X6


STEP 18



BX30





CX12



X6



STEP 19



To insert Drawers:

- Bring the ball-bearing slider on Drawer Glide Track(O1) forward to the front edge of(O1).
- Align the back open-end of the Drawer Glide Runner(O2) on each side of the drawer to fit squarely into the groove on the open front-end of(O1).Be sure the drawer/O2 is not tilted or angled, and gently push in drawer squarely.
- When the drawer is pushed in about half way,the Disconnect Lever on (O2) will be engaged onto(O1) which will create a slight resistance-this is normal. Pull out the drawer a little bit and gently push in the drawer again to engage the Lever to the slide mechanism on (O1). The drawer should now slide smoothly.
- If the drawer cannot be pushed in or stuck, do not force it in. Remove the drawer and repeat the steps above.

STEP 20



STEP 21



WALL

