



Ceiling Fan with Light Specification Sheet



DOE


Included Components




①




②




③




④




⑤




⑦



⑧



⑨



⑩

Electrical, Light & Motor Specs

No.	Name	Qty.
①	Motor Assembly	1
②	Blades	3
③	Downrod (5 inches and 10 inches, 5 inches one with hanger ball)	1 Set
④	Mounting Bracket	1
⑤	Canopy	1
⑥	Light Shade	1
⑦	LED Light Kit	1
⑧	Upper Cover	1
⑨	Remote Set	1
⑩	Screws and Washers Package	1

Dimensions & Materials

Dimension/ Material	Specification
Product Width	52 in.
Downrod Size(s)	5 in., 10 in.
Number of Blades Accommodated	3
Blade Length - End to End	25.51 in.
Blade Width - At the Widest Point	5.94 in.
Package Length	28 in
Package Width	9.8 in
Package Height	7.9 in
Product Weight	9.1 lb.
Package Weight	12.1 lb.
Distance From Ceiling To Bottom Of Fan	5 in. Downrod: 11.22 in./10 in. Downrod: 16.14 in.
Body Material	Metal
Blade Material	ABS
Shade Material	PC
Shade Color	Milky White

Electrical, Light & Motor Specs

Category	Technical Details
Input Voltage	120V
Motor Type	DC Motor (Energy Efficient)
Motor Power	35 Watts
Motor Speed	6 Speeds / Max 182 RPM
Airflow (CFM)	6500 CFM (High Airflow)
Operation Mode	Reversible (Summer/Winter Mode)
Light Source	Integrated LED Module
Light Wattage	20 Watts
Luminous Flux	2000 Lumens
Color Temp (CCT)	3-Color Selectable (2700K / 4000K / 6500K)
Color Rendering (CRI)	≥ 80 Ra
Dimmable	Yes (Remote Controlled)
LED Lifespan	25,000 Hours

Replacement Accessories & After-Sales Support

No.	Accessories
1	Remote
2	Remote Receiver
3	12 in. Downrod (Black, White, Gold, Brushed Nickel)
4	24 in. Downrod (Black, White, Gold, Brushed Nickel)
5	Extension Cord (with Light)
6	Extension Cord (without Light)
7	Light Plate