



Test Report

No. VNHL2512041243TY

Date: January 09, 2026

Page 1 of 19

HONG HUNG FURNITURE COMPANY LIMITED

PLOT NO. 560, MAP SHEET NO. 38, KHANH LOC QUARTER, TAN HIEP WARD, HO CHI MINH CITY, VIETNAM

The following sample(s) was/were submitted and identified by the client as:

SGS Job No. : VNHL2512041243TY
 Sample Description : QUEEN BED (N709P421467B /N709P421468B)
 Color : BLACK
 Characteristic : STEEL
 Date of Production : 12/2025
 Manufacturer : HONG HUNG FURNITURE COMPANY LIMITED
 Buyer : GIGACLOUD TECHNOLOGY(USA) INC
 Country of Origin : VIETNAM
 Country of Destination : THE US
 End users : CHILDREN

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

Sample Receiving Date : DECEMBER 15, 2025
 Final Confirmed Date : DECEMBER 15, 2025
 Testing Period : DECEMBER 15, 2025 TO JANUARY 09, 2026
 Test Requested : PLEASE REFER TO THE RESULT SUMMARY.
 Test Results : PLEASE REFER TO NEXT PAGE(S).
 Result Summary :

Test Requested	Conclusion
I. PHYSICAL TEST	--
ASTM F1427 – 21 Standard Consumer Safety Specification for Bunk Beds	PASS
16 CFR 1213 – Safety Standard for Entrapments Hazard In Bunk Bed	PASS
16 CFR 1513 – Requirements for Bunk Beds	PASS
16 CFR 1500.48 (Sharp Points) and 16 CFR 1500.49 (Sharp Edges)	PASS
II. CHEMICAL TEST	--
16 CFR 1303 CPSIA Section 101(f) – Lead in paint/similar surface coating material	PASS
CPSIA section 101(a)(2) – Lead in accessible substrate materials	PASS
15 USC 1278a – Children's products containing lead; lead paint rule	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No. VNHL2512041243TY

Date: January 09, 2026

Page 2 of 19

Signed for and on behalf of
SGS Vietnam LTD



Ung Thanh Van
Hardline SBU Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No. VNHL2512041243TY

Date: January 09, 2026

Page 3 of 19

Test Results:

I. PHYSICAL TEST

ASTM F1427 – 21 Standard Consumer Safety Specification for Bunk Beds

Clause	Test method and Requirement	Result
		A
Clause 4.1	Performance Requirements	PASS
Clause 4.2	Fit of Top Bed to Bottom Bed	NA
Clause 4.3	Mattress and Foundation Size and Fit (Top Bed)	PASS
Clause 4.4	Mattress Size and Fit (Lower Foundation)	PASS
Clause 4.5	Upper and Lower Foundation Support Systems	PASS
Clause 4.6	Side Rails	PASS
Clause 4.7	Guardrails	PASS
Clause 4.8	Bed Structure	PASS
Clause 4.9	Ladders	PASS
Clause 4.10	Metal Beds: Frame and Fastenings	PASS
Clause 5.1	Test Method	PASS
Clause 5.10	Permanency of Labels and Warnings	PASS
Clause 6	Marking and Labeling	PASS
Clause 7	Instructional Literature	PASS

Sample Description:

A. QUEEN BED (N709P421467B /N709P421468B)

Note: NA = Not Applicable

Remark: This / these test(s) was / were accredited ISO 17025:2017 by VILAS.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

16 CFR 1213 SAFETY STANDARD FOR ENTRAPMENTS HAZARD IN BUNK BED

Test Item	Test method and Requirement	Result
		A
1213.3 Requirements:		
<i>1213.3(a) Guardrails</i>		
	Any bunk bed shall provide at least two guardrails, at least one on each side of the bed, for each bed having the underside of its foundation more than 30 inches (760 mm) from the floor.	PASS
	One guardrail shall be continuous between each of the bed's end structures. "Continuous" means that any gap between the guardrail and end structure shall not exceed 0.22 inches (5.6mm) (so as to not cause a finger entrapment hazard for a child).	PASS
	The other guardrail may terminate before reaching the bed's end structures, providing there is no more than 15 inches (380mm) between either end of the guardrail and the nearest bed end structures.	PASS
	For bunk beds designed to have a ladder attached to one side of the bed, the continuous guardrail shall be on the other side of the bed.	PASS
	Guardrails shall be attached so that they cannot be removed without either intentionally releasing a fastening device or applying forces sequentially in different directions.	PASS
	The upper edge of the guardrails shall be no less than 5 inches (130 mm) above the top surface of the mattress when a mattress of the maximum thickness specified by the bed manufacturer's instructions is on the bed. <i>This requirement does not prohibit a wall-side guardrail that terminates in a quarter-circle bend and attaches to the side rail of the upper bunk foundation.</i>	PASS
	With no mattress on the bed, there shall be no openings in the structure between the lower edge of the uppermost member of the guardrail and the underside of the upper bunk's foundation that would permit passage of the wedge block of this part when tested in accordance with the procedure at §1213.4(a).	PASS
<i>1213.3(b) Bed end structures:</i>		
	The upper edge of the upper bunk end structures shall be at least 5 inches (130 mm) above the top surface of the mattress for at least 50 percent of the distance between the two posts at the head and foot of the upper bunk when a mattress and foundation of the maximum thickness specified by the manufacturer's instructions is on the bed.	PASS
	With no mattress on the bed, there shall be no openings in the end structures above the foundation of the upper bunk that will permit the free passage of the wedge block when tested in accordance with the procedure at § 1213.4(b).	PASS
	When tested in accordance with § 1213.4(c), there shall be no openings in the end structures between the underside of the foundation of the upper bunk and upper side of the foundation of the lower bunk that will permit the free passage of the wedge block, unless the openings are also large enough to permit the free passage of a 9 inch (230 mm) diameter rigid sphere.	PASS
	All portions of the boundary of any opening required by §§ 1213.4(c)(1) and (2) to be probed by the wedge block, and that permits free passage of a 9-inch diameter sphere, must conform to the neck entrapment requirements of § 1213.4(c)(3).	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

16 CFR 1213 SAFETY STANDARD FOR ENTRAPMENTS HAZARD IN BUNK BED

Test Item	Test method and Requirement	Result
		A
1213.5 Marking and labeling		
1213.5(a)	There shall be a permanent label or marking on each bed stating the name and address (city, state, and zip code) of the manufacturer, distributor, or retailer; the model number; and the month and year of manufacture.	PASS
1213.5(b)	<p>The following warning label shall be permanently attached to the inside of an upper bunk bed end structure in a location that cannot be covered by the bedding but that may be covered by the placement of a pillow.</p> <div style="border: 1px solid black; padding: 10px; margin: 10px auto; width: fit-content;"> <p style="text-align: center;">⚠ WARNING</p> <p>To help prevent serious or fatal injuries from entrapment or falls:</p> <ul style="list-style-type: none"> Never allow a child under 6 years on upper bunk Use only a mattress that is __ inches long and __ inches wide on upper bunk Ensure thickness of mattress and foundation combined does not exceed __ inches and that mattress surface is at least 5 inches below upper edge of guardrails <p style="text-align: center;">DO NOT REMOVE THIS LABEL</p> </div>	PASS
1213.6	Instructions. Instructions shall accompany each bunk bed set and shall include the following information.	PASS
1213.6(a)	<i>Size of mattress and foundation.</i> The length and width of the intended mattress and foundation shall be clearly stated, either numerically or in conventional terms such as twin size, twin extra-long, etc. In addition, the maximum thickness of the mattress and foundation required for compliance with § 1213.3(a)(5) and (b)(1) shall be stated.	PASS
1213.6(b)	<i>Safety warnings</i> The instructions shall provide the following safety warnings:	PASS
	Do not allow children under 6 years of age to use the upper bunk.	PASS
	Use guardrails on both sides of the upper bunk.	PASS
	<i>Prohibit horseplay on or under beds.</i>	PASS
	Prohibit more than one person on upper bunk.	PASS
	Use ladder for entering or leaving upper bunk.	PASS
	If the bunk bed will be placed next to a wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall. <i>This applies only to bunk beds without two full-length guardrails.</i>	PASS

Sample Description:

A. QUEEN BED (N709P421467B /N709P421468B)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

16 CFR 1513 – REQUIREMENTS FOR BUNK BEDS

Test Item	Test method and Requirement	Result
		A
1513.3 Requirements		
<i>1513.3(a) Guardrails</i>		
	Any bunk bed shall provide at least two guardrails, at least one on each side of the bed, for each bed having the underside of its foundation more than 30 inches (760 mm) from the floor.	PASS
	One guardrail shall be continuous between each of the bed's end structures. "Continuous" means that any gap between the guardrail and end structure shall not exceed 0.22 inches (5.6mm) (so as to not cause a finger entrapment hazard for a child).	PASS
	The other guardrail may terminate before reaching the bed's end structures, providing there is no more than 15 inches (380mm) between either end of the guardrail and the nearest bed end structures.	PASS
	For bunk beds designed to have a ladder attached to one side of the bed, the continuous guardrail shall be on the other side of the bed.	PASS
	Guardrails shall be attached so that they cannot be removed without either intentionally releasing a fastening device or applying forces sequentially in different directions.	PASS
	The upper edge of the guardrails shall be no less than 5 inches (130 mm) above the top surface of the mattress when a mattress of the maximum thickness specified by the bed manufacturer's instructions is on the bed. <i>This requirement does not prohibit a wall-side guardrail that terminates in a quarter-circle bend and attaches to the side rail of the upper bunk foundation.</i>	PASS
	With no mattress on the bed, there shall be no openings in the structure between the lower edge of the uppermost member of the guardrail and the underside of the upper bunk's foundation that would permit passage of the wedge block of this part when tested in accordance with the procedure at §1513.4(a).	PASS
<i>1513.3(b) Bed end structures</i>		
	The upper edge of the upper bunk end structures shall be at least 5 inches (130 mm) above the top surface of the mattress for at least 50 percent of the distance between the two posts at the head and foot of the upper bunk when a mattress and foundation of the maximum thickness specified by the manufacturer's instructions is on the bed.	PASS
	With no mattress on the bed, there shall be no openings in the end structures above the foundation of the upper bunk that will permit the free passage of the wedge block when tested in accordance with the procedure at § 1513.4(b).	PASS
	When tested in accordance with § 1513.4(c), there shall be no openings in the end structures between the underside of the foundation of the upper bunk and upper side of the foundation of the lower bunk that will permit the free passage of the wedge block, unless the openings are also large enough to permit the free passage of a 9 inch (230 mm) diameter rigid sphere.	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

16 CFR 1513 – REQUIREMENTS FOR BUNK BEDS

Test Item	Test method and Requirement	Result
		A
	All portions of the boundary of any opening required by §§ 1513.4(c)(1) and (2) to be probed by the wedge block, and that permits free passage of a 9-inch diameter sphere, must conform to the neck entrapment requirements of § 1513.4(c)(3).	PASS
1513.5 Marking and labeling		
1513.5(a)	There shall be a permanent label or marking on each bed stating the name and address (city, state, and zip code) of the manufacturer, distributor, or retailer; the model number; and the month and year of manufacture.	PASS
1513.5(b)	<p>The following warning label shall be permanently attached to the inside of an upper bunk bed end structure in a location that cannot be covered by the bedding but that may be covered by the placement of a pillow.</p> <div style="border: 1px solid black; padding: 10px; margin: 10px auto; width: fit-content;"> <p style="text-align: center;">△ WARNING</p> <p>To help prevent serious or fatal injuries from entrapment or falls:</p> <ul style="list-style-type: none"> • Never allow a child under 6 years on upper bunk • Use only a mattress that is __ inches long and __ inches wide on upper bunk • Ensure thickness of mattress and foundation combined does not exceed __ inches and that mattress surface is at least 5 inches below upper edge of guardrails <p style="text-align: center;">DO NOT REMOVE THIS LABEL</p> </div>	PASS
1513.6	Instructions. Instructions shall accompany each bunk bed set, and shall include the following information.	PASS
1513.6(a)	<i>Size of mattress and foundation.</i> The length and width of the intended mattress and foundation shall be clearly stated, either numerically or in conventional terms such as twin size, twin extra-long, etc. In addition, the maximum thickness of the mattress and foundation required for compliance with § 1513.3(a)(5) and (b)(1) shall be stated.	PASS
1513.6(b)	<i>Safety warnings</i> The instructions shall provide the following safety warnings:	PASS
	Do not allow children under 6 years of age to use the upper bunk.	PASS
	Use guardrails on both sides of the upper bunk.	PASS
	<i>Prohibit horseplay on or under beds.</i>	PASS
	Prohibit more than one person on upper bunk.	PASS
	Use ladder for entering or leaving upper bunk.	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

16 CFR 1513 – REQUIREMENTS FOR BUNK BEDS

Test Item	Test method and Requirement	Result
		A
	If the bunk bed will be placed next to a wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall. <i>This applies only to bunk beds without two full-length guardrails.</i>	PASS

Sample Description:

A. QUEEN BED (N709P421467B /N709P421468B)

16 CFR 1500.48 (Sharp Points) and 16 CFR 1500.49 (Sharp Edges)

Age grade determination

Labeled Age Grade	/
Client's Specified Age Grade	/
Appropriate Age Grade	/
Tested Age Grade	/

Test conducted:

Test Item	Test Method	Test Result
Sharp Points	16 CFR 1500.48	PASS
Sharp Edges	16 CFR 1500.49	PASS

Test data:

Test Item	Component	Rating
Sharp Points	Sample	PASS
Sharp Edges	Sample	PASS

Sample Description:

A. QUEEN BED (N709P421467B /N709P421468B)

Remark: This / these test(s) was / were accredited ISO 17025:2017 by VILAS.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No. VNHL2512041243TY

Date: January 09, 2026

Page 9 of 19

II. CHEMICAL TEST:

16 CFR 1303 CPSIA Section 101(f) – Lead in paint/similar surface coating material

Test Method: With reference to CPSC-CH-E1003-09.01. Analysis was performed by ICP-MS.

Test Item	Result (mg/kg)	Reporting Limit (mg/kg)	Permissible Limit (mg/kg)
	1		
Lead (Pb)	ND	20	90
Conclusion	PASS	--	--

Sample description:

- 1. BLACK COATING ON METAL (FRAME)

Note: 1. mg/kg = milligram(s) per kilogram= ppm= part(s) per million; 1% = 10000ppm (mg/kg)
 2. ND = Not Detected
 3. The result is calculated using the minimum sample weight.

Remark: This / these test(s) was / were accredited ISO 17025:2017 by VILAS.
 The test results are considered as conform to specification based on the general consideration simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Test Report**

No. VNHL2512041243TY

Date: January 09, 2026

Page 10 of 19

CPSIA section 101(a)(2) – Lead in accessible substrate materials

Test Method (metallic materials): With reference to CPSC-CH-E1002-08.3. Analysis was performed by ICP-OES.

Test item	Result (mg/kg)		Reporting Limit (mg/kg)	Permissible Limit (mg/kg)
	2	3		
Lead (Pb)	ND	ND	20	100
Conclusion	PASS	PASS	---	---

Test Method (non-metallic materials): With reference to CPSC-CH-E1001-08.3. Analysis was performed by ICP-OES.

Test item	Result (mg/kg)	Reporting Limit (mg/kg)	Permissible Limit (mg/kg)
	4		
Lead (Pb)	34	20	100
Conclusion	PASS	---	---

SAMPLE DESCRIPTION:

2. BLACK SURFACED METAL (FRAME)
3. BLACK PLATED METAL (BOLT)
4. BLACK PLASTIC (FOOT CAP)

Note: 1. mg/kg = milligram(s) per kilogram= ppm= part(s) per million; 1% = 10000ppm (mg/kg)
 2. ND = Not Detected
 3. Conclusion is made based on the composite sample. Individual testing is recommended as to understand the exact content of Pb in each individual component.

Remark: This / these test(s) was / were accredited ISO 17025:2017 by VILAS.
 The test results are considered as conform to specification based on the general consideration simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No. VNHL2512041243TY

Date: January 09, 2026

Page 11 of 19

15 USC 1278a – Children's products containing lead; lead paint rule

Test Method (metallic materials): With reference to CPSC-CH-E1002-08.3. Analysis was performed by ICP-OES.

Test item	Result (mg/kg)		Reporting Limit (mg/kg)	Permissible Limit (mg/kg)
	2	3		
Lead (Pb)	ND	ND	20	100
Conclusion	PASS	PASS	---	---

Test Method (non-metallic materials): With reference to CPSC-CH-E1001-08.3. Analysis was performed by ICP-OES.

Test item	Result (mg/kg)	Reporting Limit (mg/kg)	Permissible Limit (mg/kg)
	4		
Lead (Pb)	34	20	100
Conclusion	PASS	---	---

SAMPLE DESCRIPTION:

- 2. BLACK COATING ON METAL (FRAME)
- 3. BLACK PLATED METAL (BOLT)
- 4. BLACK PLASTIC (FOOT CAP)

Note: 1. mg/kg = milligram(s) per kilogram= ppm= part(s) per million; 1% = 10000ppm (mg/kg)
 2. ND = Not Detected
 3. Conclusion is made based on the composite sample. Individual testing is recommended as to understand the exact content of Pb in each individual component.

Remark: This / these test(s) was / were accredited ISO 17025:2017 by VILAS.
 The test results are considered as conform to specification based on the general consideration simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

PHOTO OF SUBMITTED SAMPLE FOR TESTING



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Label			
	<p>3.5 WARNING 1.5</p> <p>TO HELP PREVENT serious or fatal injuries from entrapment of falls - Use guardrails on both sides of upper bunk 3.5</p> <p>- Prohibit horseplay on or under bed (s). - Prohibit more than one person on upper bunk. - Use ladder for entering and leaving upper bunk.</p>		
<p>- Never allow a child under 6 years on upper bunk. - Use only mattress that is 81" long and 61" wide on upper bunk 3.5</p> <p>- Ensure thickness of mattress does not exceed 6" And that mattress surface is at least 5" below upper edge of guardrails.</p>	<p>3.5 STRANGULATION HAZARD - Never attach or hang items to any part of the bunk bed that are not designed for use with the bed, for example, but not limited, hooks, belts and jump ropes 3.5</p> <p>DO NOT REMOVE THIS LABEL 3.5</p>		
<p>3.5 AVERTISSEMENT 1.5</p> <p>POUR AIDER À PRÉVENIR les blessures graves ou mortelles causées par le piègeage. - Utilisez des garde-corps des deux côtés du lit supérieur 3.5</p> <p>- Interdire les chahuts sur ou sous le(s) lit(s) - Interdire plus d'une personne sur la couchette supérieure. - Utilisez une échelle pour entrer et sortir du lit supérieur.</p>	<p>- Ne laissez jamais un enfant de moins de 6 ans sur la couchette supérieure</p> <p>- Utilisez uniquement un matelas mesurant 81" de long et 61" de large sur le lit supérieur 3.5</p> <p>- Assurez-vous que l'épaisseur du matelas ne dépasse pas 6" Et cette surface du matelas se trouve à au moins 5" sous le bord supérieur des garde-corps.</p>		
<p>- RISQUE D'ÉTRANGLEMENT - N'attachez ou ne suspendez jamais d'objets à une partie du lit superposé qui ne sont pas conçus pour être utilisés avec le lit, par exemple, mais sans s'y limiter, des crochets, des ceintures et des cordes à sauter 3.5</p> <p>NE PAS ENLEVER CETTE ÉTIQUETTE 3.5</p>	<p>70</p> <p>50</p> <p>WARNING 3.2</p> <p>This product can expose you to chemicals including lead which is known to the State of California to cause cancer. For more information, go to 3.5</p> <p>www.P65Warnings.ca.gov.</p>		
<p>60</p> <p>60</p> <p>SAFETY MAXIMUM SÉCURITÉ MAXIMALE WEIGHT/POIDS 400LBS</p>	<p>30 30</p> <p>20</p> <table border="1"> <tr> <td> <p>Compliance Information - Not Retailer GIGACLOUD TECHNOLOGY (USA) INC 4388 Shirley Avenue El Monte, CA 91731 MADE IN BINH DUONG VIETNAM Manufactured: 12/ 2025 Modèle : N709P421392B,N709P421393B</p> <p>P.O No : TSCA Title VI Compliant California 93120 Phase 2 Compliant For Formaldehyde</p> </td> <td> <p>Information de conformité- Pas le détaillant GIGACLOUD TECHNOLOGY (USA) INC 4388 Shirley Avenue El Monte, CA 91731 FABRIQUE A BINH DUONG VIETNAM Fabrique: 12/ 2025 Modèle : N709P421392B,N709P421393B</p> <p>P.O Numéro: Conforme au Titre VI de la TSCA Conforme à la norme California 93120 Phase 2 pour le Formaldéhyde.</p> </td> </tr> </table>	<p>Compliance Information - Not Retailer GIGACLOUD TECHNOLOGY (USA) INC 4388 Shirley Avenue El Monte, CA 91731 MADE IN BINH DUONG VIETNAM Manufactured: 12/ 2025 Modèle : N709P421392B,N709P421393B</p> <p>P.O No : TSCA Title VI Compliant California 93120 Phase 2 Compliant For Formaldehyde</p>	<p>Information de conformité- Pas le détaillant GIGACLOUD TECHNOLOGY (USA) INC 4388 Shirley Avenue El Monte, CA 91731 FABRIQUE A BINH DUONG VIETNAM Fabrique: 12/ 2025 Modèle : N709P421392B,N709P421393B</p> <p>P.O Numéro: Conforme au Titre VI de la TSCA Conforme à la norme California 93120 Phase 2 pour le Formaldéhyde.</p>
<p>Compliance Information - Not Retailer GIGACLOUD TECHNOLOGY (USA) INC 4388 Shirley Avenue El Monte, CA 91731 MADE IN BINH DUONG VIETNAM Manufactured: 12/ 2025 Modèle : N709P421392B,N709P421393B</p> <p>P.O No : TSCA Title VI Compliant California 93120 Phase 2 Compliant For Formaldehyde</p>	<p>Information de conformité- Pas le détaillant GIGACLOUD TECHNOLOGY (USA) INC 4388 Shirley Avenue El Monte, CA 91731 FABRIQUE A BINH DUONG VIETNAM Fabrique: 12/ 2025 Modèle : N709P421392B,N709P421393B</p> <p>P.O Numéro: Conforme au Titre VI de la TSCA Conforme à la norme California 93120 Phase 2 pour le Formaldéhyde.</p>		
<p>40</p> <p>10</p> <p>MADE IN VIETNAM 2.3 FABRIQUÉ AU VIETNAM</p>			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Carton Layout

CÔNG TY TNHH SUNG GONG VINA. BẢN VẼ THIẾT KẾ IN ẤN

Khách hàng	HÔNG HUNG	Mực màu	1	2	3	4	5	Kích thước	2090x370x115mm	Số mẫu	Thiết kế	HAU
Tên sản phẩm	N709P421467B							Mã số bản			Thiết kế	
Ngày nhận đơn	2025.12.01		D0378	R0303				Mã số khuôn			Thiết kế	D/HÔNG HUNG/12.01

ITEM: QUEEN BED 25
ARTICLE: LIT QUEEN
N709P421467B

N709P421467B

N709P421467B

N709P421467B

N709P421467B

N709P421467B

N709P421467B

BOX: 1 OF 2/ ENCADRÉ: 1 DE 2

QTY/QTE: 1 PC / 1 ENSEMBLE

COLOR/COULEUR: BLACK/NOIR

G.W : 56.22 LBS

N.W : 49.16 LBS

ITEM: QUEEN BED 25
ARTICLE: LIT QUEEN
N709P421467B

You must read and understand the assembly instruction sheet packed in the carton before you start to assemble!

Vous devez lire et comprendre la feuille d'instructions de montage emballée dans le carton avant de commencer à assembler.

Sets often ship in multiple boxes and may arrive a day or two apart!

Les ensembles sont souvent expédiés dans plusieurs boîtes et ne peuvent pas arriver au même moment, peut-être à un jour ou deux d'intervalle.

N709P421467B

N709P421467B

N709P421467B

N709P421467B

樣箱對稿

Thùng mẫu So mẫu

附稿對稿

Phụ mẫu So mẫu

Y-QP010-08A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Carton Layout

CÔNG TY TNHH SUNG GONG VINA. BẢN VẼ THIẾT KẾ IN ẤN

客户 Khách hàng	HÔNG HUNG	颜色 Màu màu					尺寸 Size	2090x370x115mm	封稿 Số mẫu	
品名 Tên sản phẩm	N709P421467B	1	2	3	4	5	版號 Mã số bản	設計 Design	HAU	
日期 Ngày nhận đơn	2025.12.01	D0378	R0303				模號 Mã số khuôn	目錄 Catalogue	D/HÔNG HUNG/12.01	

WARNING 8

TO HELP PREVENT serious or fatal injuries from entrapment of falls:

- Use guardrails on both sides of upper bunk.
- Prohibit horseplay on or under bed (s).
- Prohibit more than one person on upper bunk. **E-5**
- Use ladder for entering and leaving upper bunk.
- Never allow a child under 6 years on upper bunk.
- Use only mattress that is 80" long and 60" wide on upper bunk.
- Ensure thickness of mattress does not exceed 6"
- And that mattress surface is at least 5" below upper edge of guardrails.

STRANGULATION HAZARD - Never attach or hang items to any part of the bunk bed that are not designed for use with the bed, for example, but not limited, hooks, belts and jump ropes.

DO NOT REMOVE THIS LABEL

AVERTISSEMENT 8

POUR AIDER À PRÉVENIR les blessures graves ou mortelles causées par le piègeage.

- Utiliser des garde-corps des deux côtés du lit supérieur.
- Interdire les chahuts sur ou sous le(s) lit(s).
- Interdire plus d'une personne sur la couchette supérieure. **E-5**
- Utilisez une échelle pour entrer et sortir du lit supérieur.
- Ne laissez jamais un enfant de moins de 6 ans sur la couchette supérieure.
- Utilisez uniquement un matelas mesurant 80" de long et 60" de large sur le lit supérieur.
- Assurez-vous que l'épaisseur du matelas ne dépasse pas 6"
- Et cette surface du matelas se trouve à au moins 5" sous le bord supérieur des garde-corps.

-RISQUE D'ÉTRANGLEMENT - N'attachez ou ne suspendez jamais d'objets à une partie du lit supérieur qui ne sont pas conçus pour être utilisés avec le lit, par exemple, mais sans s'y limiter, des crochets, des ceintures et des cordes à sauter.

NE PAS ENLEVER CETTE ÉTIQUETTE E-5

WARNING 6.5

TO HELP PREVENT serious or fatal injuries from entrapment of falls:

- Use guardrails on both sides of upper bunk. **E-4.5**
- Prohibit horseplay on or under bed (s).
- Prohibit more than one person on upper bunk.
- Use ladder for entering and leaving upper bunk.
- Never allow a child under 6 years on upper bunk.
- Use only mattress that is 80" long and 60" wide on upper bunk.

STRANGULATION HAZARD - Never attach or hang items to any part of the bunk bed that are not designed for use with the bed, for example, but not limited, hooks, belts and jump ropes.

DO NOT REMOVE THIS LABEL

AVERTISSEMENT 6.5

POUR AIDER À PRÉVENIR les blessures graves ou mortelles :

- Assurez-vous que l'épaisseur du matelas ne dépasse pas 6"
- Et cette surface du matelas se trouve à au moins 5" sous le bord supérieur des garde-corps.
- Utilisez des garde-corps des deux côtés du lit supérieur. **E-4.5**
- Interdire les chahuts sur ou sous le(s) lit(s).
- Interdire plus d'une personne sur la couchette supérieure.
- Utilisez une échelle pour entrer et sortir du lit supérieur.
- Ne laissez jamais un enfant de moins de 6 ans sur la couchette supérieure.
- Utilisez uniquement un matelas mesurant 80" de long et 60" de large sur le lit supérieur.

NE PAS ENLEVER CETTE ÉTIQUETTE

CAUTION

Heavy object.
Team lift required.

FRAGILE

NO MOIST

A L'ABRI DE L'HUMIDITÉ

WEIGHT

POIDS

MEASUREMENT: 82.28 X 14.57 X 11.81 INCH

P.O./NO./O.NUMÉRO: V069HSC20251127WM

MADE IN VIETNAM / FABRIQUÉ EN VIETNAM

DO NOT CUT OPEN WITH SHARP KNIFE / TOOL E-10

NE PAS COUPER AVEC UN COUTEAU/OUTIL BIEN AIGUISÉ

Compliance Information - Not Retailer
GIGACLOUD TECHNOLOGY (USA) INC
4388 Shirley Avenue El Monte, CA 91731
MADE IN BINH DUONG VIETNAM
Manufactured: 12/2025
Model: N709P421467B, N709P421468B
P.O. No.: V069HSC20251127WM

Information de conformité- Pas le détaillant
GIGACLOUD TECHNOLOGY (USA) INC
4388 Shirley Avenue El Monte, CA 91731
FABRIQUÉ A BINH DUONG VIETNAM
Fabricqué: 12/2025
Modèle: N709P421467B, N709P421468B
P.O. Numéro: V069HSC20251127WM


樣箱對稿
Thùng mẫu Số mẫu

附稿對稿
Phụ mẫu Số mẫu

Y-QP010-08A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Assembly Instruction

ASSEMBLY INSTRUCTIONS

INSTRUCTIONS DE MONTAGE
N709P421467B/N709P421468B

QUEEN Bed

Minimum no. 3 of people recommended to assemble this product. Approx. assembly time: 60 mins /
Nombre minimum 3 de personnes recommandé d'assembler ce produit : env. temps de montage : 60 minutes

1-11

SAFETY WARNINGS AND GENERAL NOTES:

- USE ONLY MATTRESSES WHICH ARE AS THE TABLE BELOW ON UPPER BUNKS. Upper bed (bunk bed and cribbed included)

Bed type	Length	Width	Thickness
Queen Standard	80"	60"	6" max

- SURFACE OF MATTRESS MUST BE AT LEAST 5"(127MM) BELOW THE UPPER EDGE OF GUARDRAILS.
- Replacement Parts:
Replacement Parts, including additional guardrails, may be obtained from any of our (GIGACLOUD TECHNOLOGY (USA) INC.) dealers.
- Follow the information on the warnings on the upper bunk bed and structure and on the carton. Do not remove the warning label from the bed.
- Always use the recommended size mattress on mattress support, or both, to help prevent the likelihood of entrapment or falls.
- Do not allow children under 6 years of age to use the upper bunk.
- Periodically check and ensure the guardrail, ladder and other components are in their proper position, free from damage, and all connectors are tight.
- Do not allow horseplay on or under beds.
- Always prohibit jumping on the bed.
- Prohibit more than one person on upper bunk.
- Always use the ladder for entering and leaving the upper bunk.
- Do not use substitute parts. Contact the manufacturer or dealer for replacement parts.
- Use of a night light may provide added safety precaution for a child using the upper bunk. 11 Always use guardrails on both long sides of the upper bunk.
- If the bunk bed will be placed next to a wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall. The use of water or sleep flotation mattresses is prohibited.
- STRANGULATION HAZARD - Never attach or hang items to any part of the bunk bed that are not designed for use with the bed for example, but not limited to, hooks, belts and jump ropes.
- Keep these instructions for future reference.
- We recommend assembling your bunk bed on the shipping carton to protect your floor or carpet.
- Be certain all staples are out of the box before beginning assembly on the shipping carton.

2-11

AVERTISSEMENTS DE SÉCURITÉ ET REMARQUES GÉNÉRALES:

- UTILISER UNIQUEMENT DES MATELAS QUI SONT COMME DANS LE TABLEAU CI-DESSOUS SUR LES SUPERPOSÉS.
(Lit supérieur (lits superposés et tribés inclus))

Type de lit	Longueur	Largeur	Épaisseur
Lit queen	80"	60"	6" max

- LA SURFACE DU MATELAS DOIT ÊTRE AU MOINS 5" (127MM) EN DESSOUS DU BORD SUPÉRIEUR DES GARDE-CORPS.
- Pièces de rechange:
Les pièces de rechange, y compris les garde-corps supplémentaires, peuvent être obtenues auprès de l'un de nos revendeurs (GIGACLOUD TECHNOLOGY (USA) INC.)
- Suivez les informations sur les avertissements sur le lit superposé supérieur et sur la structure ainsi que sur le carton. Ne retirez pas l'étiquette d'avertissement du lit.
- Utilisez toujours le matelas de taille recommandée sur le support de matelas, ou les deux, pour éviter tout risque de coincement ou de chute.
- Ne laissez pas les enfants de moins de 6 ans utiliser le lit supérieur.
- Vérifiez périodiquement et assurez-vous que le garde-corps, l'échelle et les autres composants sont dans leur bonne position, exempts de dommages et que tous les connecteurs sont bien serrés.
- Ne laissez pas les chahuts sur ou sous les lits.
- Interdisez toujours de sauter sur le lit.
- Interdire plus d'une personne sur la couchette supérieure.
- Utilisez toujours l'échelle pour entrer et sortir du lit supérieur.
- N'utilisez pas de pièces de rechange. Contactez le fabricant ou le revendeur pour obtenir des pièces de rechange.
- L'utilisation d'une veilleuse peut fournir une mesure de sécurité supplémentaire pour un enfant utilisant le lit supérieur.
- Utilisez toujours des garde-corps sur les deux côtés longs du lit supérieur.
- Si le lit superposé doit être placé à côté d'un mur, le garde-corps qui s'étend sur toute la longueur du lit doit être placé contre le mur pour éviter tout coincement entre le lit et le mur. L'utilisation de matelas flottants à eau ou de sommeil es tinterdite.
- RISQUE D'ÉTRANGULATION - N'attachez ou ne suspendez jamais d'objets à une partie du lit superposé qui ne sont pas conçu pour être utilisé avec le lit, par exemple, mais sans s'y limiter, des crochets, des ceintures et des cordes à sauter.
- Conservez ces instructions pour référence future.
- Nous vous recommandons d'assembler votre lit superposé sur le carton d'expédition pour protéger votre sol ou votre tapis.
- Assurez-vous que toutes les agrafes sont sorties de la boîte avant de commencer l'assemblage sur le carton d'expédition.

3-11

4-11

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Assembly Instruction

<p>Parts List - N709P421467B Liste des pieces</p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>1 x 2pcs</td> <td>4 x 1pc</td> <td>5 x 1pc</td> <td>6 x 1pc</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>8 x 1pc</td> <td>9 x 1pc</td> <td>12 x 4pcs</td> <td>16 x 8pcs</td> </tr> <tr> <td></td> <td colspan="3"></td> </tr> <tr> <td>17 x 34pcs</td> <td colspan="3"></td> </tr> </table> <p>Parts List - N709P421468B Liste des pieces</p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 x 1pc</td> <td>3 x 1pc</td> <td>7 x 3pcs</td> <td>10 x 1pc</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11 x 4pcs</td> <td>13 x 1pc</td> <td>14 x 2pcs</td> <td>15 x 2pcs</td> </tr> </table> <p style="text-align: center;">5-11</p>					1 x 2pcs	4 x 1pc	5 x 1pc	6 x 1pc					8 x 1pc	9 x 1pc	12 x 4pcs	16 x 8pcs					17 x 34pcs								2 x 1pc	3 x 1pc	7 x 3pcs	10 x 1pc					11 x 4pcs	13 x 1pc	14 x 2pcs	15 x 2pcs	<p style="text-align: center;">HARDWARE LIST</p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>M6x50mm</td> <td>M6x35mm</td> <td>M6x20mm</td> <td>M6x15mm</td> </tr> <tr> <td>A) x 21pcs+2pcs</td> <td>B) x 27pcs+2pcs</td> <td>C) x 19pcs+1pc</td> <td>D) x 8pcs</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>E) x 1pc</td> <td>F) x 9pcs</td> <td>G) x 1pc</td> <td></td> </tr> </table> <p style="text-align: center;">6-11</p>					M6x50mm	M6x35mm	M6x20mm	M6x15mm	A) x 21pcs+2pcs	B) x 27pcs+2pcs	C) x 19pcs+1pc	D) x 8pcs					E) x 1pc	F) x 9pcs	G) x 1pc	
1 x 2pcs	4 x 1pc	5 x 1pc	6 x 1pc																																																										
8 x 1pc	9 x 1pc	12 x 4pcs	16 x 8pcs																																																										
17 x 34pcs																																																													
2 x 1pc	3 x 1pc	7 x 3pcs	10 x 1pc																																																										
11 x 4pcs	13 x 1pc	14 x 2pcs	15 x 2pcs																																																										
M6x50mm	M6x35mm	M6x20mm	M6x15mm																																																										
A) x 21pcs+2pcs	B) x 27pcs+2pcs	C) x 19pcs+1pc	D) x 8pcs																																																										
E) x 1pc	F) x 9pcs	G) x 1pc																																																											
<p>Step 1 (ÉTAPE) 1</p> <p style="text-align: center;">7-11</p>	<p>Step 3 (ÉTAPE) 3</p> <p>Install one side armor first and tighten the screws then install the other side armor, pull the horizontal ladder into the middle of the frame to continue installing the armor. Install the remaining side armor.</p> <p>Step 4 (ÉTAPE) 4</p> <p>Install one side armor first and tighten the screws then install the other side armor, pull the horizontal ladder into the middle of the frame to continue installing the armor. Install the remaining side armor.</p> <p style="text-align: center;">8-11</p>																																																												

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Assembly Instruction

Step 5 (ÉTAPE) 5

Step 6 (ÉTAPE) 6

9-11

Step 7 (ÉTAPE) 7

LED lighting installation

Step 8 (ÉTAPE) 8

10-11

COMPLETE (COMPLÈTE)

11-11

REPORT RESULTS REFER TO SUBMITTED SAMPLE(S) ONLY

END OF THE REPORT

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.