
Ceiling Fan

Installation Instructions




THANK YOU

We appreciate the trust and confidence you have placed in us through the purchase of this ceiling fan.We strive to continually create quality products designed to enhance your home.Thank you for choosing us!

CHECK THE ROOM DIMENSIONS


- First, check the room size, and then ensure there is at least 30 inches (76 centimeters) of clearance or space between the fan and any walls or other obstacles that the fan blades might hit to optimize airflow. After installation,please verify blades are at least 7.5 feet (2.3 meters) above the ground.




TOOLS NEEDED


Step ladder


pliers


Phillips screwdriver



Flat blade screwdriver


Electrical tape


tape measure

PACKING LIST

Before unpacking the fan, please check that all parts are included , as listed below:



1.Bracket

2.Canopy



5.Light Fixture


6.Lampshade



3.Decorative Ring


7.Blade Arm



4.Motor Assembly


8.Blade


Remote control unit




Blade balance kit



Hardware bag




Installation manual



- Note: The illustrations in this manual are for explanatory purposesonly and may not correspond to actual units.

CHOOSING THE RIGHT LOCATION

- If installing on a ceiling outlet box, check its suitability first. Most outlet boxes intended for lighting are not suitable for fans and may need replacing.
  Consult a licensed electrician if unsure.




HANGING BRACKET INSTALLATION

- Before starting any work, make sure that the power to the main power cabinet is safely turned off. This can be done by either removing the fuse or switching off the circuit breaker.




- Make sure that ceiling joists are strong enough and of adequate size to support the weight of the fan of about 35 kg.
- Use different screws to fix the bracket according to the ceiling material.

① Remove the bracket screws from the canopy.



② Use different screws to fix the bracket according to the ceiling material.



Check whether bracket is securely installed or not.