

Model:HFTP-112RD

Multi-functional and professional mobile stand
For TV panels: 32"-70"

Maximum load capacity: 110 lbs /50 kg

AV shelf max load: 10 lbs / 4.5kg

VESA: 200X200-600X400mm

WARNING!




























Severe personal injury and property damage can result from improper installation or assembly. Read the following warning carefully before beginning.

- If you do not understand the instructions or have any concerns or questions, please contact a qualified local installer.
 - Do not install or assemble if the product or hardware is damaged or missing, if you require replacement parts, please contact your local distributor for assistance.
 - This product fits most 32"-70" LCD/plasma screen; maximum weight of LCD/plasma screen: 110 lbs/50kg; AV shelf max load: 10 lbs/4.5kg.
 - Do not use this product for anything other than the original design.
 - This product contains moving parts, please use with caution.
 - The manufacturer disclaims any liability for the modifications, improper installation, or installation over the specified weight range. The manufacturer will not be liable for any damages arising out of the use of, or inability to use, the product.
- All images are for reference, to prevail in product.


Manual

Tightening Direction	Loosening Direction	Phillips Screwdriver	Metre Rule	Adjustment	By Hand	Hex Wrench


Parts List

1X A3 			1X C3 			1X D3 		
1X B3 								
2X E3 		1X F3 	1X G3 	2X H3 	2X I3 	4X J3 		4X K3 
						4X L3 		1X M3 
A1 4X 		B1 4X 	C1 4X 	D1 4X 	E1 4X 	F1 4X 	G1 2X 	
M4×12mm		M5×25mm	M6×25mm	M8×25mm	Φ16×Φ6.2×1.5mm	Φ19×8.5×H13mm	Φ8×17×1.5mm	
A2 8X 		B2 4X 	C2 2X 	D2 1X 	E2 4X 	F2 1X 	G2 1X 	
M8×26mm		M8×55mm	M5×12mm	Φ16.5×Φ12.5×2mm	M6	M5		

1. Castor wheels to base installation




2. Post assembly to base installation




3. Install telescopic mounting poles


- Step 1. Use thumb or finger to depress the right upper pole spring plunger ball. Located at the cable window, twist and pull upper pole upward until your desired height. Shown in fig-1 twist upper pole toward the plunger holes direction and engage the spring ball into the plunger hole and set as shown in fig-2.
- Step 2. Repeat step 1 for left pole




4. AV shelf assembly and installation




5. Installation of interface




6. Selection of TV mounting patterns



7. Mounting TV on pole interface



8. Cables and wores installtion



9. Product specifications

