
ASSEMBLY INSTRUCTIONS

METAL GARDEN SHED

8(W)x8(D)FT WITH WINDOWS



EASYHAWKservice@outlook.com


Our team is available 24/7 to help with any product questions. Contact us anytime!

Recommended to wear gloves to avoid scratches.
Please read the instructions COMPLETELY before assembly.

After opening the package, if you notice a slight deformation in the wall panels, there's no need for concern.
Our material is flexible and can be manually bent back into place.

SAFETY PRECAUTIONS...

Safety precautions MUST be followed at all times throughout the construction of your building!



When working with your building's parts, which may have sharp edges, always wear work gloves and eye protection, and put on long sleeves. This helps prevent cuts and injuries during assembly or maintenance.



Exercise caution when using tools during assembly. It's particularly important to be well-versed in the use of any power tools involved in the process.




Ensure that children and pets are kept at a safe distance from the construction area until the building is fully assembled. This precaution minimizes distractions and reduces the risk of accidents.



Wind Advisory:
Avoid assembling your building on a windy day. Large panels can act like sails in the wind, making them hard to control and posing safety risks during construction.

Complete Check:
Before starting assembly, verify that you have all the parts and hardware listed. A partially assembled building can be vulnerable to damage, even from mild winds.



Roof Safety Warning:
Never put your full weight on the building's roof. Always ensure that a step ladder is fully extended and placed on level ground before climbing it.

ASSEMBLY PREPARATION

Please check local building codes regarding footings, location and other requirements before beginning construction. Study and understand this owner's manual of important information and helpful tips for easier and more enjoyable assembly.

Assembly instructions:

Reviewing all instructions and the appropriate information before you begin, make sure following the step sequence carefully for successful results.

Flooring base:

The site must be prepared so that the base of the shed is level all round and checking with a spirit level is required.
The base can be constructed by treated timber or concrete,in order to stop the moisture getting into the shed,The shed is not designed to be built onto lawn directly.Also the ground will get muddy during rainy days.
If a concrete pad is made,it is important that this slopes towards the edges to prevent water ingress.Time must be allowed for any concrete or cement to dry before building the shed on top.
Bases can also be constructed from bricks,blocks,or mounted on a concrete pad.
The bricks or blocks should be cemented onto firm and level concrete footings and the greenhouse frame drilled and screwed to the base.

Parts and Parts List:

Before you start, separate and identify all the parts and hardware to be sure that you have all the necessary parts for your building (refer to the Parts List Page).


Do not attempt to assemble the building if parts are missing because any building left partially assembled may be seriously damaged by light winds.

Safety must be put in the No. 1 position:


1 Select a dry and calm day for your assembly. Team works (Two or more people) are required during the assembly;
2 Wearing safety gloves, eye protection and long sleeves during the assembly to prevent injury; Pay attention to the sharp edge of some parts;
3 Children and pets are not allowed entering into the construction site;
4 Never concentrate your total weight on the roof of the building. When using a step ladder make sure that it is safety;

Care & Maintenance:


1 Keep the shed clean with soft cloth, use water if necessary;
2 Keep the door tracks clear of dirt and other stuff that prevent them from sliding easily.
3 Clean the snow with necessary tools to make sure it is safe to enter into;
Heavy snow may cause collapse, please make sure safety before entering into.
4 The shed is not made for living but storing stuff.



NOTICE If there is slight bending on the corners









① Pls wear gloves and stretch the corners slightly until they are flat




② Then the sheets will be normal and there is no effection to the assembling

PART LIST


F5
L11
F4-1
W12
L12S
W11
18Z
18
L12
A15L
C5L
C5R
A16R
C6L
C6R
M29-2
M29-1
M28-1
M28-2
C2S
UF5L
UF4R
10
UF5R
UF4L
W5B
W5
W3
DD1
BF6L
BF5R
BF6R
BF5L
UF3L
YE1
WD
YE3
Y
PC
W3R
UR1
UF3R
23A
UR2
BF4L
BF4R
22D
H
DPL
DX3
DLA
DLB
H2
DLC
H1
DPR

NR.	PART.	MM.	QTY.
UNDER			
BF4L		1192	1
BF4R		1192	1
BF5L		1139	1
BF5R		1245	1
BF6L		1119	2
BF6R		1225	2
MIDDLE			
C2S		90*90	4
UF3L		1089	1
UF3R		1089	1
UF4L		1082	1
UF4R		1096	1
UF5L		1096	2
UF5R		1110	2
10		100	4
YE1			1
YE3			1
W3		1600	8
W5		1600	6
W3R		1600	1
W5L		1600	1
W5B		1600*73	4
UR1		1600*57*37	1
UR2		1600*57*37	1
WD		640*318	2
PC		568*254	2


NR.	PART.	MM.	QTY.
Y		640*318	2
23A		1344	1
TOP1			
A15L		1103*350	2
A16R		1103*350	2
C5L		347	2
C5R		347	2
C6L		176	2
C6R		176	2
M28-1		1247	2
M28-2		1247	2
M29-1		1141	2
M29-2		1141	2
TOP2			
W12		1217	14
W11		1217	2
L11		1217	4
L12		1290	2
L12S		1078	2
18		1296	1
18Z		1084	1
DOOR			
DLA		1520*115*14	2
DLB		1520*115*14	1
DRC		1520*115*14	1
DX3		869	4
22D		634	4


NR.	PART.	MM.	QTY.
DD1		1520	2
ANNEX			
H			4
H1			1
H2			1
DPL			1
DPR			1
F4-1			4
F5			2
F7			430
F8			90
S4			450
S6			140
S7			140
S8			60
S9			4

NR.	PART.	MM.	QTY.


BF4L		1	BF6L		2
BF4R		1	BF6R		2
BF5L		1	S4		12
BF5R		1			


1







S4		8









1、Note: When diagonal measurements are equal,the frame is square.




2、Note: The Floor Frame must be BOTH square AND level or the holes will not line up properly.







Note: Wall panel are prone to overlapping, so please carefully inspect them before installation to avoid using overlapping wall panel

3


W5B		4
S4		12
F7		12







4

W5		2	S6		2
S4		8	S7		2
F7		10			




UF3L		1	UF5L		2
UF3R		1	UF5R		2
UF4L		1	10		4
UF4R		1	S4		16






Note: If the label is difficult to recognize or missing, please refer to the hole positions indicated in the instruction manual for installation.


Note: The side with the TOP(T) label should face up, and the side with the OUTSIDE(O) label should face outward.



S4		12
F7		12


6







C2S		4
S4		24
F7		24

7









8

W3		4	S6		10
W5		4	S7		10
S4		60	F7		70




9


W3		4	S6		5
S4		26	S7		5
F7		31			




10

W3R		1	YE3		1
W5L		1	S6		4
S4		14	S7		4
F7		18			











11

WD		2
PC		2










The milky white film faces outward and the films on both sides are torn off

x2


Y		2	F7		4
YE1		1	S4		38

12




UR1		1	S6		2
UR2		1	S7		2
S4		8			
F7		6			


13




14


23A		1
S4		6
F7		4








15


A15L		2	C5L		2
A16R		2	C5R		2
S6		12	C6L		2
S7		12	C6R		2
F7		8			






x2

S4		24

16







M28-1		2	S6		24
M28-2		2	S7		24
M29-1		2			
M29-2		2			


17

S6		12
S7		12

18









W12		10
S8		20
S4		72
F7		92


19



18		1
18Z		1
S4		3
F7		3


20






W12		4
W11		2
S8		10
S4		42
F7		52


21






L11		4
S4		12
F7		12

22




F5		2
S8		2
F7		2

23




F4-1		4	S4		2
L12S		2	S8		4
L12		2	F7		6


24




F8		72

25







DLA		1
DLB		1
DX3		2
22D		2
H		2
H2		1
F7		19
S6		15
S7		15
S4		12
DD1		1




Outside

Outside








Outside




Inside










Outside





DLA		1
DRC		1
DX3		2
22D		2
H		2
H1		1
F7		18
S6		14
S7		14
S4		16
DD1		1





























S6		**12**
S7		**12**






S9		4

29





If the shed is installed on grass,the[S9]can be used to increase the stability of the shed.