
#### **ASSEMBLY INSTRUCTION**

This set is included 3 boxes if don't receive full 3 boxes please contact our customer service team




# ! SAFETY WARNINGS !

1. This bed is designed for use only mattress(es) meeting the following specifications on the upper bunk, and lower bunk:

Bed Type	Length	Width	Thickness
Twin Standard	74" - 75"	38 1/2"	8" max

- 2. Replacement parts, including additional guardrails, may be obtained from any of our dealers
- 3. Follow the information on the warnings appearing on the upper bunk bed end structure and on the carton. Do not remove warning label from bed.
- 4. Always use the recommended size mattresses or mattress supports, or both, to help prevent the likelihood of entrapment or falls.
- 5. Surface of the mattress must be at least 5"(127 mm) below the upper edge of guardrails.
- 6. Do not allow children under 6 years of age to use the upper bunk.
- 7. Periodically check and ensure that the guardrail, ladder, and other components are in their proper position, free from damage, and that all connectors are tight.
- 8. Do not allow horseplay on or under the bed and prohibit jumping on the bed
- Always use the ladder for entering and leaving the upper bunk.
- 10. Do not use substitute parts. Contact the manufacturer or dealer for replacement parts.
- 11. Use of a night light may provided added safety precaution for a child using the upper bunk.
- 12. Always use guardrails on both long sides of the upper bunk. If the bunk bed will be placed next to the wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and wall.
- 13. The use of water or sleep flotation mattresses is prohibited.
- 14. STRANGULATION HAZARD Never attach or hang items to any part of the bunk bed that are not designed for use with the bed; for example, but not limited to, hook, belts and jump ropes.
- 15. Keep these instructions for future reference

### **ASSEMBLY INSTRUCTION**





#### **Part List** 2 3 1 1.1 9 Upper legs Front right 1pc Upper side panels 2pcs Below legs (left-right) 4pcs Upper legs (left-right) 3pcs 10 11 12 Below side panels 2pcs Below panels 2pcs Bottom bar 2pcs

## **Part List -Hardware List** 7 4 5 6 Rear guard rails 2pc Front guard rails 2pcs Guard rail suppors 2pcs Upper front side rail 1pc 8 13 14 15 Upper back side rail 1pc Lower front side rail 1pc Lower back side rail 1pc Ladder left side rail 1pc 28 17 16 Slats 21pcs Ladder Right side rail 1pc Step 4pcs


## **Part List** 21.1 21 18 19 20 Trundle (left-right) Side Panel Trundle front panel 1pc Trundle back panel 1pc Long wooden bar 1pc 2pcs 22 23 24 25 Short Wooden Bars 2pcs Drawer front Panels 3Pcs Drawer (left-right) 6Pcs Drawer rear - 3pcs 26 27 28 Slats Drawer Support Bottom - 3pcs Drawer Bottom Panels - 3pcs 7pcs

#### **Hardware List**






STEP 3
Aligning and fix Guard rail suppors (6) with guard rails (4 & 5) and the Upper side rail (7 & 8), Using Hex-Head bolts (E) Canopy head though (F), Tighten with Allen (P) Keys.




STEP 4 Align and fix Below legs (left-right) (9) Below side panels (10) Below panels (11) Bottom bar (12) using Hexagonal bolts catch wood (A) and Wood dowel (B), Tighten with Allen Key (P). STEP 5 Align and fix the Lower front side rail (13 &14) with the right and left side of the headboard, using Hex-Head bolts (C) and Wood dowel (B), Tighten with Allen Key (P). 10/16




#### STEP 7


- 1, Align and fix ladder side rail (15&16) ladder stile to ladder step (17) using hexagonal bolts catch wood (H) and Wood dowel (B) tighten with Allen Key (P).
- 2, Align and fasten the ladder to the upper, lower guard rail, using the Hex-Head bolts (I), tighten with Allen Key (P).
- 3, Align and fix Slats (28) using Wood Screws (M), tighten with screw driver (not included)



STEP 8
Align and fix Long wooden bar (20) Trundle (left-right) side panel (21&21.1) and the Short wooden bars (22) using Hexagonal bolts catch wood (H) Hex-Head bolts (I) and Wood dowel (J), tighten with Allen Key (P).



STEP 9
Align and fix Trundle front panel (18) Trundle back panel (19) and cluster link Step 9, using Hex-Head bolts (I) Wood dowel (J) Hex-Head bolts (K) and Horizontal-Hole bolts (D), tighten with Allen Key (P).



STEP 10 Align and fix Drawer front panels (23) Drawer (left-right) (24) Drawer rear (25) Drawer bottom panels (26) and the Drawer Support bottom (27) using Wood Screws (M), tighten with screw driver (not included) 25)

