








Installation Instructions




Parts Included


A*1	B*1	C*1	D*1
			
Backrest	Seat	Leg Rest	Footrest


E1*1	E2*1	F*1	G*4	H*4	I*1	J*1	K*1	I*1	M*2
									
Wrench			Screws			Base	Pump	Step Pedal	Support Rod


1 Install the base and pump




1-1.Secure the pump cover with H.











1-2.Secure the pump and base with G and H.

2 Install the step pedal

2-1. Insert L into the pump and tighten the screw.

! Pay attention to the orientation of L.






3 Installing the Seat


Two person are recommended to complete this step.


3-1. Place the seat onto the pump (please note the pin on the pump toward the gap of the pump joint).


3-2.Insert the screw into the screw hole of the seat.

3-3.Tighten the screw to secure the seat and pump.











4 Install the Seat Cushion


4-1. Align the 4 screw holes on the seat and the chassis use the provided wrench to screw the 4 selftapping screws into the screw holes to fix the seat.








5 Installing the Backrest


5-1.Remove the 3 nuts under the backrest, and then align the 3 screw holes on the chassis to place the backrest on the chassis.












5-2.Pass the longer end of the wrench through the hole of the sleeve, and then this tool to tighten the 3 nuts removed from the previous step to fix the backrest.


6 **Install the Leg support to the chassis.**


6-1. Remove the screws pre-installed on both sides of the seat.

C*1



Leg Rest








6-2. Align the leg support and the screw holes on both sides of the seat.

6-3. Reinsert and tighten the screws removed in the previous step.


D2*1 E*1









6-4. Remove the two screws pre-installed behind the leg support.




6-5. Align the screw holes between the two connecting irons and the leg support, insert, and tighten the screws.

D2*1 E*1










7 **Install the footrest.**

7-1.Remove the screws pre-installed on both sides of the footrest.

7-2.Align the screw holes on the footrest and both sides of the leg support, insert, and tighten the screws.









8 **Install the Support Rod.**

8-1. Tighten the two support rod respectively to the bottom of the footrest.






Chair Operation Guide

1 Reclining or Returning the Backrest to an Upright Position

· Sit on the chair, pull the reclining handle back while leaning your body backward, and the chair's backrest will recline.

· Pull the reclining handle while sitting up straight, and the backrest will return to the upright position.




2 Locking or Unlocking the Chair's Swivel Function

This chair has a locking feature.

2-1. Locking the Chair


Lift the step pedal upwards, and the internal oil pump will lock, preventing the chair from rotating.



rotating locked

2-2. Unlocking the Chair

Press down the step pedal while rotating the chair; at this point, the chair can swivel.



rotating unlocked

3 Adjusting the Headrest Height

· Press the button on the back of the backrest to adjust the headrest height;


· Release the button to lock the headrest height in place.



4 Adjusting the Chair Height

4-1. Raising the Chair


Continuously press the step pedal halfway down, and the chair will rise.



4-2. Lowering the Chair

Press the step pedal all the way down and hold it, and the chair will lower.

Correct Way to Leave the Chair to Avoid Tipping



Incorrect Example:
There is a significant distance between the support rod and the ground, stepping on the foot pedal at this time may cause the chair to tip forward.

Correct Example:
Lower the chair to the lowest position, the support rod will close to the ground, you can safely step on the foot pedal and leave the chair.

Trouble and Solution

NO.	Trouble	Potential Issues	Solution
1	The pump is not working.	The pump's lift function is not working properly.	Please refer to section 4 of the operation guide to check if the operation is correct.
2		Cannot swivel.	Please refer to section 2 of the operation guide to check if the operation is correct. If the chair still has difficulty rotating, please repeat lifting the foot pedal and then pressing it down while rotating the chair several times. This should make the chair easier to rotate.
3	The pump is making unusual noises.	There is air inside the pump.	Because it's brand new, there may be some air inside the pump. Please repeatedly lift and lower the chair to expel the air.

Trouble and Solution

NO.	Trouble	Potential Issues	Solution
4	The chair is wobbling.	Loose connection between the pump and the base.	Please check the screws underneath the base and tighten them again.
5	Missing screws.	Some screws are pre-installed.	Most screws are pre-installed on the chair's components. Please check again to see if there are screws in the screw holes on the chair's components.
6	Missing parts.	The chair is shipped in two packages.	If your chair is shipped in two separate packages, we will send you the tracking numbers for both packages after the chair has been shipped. Please keep an eye out for them. The two packages may not arrive simultaneously.
7	Damaged	The chair leather, metal, and other accessories are damaged.	If you find any damage to the chair after receiving it, please do not rush to return it. Please contact us and provide pictures of the damage in your message so that we can quickly identify the required parts. We will promptly send you the replacement parts.
8	Other issues	Contact Us	If you have any further questions, please feel free to contact us. In order for us to better understand and resolve the issue quickly, please provide relevant pictures or videos related to the problem in your email.

WARNING:

ANY PACKING BAGS OF THIS PRODUCT ARE NOT TOYS. TO AVOID THE DANGER OF SUFFOCATION, KEEP AWAY FROM BABIES AND CHILDREN. DO NOT USE IN CRIBS OR BEDS.