Manual



Instructions & Installation


Statement

Please read this instruction carefully before installation, and refer to it again during the installation to ensure a safe and correct installation of the mirror.

Compliance

All the electrical components used in this product are ETL LISTED. This product passed ETL certification.

Electrical Safety Instructions





Wiring

Roomtec supply 1m cord and U.S 3-pin plug for easy connection with wall socket. This product all can connect the cord in the wall and be controlled by wall switch.

Cleaning

When the mirror has to be cleaned, please switch off the power first.

DO NOT use abrasives or solvents when cleaning.


DO NOT let water get in the mirror and submerge mirror in water.

Wipe off all water spillages as soon as possible via a soft, damp cloth.

Specification

Product Name:	LED LIGHTED MIRROR	Certificates:	ETL, CE, ROHS
Brand:	RoomTec	Input Voltage:	110v
Design Style:	Modern	Power:	As specified on product label
Feature:	Illuminated	Lumen:	2500-3000lm
Mirror Shape:	Circle	Input Frequency:	60Hz
Function:	Anti-fog, memory function	Color Temperature:	3000k-6000k optional
Installation:	Wall mounted	IP Rating:	IP44
Glass Thickness:	5mm	Dimming Function:	Yes
Light Color	Warm/White/Warm white changeable	Hanging Way:	Horizontal
Touch Sensor	Yes	Warranty:	3years
Material:	Copper-free silvered glass + Aluminum frame	Application:	Bathroom, makeup room

Operation Instructions



Light on/off


Power on, then press 👸 to turn the light on, the light is warm light.

Then second time press $\boxed{\overset{\heartsuit}{\downarrow}}$, the light change to white light.

The third time press $\begin{bmatrix} \checkmark \\ + \end{bmatrix}$, the light change to warm white light.

Then press $\begin{bmatrix} & & \\ & & \\ & & \end{bmatrix}$ again to turn the light off.





Dimming instruction


Power on, press $\[\stackrel{?}{\psi} \]$ to turn the light on, then keep pressing $\[\stackrel{?}{\psi} \]$, the brightness will change accordingly.


Fog-free instruction (For the led mirror with anti-fog function)

Power on, press $\boxed{\underline{\mathfrak{M}}}$, the mirror can be defogging.

Installation


backside











Ruler

Spirit Level

Electrical Drill

Screwdriver

Hammer




2 x screws and white nylon screw type plug



4 x spacer

Step 1

Stick spacers on mirror backside to keep the mirror be flat, and measure the distance of A(two hooks center distance).




Model Size	Measurement A(mm)	
MA04R32TD-OL	388±5mm	
MA04R36TD-OL	388±5mm	
MA05R24TD-OL	82±5mm	
MA05R32TD-OL	388±5mm	
MA05R36TD-OL	388±5mm	




Step 2

Marked 2 dots on wall with length of A, and drill holes.




Step 3

Put the white nylon screw type plug in the holes and screws in to the plug.



Step 4


Hang the mirror to wall.



★★★ About the wire connection ★★★

There are two ways to connect the circuit for the mirror.

Connection way ①: Plug the 3-pin plug in the socket on the wall.





Connection way ②: Connect the mirror wire with wall switch wire via connector.

