



Project/Job Name: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Notes: \_\_\_\_\_

**S11591** - 15.5 Watt PAR38 LED; Medium Base; Silver Finish; CCT Selectable; 120 Volt; 40 Degree Beam Angle

- CCT Selectable
- Rated for Enclosed Fixture



## ELECTRICAL

Technology:	LED
Watts:	15.5W
Volts:	120V
Lumens:	1400L
CRI:	90
Rg Value :	40
CCT (Kelvins):	2700K/3000K/3500K/4000K/5000K
Color Description:	Warm White to Natural Light
Beam Spread :	40
Hours Rated:	25000
Dimmable:	Yes-Dimmable
Dimmable Down To %:	100 to 20 percent
Dimming Type :	Forward Phase or Reverse Phase or Phase Selectable
Incandescent Equivalent :	120W
Fluorescent Equivalent :	25W
Operating Temperature :	-20C (-4F) to +40C (+104F)
Number of LEDs :	30
Spot Type :	FL - Flood
Power Factor :	0.7
Light Source:	LED
CBCP :	1758
Warranty:	3 Year Limited - 12 hr per day

## PHYSICAL

ANSI Base:	E26
Base:	Medium
Shape:	PAR38
Finish:	Silver
Lens Finish:	Clear
Lens Material:	Polycarbonate (PC)
MOD (In.):	4.76
MOL (In.):	5.12
Weight (Lbs.):	0.34
Material:	Polyamide (PA)
Housing Color:	Silver
Lensed:	Lensed Lamp

## COMPLIANCE

Safety Listing:	cULus - Listed
Location Rating:	Wet
Indoor/Outdoor:	Indoor; Outdoor
Rated For Enclosed Fixture:	Yes
FCC Compliant:	Yes
RoHS Compliant:	Yes
SDS Class:	LED_Lamp
Restrictions:	No Restrictions

## PACKAGING

Each UPC:	045923115912
Each Quantity:	1
Each Dimensions:	4.88 x 4.88 x 5.51
Inner UPC:	20045923115916
Inner Quantity:	6
Inner Dimensions:	15.16 x 10.24 x 5.91
Case UPC:	10045923115919
Case Quantity:	12
Case Dimensions:	21.06 x 15.75 x 6.69



**S11591** - 15.5 Watt PAR38 LED; Medium Base; Silver Finish; CCT Selectable; 120 Volt; 40 Degree Beam Angle

**DIMMER COMPATIBILITY**

---

Leviton	6672
Leviton	6674
Leviton	66DF-10W
Leviton	66ELV
Satco	80/2699
Satco	80/2700
Satco	80/2701
Satco	80/2702
Satco	80/2703
Satco	80/2704
Satco	86/103
LeGrand	ADTP703TU
Lutron	AYCL-153P
Lutron	AYCL-253P
Lutron	CTCL-153P
Lutron	CTRP-253P
Eaton	DALo6P-C2
Leviton	DDL06
Leviton	DDMX1
Leviton	DG6HD
Leviton	DH6HD
Leviton	DL6HD
Leviton	DSEo6-10Z
Leviton	DSL06
Leviton	DSL06-1LZ
Leviton	DSM10

<b>Eaton</b>	DULo6P-C2
<b>Lutron</b>	DVCL-153P
<b>Lutron</b>	DVCL-253P
<b>Lutron</b>	DVRP-253P
<b>Leviton</b>	DW6HD
<b>Leviton</b>	DZ6HD
<b>Lutron</b>	HQRA-PRO
<b>Lutron</b>	HQRD-10D
<b>Lutron</b>	HQRD-10NBD
<b>Lutron</b>	HQRD-6ND
<b>Lutron</b>	HQRD-HN6BRL
<b>Lutron</b>	HQRD-PRO
<b>Lutron</b>	HRST-PRO-N
<b>Leviton</b>	IPEo4-1L
<b>Leviton</b>	IPLo6
<b>Lutron</b>	LECL-153P
<b>Lutron</b>	MA-PRO
<b>Lutron</b>	MACL-153M
<b>Lutron</b>	MACL-LFQ
<b>Lutron</b>	MRF2S-6ELV
<b>Lutron</b>	MSCL-OP153M
<b>Lutron</b>	NTCL-250
<b>Lutron</b>	NTRP-250
<b>Hubbell</b>	NXFRD-UNV
<b>Lutron</b>	PD-10NXD
<b>Lutron</b>	PD-5NE
<b>Lutron</b>	PD-6WCL
<b>Lutron</b>	RCL-153PNL

<b>Eaton</b>	RF9640-ND
<b>Legrand</b>	RHCL450PTC
<b>Leviton</b>	RNLo6-10Z
<b>Lutron</b>	RRD-10D
<b>Lutron</b>	RRD-6CL
<b>Lutron</b>	RRD-6ND
<b>Lutron</b>	RRD-H6BRL
<b>Lutron</b>	RRD-PRO
<b>Lutron</b>	RRST-PRO-N
<b>Satco</b>	S11268
<b>Eaton</b>	SALo6P
<b>Lutron</b>	SCL-153P
<b>Lutron</b>	ST-PRO-N
<b>Lutron</b>	STCL-153M
<b>Eaton</b>	SUF7
<b>Eaton</b>	TALo6P-C2
<b>Lutron</b>	TGCL-153PH
<b>Leviton</b>	TSLo6
<b>Leviton</b>	TSM10
<b>Lutron</b>	TTCL-100H
<b>Eaton</b>	VSULo6D
<b>Acuity</b>	WSZ-PDT-WH
<b>LeGrand</b>	WWRL50WH