

Questions? Comments? Get in touch with us, or snap a shot of yourself enjoying your new sofa and tag us:

HAPPY@ELEPHANTINABOX.COM ELEPHANTINABOX.COM @ELEPHANT.INABOX





ELEPHANT IN A BOX

CONGRATS!!!

Now you own the most adaptable piece of furniture you will have.

Our **Elephant System** allows you to build unlimited configurations, combining our **5 main pieces,** the sky is the limit!

HOW THE ELEPHANT SYSTEM WORKS

Our 5 main pieces are:



DYNAMIC SOFA



SEAT EXTENSION



CORNER



ARMREST



OTTOMAN





MOST COMMON CONFIGURATIONS


LONG SOFA







WORKING SOFA







SMALL CHAISE-ISH






LONG CHAISE-ISH







SMALL "L" SECTIONAL







LARGE "L" SECTIONAL






SMALL "U" SECTIONAL











LARGE "U" SECTIONAL

CLUB SEAT






PERSONAL CHAISE






HOW WE CONNECT



CONNECTING THE PIECES


CONNECTING THE SMALL CLAMP





Insert down the small clamps to keep together the two connectors as shown.

CONNECTING THE LARGE CLAMP



CONNECTING THE ARMREST / CORE CONNECTORS (flat metal connectors)

into the wooden beam.





Align the armrest connectors with the core connectors.



Push down ensuring both connectors are hooked.



TO DETACH: Simply pull the armrest up from the front and the back to detach. Make sure to remove all the covers and linens before attaching or detaching the armrests.

Setting up your Elephant is as easy as 4 steps!

- Take the contents out from the inside of the armrests.
- Expand the honeycomb.
- Place the beams, covers and linens.
- Open and fluff cushions.

DETAILED INSTRUCTIONS TO SET UP A DYNAMIC SOFA

- Sofa Body Elephant Core
- Blue wooden beams (2 pieces)
- Black wooden beams (2 pieces)
- Base Lining

- Thumb screws & Wing nuts (8 Pieces)
- Back Lining (2 Pieces)
- Front Pan
- Seat Cushions (2 pieces)
- Back cushions (2 pieces)
- Stopper Screws & Nuts (4 pieces)Back Covers (2 pieces)
- Armrests (2 pieces, attached)
- Braces
- Set of 4 straps (for future moving)
- Wing Screws (4 pieces)



Open the box.



Push the cushion, then twist and remove the wooden support.



Take the cushions out by using the belt.



Expand the sofa honeycomb by pulling outwards on the armrests in a straight line.



Expand the beams.



Slide the connectors to the middle to lock the beams.



Now, insert the stopper screw in the hole as shown. Make sure that the stopper screw is in the same direction of the hinge.



Do the same for the black beams and make sure that the nut is in the same direction of the hinge.



Place the blue wood beam inside the blue connectors on the front part of the honeycomb and make sure to place the middle support with the middle connector as shown.



Rotate the thumb screw with the wing nut together.



Do the same for the other blue wood beam. See image No. $9\,$



Put the base lining on the sofa with the velcro facing up.

DETAILED INSTRUCTIONS TO SET UP A DYNAMIC SOFA



Make sure to align the ring on the base lining with the hole on the blue connectors.



Insert the black screw in the base lining ring and rotate it with the wing nut.



The final look of the base lining.



Place the black wood beams inside the black connectors at the bottom of the armrests (front and back). Make sure that the velcro is facing down.



Place both back lining pieces on at the same time, starting from a V shape. This will make them fit tighter.



Stick the front panel onto the base lining and the bottom beam by the velcro.



Place the seat cushions as shown.



Stretch and "fluff" the back pillows, they've been cozy for a while:)



Now relax!

DETAILED INSTRUCTIONS TO SET UP A SEAT EXTENSION

- Seat Extension Body
- Back lining
- Back pillow
- Back pillow cover
- Seat cushion Seating pad
- Small clampFront panel
 - •
- Wooden beams (4 pieces)
 - Black screws (8 pieces)



Open your Elephant seat.



Take all the components of the seat extension out.



Extend the honeycomb horizontally.



Flip the seat extension down and place the wooden black beam in the black connectors.



Insert the black screw.



Next, insert the blue wooden beam into the back blue connectors.



Do the same for the bottom blue wooden beam.



Put the seating pad on the seat with the velcro facing up.



Insert the black screw in the seating pad and rotate it with the wing nut.



Put the back lining on and make sure to stick it onto the seating pad and then stick it onto the bottom back beam by the velcro.



Stick the front panel to the seating pad. Make sure that the arrow is placing up and then stick it onto the bottom beam by the velcro.



DETAILED INSTRUCTIONS TO SET UP A CORNER

- Separate armrest
- Back pillows (2 pieces)
- Back pillow covers (2 pieces)
- Seat cushion

- Corner extension body
- Seating pad
- Wooden beams (4 pieces)
- Black screws (8 pieces)

- Small clamps (3 pieces)
- Large clamp




Open your Elephant corner extension.



Take all components of the corner out.



Open the belt.



Extend the honeycomb horizontally.



Place the wooden beam in the blue connectors. Insert the black screw to keep it in place.




Do the same for the other side.



Place the wooden beam in the bottom black connectors.



Do the same for the other side.



Connect the armrest to the corner extension by placing it from upside down, using the direction of the $2\,\mathrm{fork}\,\mathrm{connectors}.$



Connect the latch and secure it.



Put the seating pad on the corner.



Place the seat cushion as shown.

DETAILED INSTRUCTIONS TO SET UP AN OTTOMAN

- Base padding
- Wooden beams (4 pieces)
- Cover

- Unit of folded Honeycomb
- Black screws (8 pieces)
- Seat cushion






Open your Elephant in a Box.



Take all components of the ottoman out.



Open the ottoman honeycomb by pulling the sides away from each other in a straight line.



In the box there are 4 wooden beams and 8 screws.



Insert the two blue beams into the blue connectors at the top.




Insert the black screw to keep it in place. Screw the metal butterfly in the back of the black screw.

Repeat for all beams.



Insert the two black beams into the black connectors in the bottom of the ottoman.



Make sure that the velcro is facing down.



Insert a screw to keep it in place.



Unfold the base lining and place it on the ottoman.



Then put the cover sheet over it.



Start by putting the cover and slowly pull it down from the 4 sides, all at the same time.



Attach the cover to the base using the velcro at the bottom of the ottoman.



Take the cushion out of the plastic bag and place it on top of the ottoman base.



Now, enjoy!

DETAILED INSTRUCTIONS TO DE/ATTACH THE ARMRESTS



Align the armrest connectors with the core connectors.



Push down ensuring both connectors are hooked.



Simply pull the armrest up from the front and the back to detach. Make sure to remove all the covers and linens before attaching or detaching the armrests.

WHAT ARE THE STRAPS FOR?



The straps will keep the core & cushions together in 2 easy-to-move parts.



Your Elephant is ready to follow you to the new adventure!