


Owner Manual







1x3




2Ax3




2Bx3




3x3




4x3




5x2




6x2




7x1




8x1




9x1




10x2




11x3




12x4




13x4




14x2




15x1




16x1




17x1




18x1




19x1




20x2




21x1




22x1




23x1




24x1




25x2




26x1




27x1




28x1




29x1



30x1








31x2




32x1

Accessories list

A		Two In One Screw (6x28mm)	170pcs +5pcs
B		Two In One Nut (10x12mm)	170pcs +5pcs
C		Wood Chipping (6x30mm)	30pcs +5pcs
D		Screw & Guide(14inch) (3x12mm)	30pcs +5pcs 6pcs
E		Iron wire(508-mm)	2pcs
F		Non-slip square pad	10pcs +2pcs
G		Wire cover	1pcs
H		Wire Clamp	2pcs +1pcs
I		1 bis 2 power extension cable	1pcs
J		Power Socket & Screw (3x10mm)	2pcs +1pcs 1pcs
K		Anti inverted right angle grommet Screw(3.5x14mm)	2pcs
		Screw(4*45mm) grommet Countersunk head tapping	2pcs





1pcs




Double-head screwdriver, use as required

Product structure decomposition




A		24pcs	B		24pcs
D	 6pcs	 12pcs			




Use parts Ⓐ and Ⓑ


Step1




Step2




Step3






Use a screwdriver to lock in the direction of the "+" sign




Disassemble along the direction of "-" sign

Step 1

Ⓐ




x12




X3

Step 2




X3

Step 3



X3


Step 4




A x12

X3

Step 5







B x24

X3


Drawer rail breakdown diagram







Step 1 : Pull the rails apart


Step 2 : Push the nylon buckle outward ①









Step 6









A		110pcs	B		106pcs
C		24pcs	D	 6pcs	 18pcs
F		6pcs			





Step 7







Step 8









Step 9




Step 10




Step 11





Step 12




Step 13








Step 14






This hole is for strengthening fixed hole customers canchoose to install according to their needs.


Step 15

Ⓑ x8





Step 16


Ⓑ x6




Step 17









Step 18






Step 19


Ⓑ x8







Step 20


Ⓑ x8






Step 21






Flip it over




Step 22



B x2


Step 23





A x12

C x4


Step 24








Step 25






This hole is for strengthening fixed hole customers canchoose to install according to their needs.

Step 26


Ⓑ x4



Step 27


Ⓑ x2

Ⓒ x4




Step 28

Ⓑ x6




Step 29


Ⓐ x8




Step 30




Step 31






Step 32

Ⓑ x8





Step 33


Ⓑ x4



Step 34








Step 35


Ⓑ x2




Step 36


Ⓐ x8


Ⓒ x4




Step 37









Step 38





This hole is for strengthening fixed hole customers canchoose to install according to their needs.


Step 39



B x8


C x4

Step 40




A x4


Step 41




Step 42





Step 43






Step 44






Step 45


Ⓑ x6











Step 46

Ⓑ x4









A		36pcs	B		40pcs
C		6pcs	E		2pcs
F		4pcs	G		1pcs
H		2pcs	I		1pcs
J	 1pcs	 2pcs	K		2pcs
					2pcs

Step 47




Step 48




Step 49

Ⓑ x3




Step 50

Ⓐ x3




Step 51

Ⓑ x3




Step 52

Ⓐ x4




Step 53


Ⓑ x5




Step 54


Ⓔ x2









Step 55




Step 56





Step 57






Step 58






Step 59

Ⓖ x1







If a large gap is found after installing the drawer the slide rail can be moved up and down to adjust the gap


Step 60


Ⓗ x2

Ⓘ x1











Step 61







Step 62

K x2 x2


x4 x2

x2






wall



This hardware is used to strengthen the fixation, and customers can choose to install it according to their own needs.



User's Guide

Thank you for purchasing this product.

To use this product, please connect it to a power source.

Please use if the product works normally after connecting to power.

Introduction

The box is an intelligent controller. It has 1 USB output port 1 Type-c port and can distribute the current output up to 5V DC-2A. With 2 touch buttons, it can turn. ON/OFF the light, change light colors, and adjust the light luminance.


Operation

This touch button controls the on/off of the light

Short touch -> lighting on -> short touch -> lighting off.

This touch button controls the color switching and brightness adjustment of the light

1. It can only be used when the light is on
2. Offering 3 different colors to choose from.Simply tap to cycle through the options.
3. Long touch -> adjust the luminance.



⚠ ATTENTION PLEASE

1. If there is no touch response suddenly, Re-plug the power to reset the touch static electricity.

2. If you have any questions when installing, please feel free to contact us. Thank you.