

MODEL: LINNWOOD CLASSIC BOOKCASE

ASSEMBLY MANUAL & CARE GUIDE

IMPORTANT SAFETY WARNINGS

READ BEFORE ASSEMBLY • KEEP FOR FUTURE REFERENCE

⚠ CRITICAL: BOOKCASES ARE TALL AND CAN TIP OVER.

TIP-OVER CAN RESULT IN SERIOUS INJURY OR DEATH.

MUST BE SECURED TO WALL WITH PROVIDED ANTI-TIP DEVICE.

⚠ Use only on a flat, level, and stable surface.

⚠ Do not exceed maximum load capacity:

- **Total:** 150 lbs (68 kg) distributed evenly.

 - **Per Shelf:** 35 lbs (16 kg). Do not concentrate heavy items on one shelf.
 - ⚠** Never place a TV or other top-heavy electronics on top.
 - ⚠** Place heavier items on lower shelves.
 - ⚠** Do not allow children to climb on or hang from any part of this unit.
 - ⚠** Assembly requires at least two adults.
-

TOOLS REQUIRED (NOT INCLUDED)

- Phillips screwdriver

- Hammer

- Pencil

- Level

- Stud finder (recommended)

- Electric drill (optional, for easier installation of wall strap)

PACKAGE CONTENTS

Lay out all parts and hardware. Verify count before discarding packaging.

Part Code	Description	Qty	Image
A	Top Panel	1	[]
B	Bottom Panel	1	[]
C	Left Side Panel	1	[]
D	Right Side Panel	1	[]
E	Adjustable Shelves	4	[]
F	Fixed Center Shelf	1	[]
G	Back Panel (Fiberboard)	1	[]
--	Hardware Kit (in separate bag)	1	

Hardware Kit Inventory:

- Wooden Dowels – 10 pcs
- Cam Locks – 10 pcs
- Short Screws (for back panel) – 20 pcs
- Long Screws (for fixed shelf) – 4 pcs
- Shelf Support Pins – 16 pcs
- Anti-Tip Wall Strap Kit – 1 pc (includes bracket, screw, wall anchor)
- Allen Key – 1 pc

ASSEMBLY INSTRUCTIONS

STEP 1: PREPARE SIDE PANELS (C & D)

1. Lay the **Left Side Panel (C)** flat, **inner side facing up**. The inner side has pre-drilled holes.
2. Insert **wooden dowels** into all the larger, round holes on the inner side of panel C. Insert them fully by hand or gently tapping with a hammer.
3. Repeat for the **Right Side Panel (D)**.

STEP 2: ATTACH THE FIXED CENTER SHELF (F)

1. Align the **Fixed Center Shelf (F)** with the side panels. Note that one side of the shelf may have pre-drilled holes for dowels.
2. Connect the shelf to the pre-installed dowels on one side panel.
3. Insert **cam locks** into the corresponding holes on the shelf edge. Turn the cam locks **clockwise** with the Allen key until they are tight and the arrow points toward the dowel. This locks the joint.
4. Using the **long screws**, secure the shelf from underneath/above through the pre-drilled pilot holes in the side panels for added strength.

STEP 3: ATTACH THE TOP (A) AND BOTTOM (B) PANELS

1. Connect the **Top Panel (A)** to the side panels using the remaining dowels and cam locks. Ensure the more finished side (if applicable) faces the correct direction.
2. Repeat the process to attach the **Bottom Panel (B)**.
3. Check that all cam locks are fully tightened. The frame should now be rigid.

STEP 4: INSTALL THE BACK PANEL (G)

1. Carefully place the assembled frame face down on a soft, protected surface (blanket or carpet).
2. Position the **Back Panel (G)** onto the back of the frame, aligning it with all edges.
3. Using the **short screws** and a screwdriver, secure the back panel starting from the top center and working outward. Insert screws into every pre-drilled hole along the sides, top, and bottom. This provides critical stability.

STEP 5: INSTALL SHELF SUPPORT PINS AND ADJUSTABLE SHELVES (E)

1. Turn the bookcase upright with help. Place it approximately 2 inches from the wall.
 2. Decide on your shelf spacing. Insert **shelf support pins** into the column of holes on the inner sides of the panels where desired. Push them in firmly until they stop.
 3. Gently place the **Adjustable Shelves (E)** onto the support pins. Ensure they are level and secure.
-

MANDATORY: ANTI-TIP WALL ANCHOR INSTALLATION

This is not optional. Failure to secure can result in death or serious injury.

1. **Locate Wall Stud:** Use a stud finder to locate a solid wood wall stud in the desired location. **The bracket MUST be screwed into a stud.**
 2. **Position Bookcase:** Move the bookcase to its final position, flush against the wall.
 3. **Mark and Install Bracket:**
 - Hold the metal **wall bracket** against the wall, inside the top rear corner of the bookcase.
 - Mark the screw hole that aligns with the wall stud with a pencil.
 - Drill a pilot hole and **secure the bracket to the wall stud** using the provided long screw. Ensure it is very tight.
 4. **Secure Bookcase to Bracket:**
 - Lift the bookcase slightly and hook the provided **strap** (attached to the bracket) over a solid, internal part of the bookcase's top panel, or use the screw to attach it directly to the inside top of the bookcase as per bracket design.
 - Pull the strap tight. The bookcase should now be firmly anchored and cannot tip forward.
-

CARE & MAINTENANCE

- **Cleaning:** Dust regularly with a soft, dry cloth. For stains, dampen cloth with water and mild soap. Wipe dry immediately. Do not use abrasive cleaners.
- **Loading:** Distribute weight evenly. Place heaviest books and items on the lower shelves.

- **Environment:** Avoid prolonged exposure to direct sunlight, high humidity, or heat sources to prevent warping.
-

TROUBLESHOOTING

Issue

Solution

Unit wobbles.

Ensure floor is level. Verify all cam locks are fully tightened. Ensure back panel screws are all secured.

Shelves sagging.

You are exceeding the 35 lbs/shelf limit. Redistribute weight to lower shelves.

Gaps in joints.

Disassemble and check that all dowels are fully inserted and cam locks are properly engaged and tightened.

Can't find wall stud.

Do not use drywall anchors alone—they are insufficient. You MUST locate a stud. Consult a professional if needed.

WARRANTY & CONTACT

This product is covered by a **5-year limited warranty** on structural components.

For missing parts or assistance:

Customer Service: support@yourbrand.com | **Tel:** 1-800-XXX-XXXX

Website: www.yourbrand.com/parts

Please reference Model: LINNWOOD CLASSIC and provide your proof of purchase.

Thank you for choosing our bookcase. When properly assembled and secured, it is designed to provide years of reliable service.