Rectangle LED Bathroom Mirror Manual




Instructions & Installation

Statement

Please read this instruction carefully before installation, and refer to it again during the installation to ensure a safe and correct installation of the mirror.

Compliance

All the electrical components used in this product are ETL LISTED. This product passed ETL certification.





Wiring

supplies an about 5ft long power cable and U.S 3-pin plug for easy connection with a wall socket. Optional to cut the plug directly and connect to electrical wiring if using the wall switch.

Cleaning

When the mirror has to be cleaned, please switch off the power first.

DO NOT use abrasives or solvents when cleaning.

DO NOT let water get in the mirror and submerge mirror in water.

Wipe off all water spillages as soon as possible via a soft, damp cloth.

Specification

Product Name:	LED LIGHTED MIRROR	Certificates:	ETL, CE, ROHS
Design Style:	Modern	Input Voltage:	110V
		Power:	As specified on product label
Feature:	Illuminated	Lumen:	2000-4500 LM
Mirror Shape:	Rectangle	Input Frequency:	60Hz
Function:	Anti-fog, memory function	Color Temperature:	3000K-6000K optional or 6000K-6500K
Installation:	Wall mounted	IP Rating:	IP44
Glass Thickness:	5mm	Dimming Function:	Yes
Light Color:	Warm/White/Warm white changeable or White	Hanging Way:	Horizontal and/or Vertical
Touch Sensor:	Yes	Connection Way:	Plug-in or Hardwired
Material:	Copper-free silvered glass + Aluminum frame	Application:	Bathroom, makeup room












Operation Instructions --- 3000K-6000K

Memory Function---the mirror will remember the light color and brightness when it was last turned off.



Light on/off


Power on, then press [to turn the light on, the light is warm light.

Then second time press [*], the light change to white light.

The third time press [*]. the light change to warm white light .

Then press [] again to turn the light off.

Press and hold of for 3 seconds, and the blue indicator light of the mirror will turn off.



Dimming instruction

5mm


Power on, press $\begin{bmatrix} \dot{\psi} \\ \dot{\psi} \end{bmatrix}$ to turn the light on, then press and hold $\begin{bmatrix} \dot{\psi} \\ \dot{\psi} \end{bmatrix}$ the brightness will change accordingly.

Fog-free instruction


(Safe Defogging---Automatically shut off after one hour.)

Power on, press [555], the mirror can be defogging.

Installation



Ruler



Spirit Level



Electrical Drill




Screwdriver



Hammer

Parts List















Operation Instructions --- 6000K-6500K

Memory Function---the mirror will remember the light color and brightness when it was last turned off.





Backside

Dimming instruction


Power on, press to turn the light on, then press and hold , the brightness will change accordingly.

Fog-free instruction


(Safe Defogging---Automatically shut off after one hour.)

Power on, press (), the mirror can be defogging.

Installation









Spirit Level



Electrical Drill




Screwdriver



Hammer

Parts List















Step 1

Measure the distance between two holes on the aluminum strip.




Step 2

According to the distance from A, choose a suitable height and punch holes in the wall.



Step 3

Drive the expansion plug into the hole on the wall and then put the screw into the expansion plug to fix the aluminum strip on the wall.




Step 4

Hang the mirror on the wall.

NOTE:

Mirrors with a width of 48 inches or more can only be hung horizontally, not vertically.






★★★ About the wire connection ★★★

There are two ways to connect the circuit for the mirror.

Connection way ①: Plug the 3-pin plug in the socket on the wall.



Connection way ②: Cut of the plug, and connect the mirror's wire to the wall switch's wire. (Recommend installation by professional electrician)

