







Thank you for purchasing this quality product. A list of PARTS and INSTRUCTIONS is included to assist you. Unpack and identify all parts included on the Parts List and Hardware List. If parts are missing, please DO NOT return this item to the store. For faster service please call our Customer Service Department at 1-888-673-9080. For efficient and speedy service, please indicate the model number and code letter of part(s) needed.



HARDWARE LIST





SHELF LOCK OTY: 20 PCS





DOOR KEY QTY: 1 SET





SHELF SUPPORT X 20 PCS





DOOR HANDLE QTY: 2 PCS





WRENCH X 1 PCS



10

PLASTIC WASHER QTY: 4 PCS






M6X11 LCK QTY: 8 SETS





M6X11 RND QTY: 10 SETS

PARTS LIST





E TOP PANEL
QTY: 1 PCS



J SMALL BARREL REST QTY: 1 PCS



B LEFT SIDE PANEL OTY: 1 PCS



F SMALL LEFT DOOR



K LARGE BARREL REST




C RIGHT SIDE PANEL



G LARGE RIGHT DOOR QTY: 1 PCS



L LARGE WOOD BACK PANEL
QTY: 1 PCS



D BOTTOM PANEL



H ADJUSTABLE SHELF QTY: 4 PCS




M CENTER PANEL



CUSTOMER SERVICE

Toll Free 888-673-9080 • Fax 417-673-9081 • E-mail service@americanfurnitureclassics.com






LAY METAL BACK PANELS ON FLOOR WITH INSIDE OF BACK PANEL FACING UP.


STEP

NOTE


HOLES/SLOTS IN
CABINET SIDES FOR
ADJUSTABLE SHELF
BARREL REST MUST
BE TOWARD TOP
OF CABINET



HOOK / ATTACH LEFT SIDE PANEL TO BACK PANEL.




HOOK / ATTACH RIGHT SIDE PANEL TO BACK PANEL.




ROTATE FRONT EDGE OF BOTH SIDE PANELS UPWARD TO FORM RECTANGULAR CABINET SHAPE.





SLIDE BOTTOM PANEL OVER THE SIDE AND BACK PANELS. INSERT 4 - M6X11 BOLTS THROUGH FRONT AND LOOSELY TIGHTEN WASHER & LOCK NUTS FROM INSIDE.



INSERT AND SLIDE 2 WOOD BACK PANELS INTO PLACE FROM TOP END OF CABINET.




SLIDE CENTER PANEL OVER THE WOODEN BACK PANEL.



SLIDE TOP PANEL OVER THE SIDE, CENTER AND BACK PANELS. INSERT 4 - M6X11 BOLTS THROUGH FRONT AND FULLY TIGHTEN WASHER & LOCK NUTS FROM INSIDE USING M6 WRENCH.




STEP
9 5



STEP

10

RETURN TO BOTTOM PANEL AND FULLY TIGHTEN THE 4
- M6X11 BOLTS FROM INSIDE USING THE M6 WRENCH.



SCREW LOCK HANDLE INTO DOORS. OPEN AND CLOSE DOOR TO CONFIRM PROPER ALIGNMENT.

DOOR IS EQUIPPED WITH TOP AND BOTTOM "SPRING" HINEG PINS.

SLIDE PLASTIC WASHER(6) ONTO EACH HINGE PIN.

INSERT THE HINGE PIN ON ONE END OF THE DOOR.

INTO THE HINGE PIN HOLE IN THE CABINET DOOR FRAME.

POSITION THE OTHER END OF THE DOOR AND THE OTHER HINGE PIN NEAR THE HOLE IN THE OPP-SIDE END OF THE DOOR FRAME.


PUSH DOWN ON THE HINGE PIN SO THAT IT RETRACTS INSIDE THE DOOR.

WHILE THE HINGE PIN IS RETRACTED, SLIDE THE DOOR INTO THE DOOR FRAME.

ALIGN HINGE PIN WITH THE HINGE PIN HOLE. WHEN ALIGNED CORRECTLY, THE RETRACTED HINGE PIN WILL "SPRING UP" INTO POSITION. THE DOOR IS NOW FULLY INSTALLED.



12



LIFT CABINET TO VERTICAL POSITION.

8

M6X11 RND
QTY: 10 SETS

4 TOP BOLTS

2 CENTER BOLTS

4 BOTTOM BOLTS

INSERT 10 - M6X11 RND BOLTS THROUGH BACK AND FULLY TIGHTEN WASHER & ROUND HEADED LOCK NUTS FROM INSIDE USING M6 WRENCH.

STEP

14


K

LARGE
BARREL REST
QTY: 1 PCS

3

SHELF SUPPORT
X 4 PCS

INSERT SHELF SUPPORTS INTO THE SLOTS ON THE LARGE RIGHT SIDE OF THE CABINET THEN LAY BARREL REST ON TOP OF THE SHELF SUPPORTS.




INSERT METAL STORAGE SHELVES OR SMALL BARREL REST ON THE SMALL LEFT SIDE OF THE CABINET USING SHELF SUPPORTS IN THE DESIRED LOCATION.









Customer Service

- Toll Free 888-673-9080
 - Fax 417-673-9081
- E-mail service@americanfurnitureclassics.com