


About The Brand


We design offers contemporary furniture for today' s shoppers. Clean lines, urban attitude, and popping colors define it' s on-trend look. Crafted with quality, cost-effective apartment essentials.

1


ASSEMBLY INSTRUCTIONS




BOARD IDENTIFICATION




BOARD IDENTIFICATION




①
PANEL
QTY:1




②
BOTTOM PANEL
QTY:1




③
LEFT SIDE PANEL
QTY:1




④
LEFT MIDDLE RISER
QTY:1




⑤
LEFT SHELF
QTY:1




⑥
RIGHT MIDDLE RISER
QTY:1



⑦
RIGHT SIDE PANEL
QTY:1




⑧
BACKPLANE
QTY:1




⑨
FOOT
QTY:4

BOARD IDENTIFICATION




⑩

DRAWER BACK PANEL
QTY:1




⑪

DRAWER BOTTOM
QTY:1




⑫

DOOR PANEL
QTY:1




⑬

DRAWER PANEL
QTY:1



⑭


DRAWER LEFT
SIDE PANEL
QTY:1




⑮

DRAWER RIGHT
SIDE PANEL
QTY:1



1



2



3



A

X 24

CAM BOLT
F7*36


B

X 24

CAM LOCK
F15*11

C

X 24

SCREW
F3.5*14

D

X 2

HINGE



E

X 4

IRON



F

X 20

SCREW
F3.5*14

G

X 20

WOOD DOWEL
F8*30


H

X 2

LEFT OUTER TRACK
F20*300

I

X 2

RIGHT OUTER TRACK
F20*300

J

X 2

RIGHT INNER TRACK
F20*300

K

X 2

LEFT INNER TRACK
F20*300

L

X 4

SCREW
F4.5*42

M


X 8

BACKPLANE FIXING



N

X 8

SCREW
F2.5*14



O

X 1

LIGHT STRIP







STEP 1

- Screw cam bolts (A) into panel (1&2&4&5&7&13) as below shown.






STEP 2

- Attach metal slide(H) to (6) with screws (C).
- Attach metal slide(I) to (7) with screws (C).





STEP 3

- Attach hinge (D) to (12) with screws (C).





STEP 4

- Paste LED in the slot of panel (1&5); Fasten the lamp belt with a buckle as shown below.




STEP 5

- Insert wood dowels (G) into panel (6) as shown in the picture.
- Attach panel (6) to (5) with cam locks (B) as shown in the figure.





STEP 6

- Insert wood dowels (G) into panel (5).
- Attach panel (5) to (4&7) with cam locks (B).





STEP 7

- Attach foot iron(E) to (2) with screws (F) as shown in the figure.




STEP 8

- Insert wood dowels (G) into panel (3&4&6&8).
- Attach panel (2) to (3&4&6&7) with cam locks (B) as shown in the figure.




STEP 9

- Attach foot (9) to iron(E) and together it as shown in the figure.




STEP 10

-Insert the backplane (8) into the cabinet obliquely.








STEP 11

- Insert wood dowels (G) into panel (3&4&7).
- Attach panel (1) to (3&4&7) with cam locks (B) as shown in the figure.






STEP 12

- Connect the hinge (D) to plane (3) with screws (C).





STEP 13

- Attach panel (14&15) to (10) with screws (L) as shown in the figure.
- Insert panel (11) into the grooves.








STEP 14

- Attach panel (13) to (14&15) with cam locks (B) as shown in the figure.




STEP 15

- Attach metal slide(K) to (14) with screws (C).
- Attach metal slide(J) to (15) with screws (C).







STEP 16

- Insert the drawers as below shown.





STEP 17

- Insert backplane fixing (M) into the cabinet obliquely with screws (N).



STEP 18

- Connected pin of LED and power adapter to the control box as below.
- Remove the battery protection pad from remote controller; Align remote controller to the Control box to adjust the color mode; Specifications of battery: cr2025 3v
- LED lamp with effective remote control distance of 5 meters



STEP 19

- Installation complete.

