

DS725

HYGIENE

- Rear and front wash options
- Self-cleaning nozzle
- Adjustable water pressure
- Adjustable water temperature
- Positionable, stainless-steel nozzle



Positionable,
stainless-steel nozzle

COMFORT

- Water tank heating system
- Ergonomic heated seat with adjustable temperature
- Gentle massage pulse
- Warm air dryer
- Deodorizer
- Gentle-closing seat and lid



Gentle-closing seat
and lid

CONVENIENCE

- Illuminating nightlight
- Safety seat sensor
- Eco mode for energy savings
- Slim, modern seat design
- Wireless remote control and dock



Illuminating nightlight

DS725 REMOTE CONTROL

Rear Cleaning

Activates the aerated Rear Wash Function

Front Cleaning

Activates the aerated Front (feminine) Wash Function

Nozzle Position

Moves the wash nozzle to one of seven positions during a wash cycle

Water Temperature

Cycle through each of three Water Temperature setting

Water Temperature


Cycle through each of three Water Temperature setting

Massage

The massage function gently pulses the water stream, alternating between a stronger and softer spray

Move

Activates the front or rear Nozzle Oscillation function



Warm Air Dryer

Activates Warm Air Dryer for a duration of 2 minutes

Stop

Stops all functions currently operating

Water Pressure/ Dryer Temperature

Adjusts the water pressure or dryer temperature to one of four settings during the wash or dry cycle

Seat Temperature

Cycle through each of the four Seat Temperature settings


Automatic Mode

Runs pre-programmed wash and dry cycle

Deodorize

Eliminates odors by passing air through carbon filter

PRODUCT FIT GUIDE



PRODUCT RANGE (SKU/Color)

Elongated Models (shown)

DS725-EW (white)

Round Models

DS725-RW (white)



TECHNICAL SPECIFICATION

Voltage / Frequency	120V / 60Hz
Max Power Consumption	660W
Power Cord Length	3.9 feet
Remote Battery Type	AAA batteries (2)
Seat / Lid Weight Limit	275lbs / 178lbs
Seat Temperature	Adjustable (four levels) 95°F - 104°F
Water Temperature	Adjustable (four levels) 93.2°F - 104°F
Standard Wash	2 minutes
Dimensions	DS725-E: 14.9" (W) x 20.7" (L) x 6.10" (H) DS725-R: 14.9" (W) x 19.5" (L) x 6.10" (H)
Net Weight	DS725-E: 9.7 lbs. DS725-R: 9.5 lbs.
Warranty	Three (3) year limited warranty
Standard Installation Parts Included	7/8" metal T-valve Chrome 90° elbow bidet hose